Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 120.87 | = | 0.771512 | x .2 | 0.154302 | X | 120.87 | = | 18.65 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: C019 - PEAVINE**

- If school district's total area in square miles <u>26.107870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- В. Compute areal density: School District's Raw ADM <u>120.87</u> divided by district's total area in square mile <u>26.107870</u> = District's Areal Density <u>4.63</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

| | | | | | | **** |
|----|--------------------------------|----------|-----------------|----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dist | rict's Raw ADM | 120.87 | |

- 1.00 = District Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

- 0.00 5) (District's Square Miles $\underline{26.107870}$ - $\underline{137.00000}$) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) $\underline{0}$ by lessor of the Area Factor (Line 5 above) $\underline{0}$ or 1.00 = Isolation Factor $\underline{0}$
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{120.87}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.65

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 1 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 633.85 | = | 0.000000 | x .2 | 0.000000 | х _ | 633.85 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: C022 - MARYETTA**

- If school district's total area in square miles 22.207800 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>633.85</u> divided by district's total area in square mile <u>22.207800</u> = District's Areal В Density <u>28.54</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|------------------------------|-----|----------|----------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | · · | | | - | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by div | strict's Raw ADM | | 633.85 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>22.207800</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 633.85 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 2 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | |
|-----|---|---|----|
| Kaw | Α | U | IV |

| 529 - | 194.99 | = | 0.631399 | x .2 | 0.126280 | Х | 194.99 | _ = _ | 24.62 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: C024 - ROCKY MOUNTAIN**

- If school district's total area in square miles <u>19.652120</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 194.99 divided by district's total area in square mile 19.652120 = District's Areal В Density <u>9.92</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | e | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

194.99

0.00 5) (District's Square Miles <u>19.652120</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 194.99 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.62

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 3 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 326.52 | = | 0.382760 | x .2 | 0.076552 | Х | 326.52 | = | 25.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: C028 - ZION**

- If school district's total area in square miles 27.852150 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>326.52</u> divided by district's total area in square mile <u>27.852150</u> = District's Areal В Density <u>11.72</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|-------------------|--------------|-----------|-------------------|
| | | _ | _ | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | _ | - | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distri | ct's Raw ADM | 326.52 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>27.852150</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 326.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.00</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 4 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 151.11 | = | 0.714348 | x .2 | 0.142870 | Х | 151.11 | _ = _ | 21.59 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: C029 - DAHLONEGAH**

- If school district's total area in square miles 11.840770 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>151.11</u> divided by district's total area in square mile <u>11.840770</u> = District's Areal В Density 12.76.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

151.11

0.00 5) (District's Square Miles <u>11.840770</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 151.11 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.59

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 5 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 61.20 | _ = _ | 0.884310 | x .2 | 0.176862 | Х | 61.20 | _ = _ | 10.82 |
|-------|-------|-------|----------|------|----------|---|-----------|-------|-----------------|
| _ | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: C032 - GREASY**

- If school district's total area in square miles <u>38.355090</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 61.20 divided by district's total area in square mile 38.355090 = District's Areal В Density <u>1.60</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|------------------------------|------------|----------|----------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | · · | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | - <u> </u> | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by div | strict's Raw ADM | | 61.20 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>38.355090</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 61.20 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 10.82

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 6 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 260.62 | = | 0.507335 | x .2 | 0.101467 | х | 260.62 | _ = _ | 26.44 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: I004 - WATTS**

- If school district's total area in square miles <u>38.601980</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>260.62</u> divided by district's total area in square mile <u>38.601980</u> = District's Areal В Density <u>6.75</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
|----|---|----------|----------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | strict's Raw ADM | 260.62 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>38.601980</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>260.62</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.44</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 7 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,118.47 | = _ | 0.000000 | x .2 | 0.000000 | Х | 1,118.47 | =_ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: I011 - WESTVILLE**

- If school district's total area in square miles 194.695720 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,118.47 divided by district's total area in square mile 194.695720 = District's Areal В Density <u>5.74</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--|----------|---------|------------|-----------|-------------------|
| | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from about | ove | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | ve | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,118.47

0.00 5) (District's Square Miles <u>194.695720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.118.47 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 8 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,292.57 | = | 0.000000 | x .2 | 0.000000 | Х _ | 1,292.57 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR District: 1025 - STILWELL

- A. If school district's total area in square miles <u>127.842580</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,292.57</u> divided by district's total area in square mile <u>127.842580</u> = District's Areal Density <u>10.11</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|-----------------|----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dist | rict's Raw ADM | 1,292.57 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>127.842580</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.292.57 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 9 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 205.52 | = | 0.611493 | x .2 | 0.122299 | Х | 205.52 | =_ | 25.13 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: I030 - CAVE SPRINGS**

- If school district's total area in square miles 39.115110 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>205.52</u> divided by district's total area in square mile <u>39.115110</u> = District's Areal В Density <u>5.25</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--|-------------------|---------|------------|-----------|-------------------|
| | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | |
| | 0.00 = | = 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | 0.00 = 292 divided by " <u>Cc</u> " from abo | = 0.000000 ove | | | 6-8 ADM | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

205.52

0.00 5) (District's Square Miles <u>39.115110</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 205.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.13

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 10 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N A | |
|-----|---|--------|-----|--|
| Kaw | А | ט | IVI | |

| 529 - | 130.08 | = | 0.754102 | x .2 | 0.150820 | Х | 130.08 | = | 19.62 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 02 - ALFALFA District: I001 - BURLINGTON

- A. If school district's total area in square miles <u>266.702720</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>130.08</u> divided by district's total area in square mile <u>266.702720</u> = District's Areal Density <u>0.49</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 77.36 | + | 23 = | 100.36 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 22.00 | + | 133 = | 155.00 | (Cb) |
| Grades | PK3,9 -OHP | 30.72 | + | 128 = | 158.72 | (Cc) |
| | | 130.08 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 100.36 = | 0.737346 | + .85 = | 1.587346 x | 77.36 = | 122.80 |
|----|---|----------|-----------------|----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 155.00 = | 0.787097 | + .85 = | 1.637097 x | 22.00 = | 36.02 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 158.72 = | 1.839718 | + .78 = | 2.619718 x | 30.72 = | 80.48 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 239.30 | divided by dist | rict's Raw ADM | 130.08 | |

- 1.00 = District Cost Factor

0.84

5) (District's Square Miles <u>266.702720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.95</u>

1.84

- 6) Multiply District Cost Factor (Line 4 above) 0.84 by lessor of the Area Factor (Line 5 above) 0.95 or 1.00 = Isolation Factor 0.80
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 130.08 = Isolation Weight 103.80
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __103.80_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 11 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 401.10 | = | 0.241777 | x .2 | 0.048355 | Х _ | 401.10 | =_ | 19.40 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 02 - ALFALFA District: 1046 - CHEROKEE

- A. If school district's total area in square miles <u>179.382260</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>401.10</u> divided by district's total area in square mile <u>179.382260</u> = District's Areal Density <u>2.24</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 208.56 | + | 23 = | 231.56 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 86.70 | + | 133 = | 219.70 | (Cb) |
| Grades | PK3,9 -OHP | 105.84 | + | 128 = | 233.84 | (Cc) |
| | | 401.10 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 231.56 = | 0.319572 | + .85 = | 1.169572 x | 208.56 = | 243.93 |
|----|---|----------|-----------------|----------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 219.70 = | 0.555303 | + .85 = | 1.405303 x | 86.70 = | 121.84 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | • | | | | |
| | 233.84 = | 1.248717 | + .78 = | 2.028717 x | 105.84 = | 214.72 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 580.49 | divided by dist | rict's Raw ADM | 401.10 | |

- 1.00 = District Cost Factor

0.45

5) (District's Square Miles <u>179.382260</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.31</u>

1.45

- 6) Multiply District Cost Factor (Line 4 above) 0.45 by lessor of the Area Factor (Line 5 above) 0.31 or 1.00 = Isolation Factor 0.14
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 401.10 = Isolation Weight _55.95
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __55.95_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 12 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 292.82 | = | 0.446465 | x .2 | 0.089293 | х | 292.82 | _ = _ | 26.15 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | · | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 02 - ALFALFA District: 1093 - TIMBERLAKE

- A. If school district's total area in square miles <u>402.369310</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>292.82</u> divided by district's total area in square mile <u>402.369310</u> = District's Areal Density <u>0.73</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 167.35 | + | 23 = | 190.35 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 56.50 | + | 133 = | 189.50 | (Cb) |
| Grades | PK3,9 -OHP | 68.97 | + | 128 = | 196.97 | (Cc) |
| | | 292.82 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 190.35 = | 0.388758 | + .85 = | 1.238758 x | 167.35 = | 207.31 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 189.50 = | 0.643799 | + .85 = | 1.493799 x | 56.50 = | 84.40 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 196.97 = | 1.482459 | + .78 = | 2.262459 x | 68.97 = | 156.04 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

292.82

= 1.53 - 1.00 = District Cost Factor 0.53

5) (District's Square Miles 402.369310 - 137.00000) divided by 137.00000 = Area Factor 1.94

447.75

- 6) Multiply District Cost Factor (Line 4 above) 0.53 by lessor of the Area Factor (Line 5 above) 1.94 or 1.00 = Isolation Factor 0.53
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 292.82 = Isolation Weight 155.19
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __155.19_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 13 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 234.08 | = | 0.557505 | x .2 | 0.111501 | Х | 234.08 | = | 26.10 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA **District: C021 - HARMONY**

- If school district's total area in square miles <u>89.940300</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>234.08</u> divided by district's total area in square mile <u>89.940300</u> = District's Areal В Density <u>2.60</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|-----------------|----------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dist | rict's Raw ADM | 234.08 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>89.940300</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 234.08 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.10

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 14 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 269.39 | = | 0.490756 | x .2 | 0.098151 | Х | 269.39 | =_ | 26.44 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA District: C022 - LANE

- A. If school district's total area in square miles <u>202.316690</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>269.39</u> divided by district's total area in square mile <u>202.316690</u> = District's Areal Density <u>1.33</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 182.01 | + | 23 = | 205.01 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 67.95 | + | 133 = | 200.95 | (Cb) |
| Grades | PK3,9 -OHP | 19.43 | + | 128 = | 147.43 | (Cc) |
| | | 269.39 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 205.01 = | 0.360958 | + .85 = | 1.210958 > | 182.01 | = 220.41 |
|----|--------------------------------|----------|----------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 200.95 = | 0.607116 | + .85 = | 1.457116 > | 67.95 | = 99.01 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 147.43 = | 1.980601 | + .78 = | 2.760601 > | 19.43 | = 53.64 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 373.06 | divided by dis | strict's Raw ADM | 269.39 | |

- 1.00 = District Cost Factor

0.38

5) (District's Square Miles <u>202.316690</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.48</u>

1.38

- 6) Multiply District Cost Factor (Line 4 above) 0.38 by lessor of the Area Factor (Line 5 above) 0.48 or 1.00 = Isolation Factor 0.18
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 269.39 = Isolation Weight 49.14
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 49.14

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 15 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 218.00 | = | 0.587902 | x .2 | 0.117580 | Х | 218.00 | _ = _ | 25.63 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA District: I007 - STRINGTOWN

- A. If school district's total area in square miles <u>176.595430</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>218.00</u> divided by district's total area in square mile <u>176.595430</u> = District's Areal Density <u>1.23</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 95.80 | + | 23 = | 118.80 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 42.70 | + | 133 = | 175.70 | (Cb) |
| Grades | PK3,9 -OHP | 79.50 | + | 128 = | 207.50 | (Cc) |
| | | 218.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 118.80 = | 0.622896 | + .85 = | 1.472896 | x 95.80 = | = 141.10 |
|----|--------------------------------|----------|----------------|-----------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 175.70 = | 0.694365 | + .85 = | 1.544365 | x 42.70 = | 65.94 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 207.50 = | 1.407229 | + .78 = | 2.187229 | x 79.50 = | 173.88 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 380.92 | divided by dis | trict's Raw ADM | 218.00 | |

- 1.00 = District Cost Factor

0.75

5) (District's Square Miles <u>176.595430</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.29</u>

1.75

- 6) Multiply District Cost Factor (Line 4 above) 0.75 by lessor of the Area Factor (Line 5 above) 0.29 or 1.00 = Isolation Factor 0.22
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 218.00 = Isolation Weight 47.42
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 47.42

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 16 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | ٨ | | ١./ |
|-----|---|---|-----|
| Raw | А | ט | IV |

| 529 - | 879.33 | = | 0.000000 | x .2 | 0.000000 | Х | 879.33 | = | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA District: I015 - ATOKA

- A. If school district's total area in square miles <u>126.141970</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>879.33</u> divided by district's total area in square mile <u>126.141970</u> = District's Areal Density <u>6.97</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---|----------|---------|----------|----------|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abov | е | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | е | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | <u> </u> | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

879.33

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 126.141970 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 879.33 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 17 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 436.70 | = | 0.174480 | x .2 | 0.034896 | Х | 436.70 | = | 15.24 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA **District: I019 - TUSHKA**

- If school district's total area in square miles 60.225280 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>436.70</u> divided by district's total area in square mile <u>60.225280</u> = District's Areal В Density <u>7.25</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | · _ | 0.000000 | + .85 | 5 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|--------|----------|--------------------|---|-----------|-------------------|
| | | | _ | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 = | _ | 0.000000 | + .85 | <u> </u> | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ve | | | | | | | |
| | 0.00 = | _ | 0.000000 | + .78 | 3 = | 0.780000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divide | d by | district's Raw ADM | | 436.70 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

436.70

0.00 5) (District's Square Miles <u>60.225280</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{436.70}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 15.24

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 18 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 232.10 | = | 0.561248 | x .2 | 0.112250 | Х | 232.10 | =_ | 26.05 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | _ | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA **District: I026 - CANEY**

- If school district's total area in square miles <u>85.221540</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>232.10</u> divided by district's total area in square mile <u>85.221540</u> = District's Areal В Density <u>2.72</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|---------|----------|---|-----------|-------------------|
| | _ | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | |
| | 0.00 = | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | _ | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 0.00 = | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

232.10

0.00 5) (District's Square Miles <u>85.221540</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 232.10 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.05</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 19 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| n | | | |
|------|---|---|----|
| Raw. | Α | U | IV |

| 529 - | 308.06 | _ = | 0.417656 | x .2 | 0.083531 | Х | 308.06 | = | 25.73 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 04 - BEAVER District: I022 - BEAVER

- A. If school district's total area in square miles <u>304.584780</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>308.06</u> divided by district's total area in square mile <u>304.584780</u> = District's Areal Density <u>1.01</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 159.56 | + | 23 = | 182.56 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 68.22 | + | 133 = | 201.22 | (Cb) |
| Grades | PK3,9 -OHP | 80.28 | + | 128 = | 208.28 | (Cc) |
| | | 308.06 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 182.56 = | 0.405346 | + .85 = | 1.255346 | x 159.56 | = 200.30 |
|----|---------------------------------------|----------|---------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | |
| | 201.22 = | 0.606302 | + .85 = | 1.456302 | x68.22 | = 99.35 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ve | | | | |
| | 208.28 = | 1.401959 | + .78 = | 2.181959 | x 80.28 | = 175.17 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 474.82 | divided by di | strict's Raw ADM | 308.06 | |

- 1.00 = District Cost Factor

0.54

5) (District's Square Miles <u>304.584780</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.22</u>

1.54

- 6) Multiply District Cost Factor (Line 4 above) 0.54 by lessor of the Area Factor (Line 5 above) 1.22 or 1.00 = Isolation Factor 0.54
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{308.06}$ = Isolation Weight $\underline{166.35}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>166.35</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 20 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Α | D | М |
|-----|---|---|---|
| | | | |

| 529 - | 150.48 | = | 0.715539 | x .2 | 0.143108 | Х | 150.48 | = | 21.53 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 04 - BEAVER District: 1075 - BALKO

- A. If school district's total area in square miles <u>441.127620</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>150.48</u> divided by district's total area in square mile <u>441.127620</u> = District's Areal Density <u>0.34</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 67.13 | + | 23 = | 90.13 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 35.00 | + | 133 = | 168.00 | (Cb) |
| Grades | PK3,9 -OHP | 48.35 | + | 128 = | 176.35 | (Cc) |
| | | 150.48 | | | · | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 90.13 | = | 0.821036 | + .85 = | 1.671036 | Χ | 67.13 = | 112.18 |
|----|---------------------------------------|------------|----------|---------|----------|---|-----------|-------------------|
| | _ | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | |
| | 168.00 = | = <u> </u> | 0.726190 | + .85 = | 1.576190 | х | 35.00 = | 55.17 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 176.35 = | = | 1.655798 | + .78 = | 2.435798 | Х | 48.35 = | 117.77 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 3) | • | | 1.655798 | + .78 = | 2.435798 | x | 48.35 = | 117.77 |

divided by district's Raw ADM

150.48

0.89

= 1.89 - 1.00 = District Cost Factor

285.12

5) (District's Square Miles <u>441.127620</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.22</u>

- 6) Multiply District Cost Factor (Line 4 above) 0.89 by lessor of the Area Factor (Line 5 above) 2.22 or 1.00 = Isolation Factor 0.89
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>150.48</u> = Isolation Weight <u>133.93</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 133.93

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 21 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 136.15 | = | 0.742628 | x .2 | 0.148526 | х | 136.15 | = | 20.22 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 04 - BEAVER District: I123 - FORGAN

- A. If school district's total area in square miles <u>375.847080</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>136.15</u> divided by district's total area in square mile <u>375.847080</u> = District's Areal Density <u>0.36</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 64.74 | + | 23 = | 87.74 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 32.65 | + | 133 = | 165.65 | (Cb) |
| Grades | PK3,9 -OHP | 38.76 | + | 128 = | 166.76 | (Cc) |
| | | 136.15 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 87.74 = | 0.843401 | + .85 = | 1.693401 x | 64.74 = | 109.63 |
|----|---|----------|-------------------|--------------|-----------|-------------------|
| | | _ | _ | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 165.65 = | 0.736493 | + .85 = | 1.586493 x | 32.65 = | 51.80 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 166.76 = | 1.751019 | + .78 = | 2.531019 x | 38.76 = | 98.10 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 259.53 | divided by distri | ct's Raw ADM | 136.15 | |

- 1.00 = District Cost Factor

0.91

5) (District's Square Miles <u>375.847080</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.74</u>

1.91

- 6) Multiply District Cost Factor (Line 4 above) 0.91 by lessor of the Area Factor (Line 5 above) 1.74 or 1.00 = Isolation Factor 0.91
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 136.15 = Isolation Weight 123.90
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 123.90

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 22 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 445.49 | = | 0.157864 | x .2 | 0.031573 | Х | 445.49 | _ = _ | 14.07 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 04 - BEAVER District: I128 - TURPIN

- A. If school district's total area in square miles <u>356.688990</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>445.49</u> divided by district's total area in square mile <u>356.688990</u> = District's Areal Density <u>1.25</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 218.10 | + | 23 = | 241.10 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 114.78 | + | 133 = | 247.78 | (Cb) |
| Grades | PK3,9 -OHP | 112.61 | + | 128 = | 240.61 | (Cc) |
| | | 445.49 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 241.10 | = | 0.306927 | + .85 = | 1.156927 | х | 218.10 = | 252.33 |
|----|--------------------------------------|-----|----------|---------------|------------------|---|-----------|-------------------|
| | _ | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | |
| | 247.78 | = | 0.492372 | + .85 = | 1.342372 | х | 114.78 = | 154.08 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 240.61 | = _ | 1.213582 | + .78 = | 1.993582 | х | 112.61 = | 224.50 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 630.91 | divided by di | strict's Raw ADM | | 445.49 | |

- 1.00 = District Cost Factor

0.42

5) (District's Square Miles <u>356.688990</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.60</u>

1.42

- 6) Multiply District Cost Factor (Line 4 above) 0.42 by lessor of the Area Factor (Line 5 above) 1.60 or 1.00 = Isolation Factor 0.42
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 445.49 = Isolation Weight 187.11
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 187.11

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 23 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 812.64 | _ = _ | 0.000000 | x .2 | 0.000000 | Х | 812.64 | =_ | 0.00 |
|-------|--------|-------|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | _ | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 05 - BECKHAM District: 1002 - MERRITT

- If school district's total area in square miles 242.704900 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>812.64</u> divided by district's total area in square mile <u>242.704900</u> = District's Areal В Density 3.35.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|-----------------------------|------|----------|------------|--------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | Х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | district's Raw ADM | | 812.64 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>242.704900</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 812.64 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 24 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,175.54 | = | 0.000000 | x .2 | 0.000000 | х _ | 2,175.54 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 05 - BECKHAM District: 1006 - ELK CITY

- If school district's total area in square miles 63.330770 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,175.54 divided by district's total area in square mile 63.330770 = District's Areal В Density 34.35.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|------------------|---------------|----------|--------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by "Cc" from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 2,175.54 | | strict's Raw ADM | divided by di | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>63.330770</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.175.54 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 25 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N A | |
|-----|---|--------|-----|--|
| Kaw | А | ט | IVI | |

| 529 - | 732.97 | = | 0.000000 | x .2 | 0.000000 | Х | 732.97 | = | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 05 - BECKHAM District: I031 - SAYRE

- If school district's total area in square miles 273.341880 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>732.97</u> divided by district's total area in square mile <u>273.341880</u> = District's Areal В Density <u>2.68</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|--------------------|--------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distric | ct's Raw ADM | 732.97 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

732.97

5) (District's Square Miles <u>273,341880</u> - <u>137,00000</u>) divided by <u>137,00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>732.97</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 26 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 247.65 | = | 0.531853 | x .2 | 0.106371 | Х _ | 247.65 | =_ | 26.34 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 05 - BECKHAM District: I051 - ERICK

- If school district's total area in square miles 269.104390 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>247.65</u> divided by district's total area in square mile <u>269.104390</u> = District's Areal В Density <u>0.92</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 137.17 | + | 23 = | 160.17 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 44.57 | + | 133 = | 177.57 | (Cb) |
| Grades | PK3,9 -OHP | 65.91 | + | 128 = | 193.91 | (Cc) |
| | | 247.65 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 160.17 = | 0.462009 | + .85 = | 1.312009 | x137.1 | 17 = | 179.97 |
|----|---|----------|---------|----------|-----------|------|-------------------|
| | | | | | EC-5 ADI | М | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 177.57 = | 0.687053 | + .85 = | 1.537053 | x 44.5 | 57 = | 68.51 |
| | | | | | 6-8 ADI | М | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | | |
| | 193.91 = | 1.505853 | + .78 = | 2.285853 | x 65.9 | 91 = | 150.66 |
| | | | | | 9-OHP ADI | М | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

247.65

0.61

1.61 5) (District's Square Miles <u>269.104390</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.96</u>

399.14

- 6) Multiply District Cost Factor (Line 4 above) 0.61 by lessor of the Area Factor (Line 5 above) 0.96 or 1.00 = Isolation Factor 0.59
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 247.65 = Isolation Weight 145.02
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 145.02

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 27 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 342.88 | = | 0.351834 | x .2 | 0.070367 | Х | 342.88 | _ = _ | 24.13 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 06 - BLAINE District: 1009 - OKEENE

- A. If school district's total area in square miles <u>225.991110</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>342.88</u> divided by district's total area in square mile <u>225.991110</u> = District's Areal Density <u>1.52</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 178.58 | + | 23 = | 201.58 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 86.74 | + | 133 = | 219.74 | (Cb) |
| Grades | PK3,9 -OHP | 77.56 | + | 128 = | 205.56 | (Cc) |
| | | 342.88 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 201.58 = | 0.367100 | + .85 = | 1.217100 | x 178.58 | = 217.35 |
|----|---------------------------------------|------------|---------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | |
| | 219.74 = | = 0.555202 | + .85 = | 1.405202 | x86.74 | = 121.89 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | |
| | 205.56 = | = 1.420510 | + .78 = | 2.200510 | x 77.56 | = 170.67 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 509.91 | divided by di | strict's Raw ADM | 342.88 | |

- 1.00 = District Cost Factor

0.49

5) (District's Square Miles <u>225.991110</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.65</u>

1.49

- 6) Multiply District Cost Factor (Line 4 above) 0.49 by lessor of the Area Factor (Line 5 above) 0.65 or 1.00 = Isolation Factor 0.32
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 342.88 = Isolation Weight 109.21

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 28 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | | |
|-----|---|---|----|--|
| Kaw | Α | U | IV | |

| 529 - | 727.39 | = | 0.000000 | x .2 | 0.000000 | Х | 727.39 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 06 - BLAINE District: I042 - WATONGA

- If school district's total area in square miles 207.639390 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>727.39</u> divided by district's total area in square mile <u>207.639390</u> = District's Areal В Density <u>3.50</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = | 0.000000 | + .85 | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|-----------|--------|-----------------|---|-----------|-------------------|
| | | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 | = | 0.000000 | + .85 | = | 0.850000 | х | 0.00 = | 0.00 |
| | _ | | _ | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 | | 0.000000 | + .78 = | = | 0.780000 | х | 0.00 = | 0.00 |
| | _ | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided k | y dist | trict's Raw ADM | | 727.39 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles 207.639390 - 137.00000) divided by 137.00000 =Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>727.39</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 29 of 541

Privacy Level: Public

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 361.11 | = _ | 0.317372 | x .2 | 0.063474 | х | 361.11 | = | 22.92 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 06 - BLAINE District: 1080 - GEARY

- A. If school district's total area in square miles <u>297.443870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>361.11</u> divided by district's total area in square mile <u>297.443870</u> = District's Areal Density <u>1.21</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 194.23 | + | 23 = | 217.23 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 81.24 | + | 133 = | 214.24 | (Cb) |
| Grades | PK3,9 -OHP | 85.64 | + | 128 = | 213.64 | (Cc) |
| | | 361.11 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 217.23 = | 0.340653 | + .85 = | 1.190653 x | 194.23 = | 231.26 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 214.24 = | 0.569455 | + .85 = | 1.419455 x | 81.24 = | 115.32 |
| | | _ | | _ | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 213.64 = | 1.366785 | + .78 = | 2.146785 x | 85.64 = | 183.85 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

- 4) Sum 1 + 2 + 3 from above 530.43 divided by district's Raw ADM 361.11

 = 1.47 1.00 = District Cost Factor 0.47
- 5) (District's Square Miles $\underline{297.443870}$ $\underline{137.00000}$) divided by $\underline{137.00000}$ = Area Factor $\underline{1.17}$
- 6) Multiply District Cost Factor (Line 4 above) 0.47 by lessor of the Area Factor (Line 5 above) 1.17 or 1.00 = Isolation Factor 0.47
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 361.11 = Isolation Weight 169.72
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __169.72_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 30 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Δ | n | NΛ |
|-------|---------------|----------------------------|-----|
| 1\avv | $\overline{}$ | $\boldsymbol{\mathcal{L}}$ | IVI |

| 529 - | 347.27 | = | 0.343535 | x .2 | 0.068707 | Х | 347.27 | = | 23.86 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| • | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 06 - BLAINE District: I105 - CANTON

- A. If school district's total area in square miles <u>252.165750</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>347.27</u> divided by district's total area in square mile <u>252.165750</u> = District's Areal Density <u>1.38</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 179.28 | + | 23 = | 202.28 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 81.54 | + | 133 = | 214.54 | (Cb) |
| Grades | PK3,9 -OHP | 86.45 | + | 128 = | 214.45 | (Cc) |
| | | 347.27 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 202.28 | = _ | 0.365830 | + .85 = | 1.215830 | Х | 179.28 = | 217.97 |
|----|--------------------------------------|------|----------|---------|----------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 214.54 | = _ | 0.568659 | + .85 = | 1.418659 | х | 81.54 = | 115.68 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 214.45 | = _ | 1.361623 | + .78 = | 2.141623 | х | 86.45 = | 185.14 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

347.27

0.49

5) (District's Square Miles <u>252.165750</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.84</u>

518.79

1.49

- 6) Multiply District Cost Factor (Line 4 above) 0.49 by lessor of the Area Factor (Line 5 above) 0.84 or 1.00 = Isolation Factor 0.41
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 347.27 = Isolation Weight 142.94
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __142.94_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 31 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| n | | | |
|------|---|---|----|
| Raw. | Α | U | IV |

| 529 - | 944.45 | = | 0.000000 | x .2 | 0.000000 | Х | 944.45 | = | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| • | 529 | _ | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN District: I001 - SILO

- If school district's total area in square miles 121.181600 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>944.45</u> divided by district's total area in square mile <u>121.181600</u> = District's Areal В Density <u>7.79</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| 0.00 | 0.00 = | 0.850000 x | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|------------|---------|----------|---|----|
| EC-5 Cost Factor | EC-5 ADM | | _ | _ | | |
| | | | | |) 122 divided by " <u>Cb</u> " from above | 2) |
| 0.00 | 0.00 = | 0.850000 x | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | |
| | | | | |) 292 divided by " <u>Cc</u> " from above | 3) |
| 0.00 | 0.00 = | 0.780000 x | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>121.181600</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>944.45</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 32 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| _ | | | |
|-----|---|----|---|
| Raw | Α | 1) | N |

| 529 - | 499.62 | = | 0.055539 | x .2 | 0.011108 | Х | 499.62 | = | 5.55 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN District: I002 - ROCK CREEK

- A. If school district's total area in square miles <u>224.401860</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>499.62</u> divided by district's total area in square mile <u>224.401860</u> = District's Areal Density <u>2.23</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 238.31 | + | 23 = | 261.31 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 118.78 | + | 133 = | 251.78 | (Cb) |
| Grades | PK3,9 -OHP | 142.53 | + | 128 = | 270.53 | (Cc) |
| | | 499.62 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 261.31 = | 0.283189 | + .85 = | 1.133189 | x 238.31 | = 270.05 |
|----|--------------------------------|----------|---------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 251.78 = | 0.484550 | + .85 = | 1.334550 | x118.78 | = 158.52 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 270.53 = | 1.079363 | + .78 = | 1.859363 | x 142.53 | = 265.01 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 693.58 | divided by di | strict's Raw ADM | 499.62 | |

- 1.00 = District Cost Factor

0.39

5) (District's Square Miles <u>224.401860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.64</u>

1.39

- 6) Multiply District Cost Factor (Line 4 above) 0.39 by lessor of the Area Factor (Line 5 above) 0.64 or 1.00 = Isolation Factor 0.25
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 499.62 = Isolation Weight 124.71
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __124.71_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 33 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | | |
|-----|---|---|----|--|
| ĸaw | Α | U | IV | |

| 529 - | 323.93 | = | 0.387656 | x .2 | 0.077531 | Х _ | 323.93 | =_ | 25.11 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN District: 1003 - ACHILLE

- A. If school district's total area in square miles <u>166.478190</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>323.93</u> divided by district's total area in square mile <u>166.478190</u> = District's Areal Density <u>1.95</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 177.53 | + | 23 = | 200.53 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 65.71 | + | 133 = | 198.71 | (Cb) |
| Grades | PK3,9 -OHP | 80.69 | + | 128 = | 208.69 | (Cc) |
| | | 323.93 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 200.53 | = | 0.369022 | + .85 = | 1.219022 | Х | 177.53 = | 216.41 |
|----|--------------------------------------|-----|----------|--------------|-------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | |
| | 198.71 | = | 0.613960 | + .85 = | 1.463960 | x | 65.71 = | 96.20 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from ab | ove | | | | | | |
| | 208.69 | = | 1.399205 | + .78 = | 2.179205 | х | 80.69 = | 175.84 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 488.45 | divided by d | istrict's Raw ADM | | 323.93 | |

- 1.00 = District Cost Factor

0.51

5) (District's Square Miles <u>166.478190</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.22</u>

1.51

- 6) Multiply District Cost Factor (Line 4 above) 0.51 by lessor of the Area Factor (Line 5 above) 0.22 or 1.00 = Isolation Factor 0.11
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 323.93 = Isolation Weight 36.34
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.34

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 34 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 763.95 | = | 0.000000 | x .2 | 0.000000 | Х _ | 763.95 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN **District: 1004 - COLBERT**

- If school district's total area in square miles 66.664430 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>763.95</u> divided by district's total area in square mile <u>66.664430</u> = District's Areal В Density 11.46.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---------|------------------|---------------|----------|--------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by "Cc" from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | · · · · | | | | | |
| | 763.95 | | strict's Raw ADM | divided by di | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>66.664430</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{763.95}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 35 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 502.17 | = | 0.050718 | x .2 | 0.010144 | Х | 502.17 | =_ | 5.09 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN District: 1005 - CADDO

- A. If school district's total area in square miles <u>134.727690</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>502.17</u> divided by district's total area in square mile <u>134.727690</u> = District's Areal Density <u>3.73</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|------------|--------------------|-----|-----------|-------------------|
| | | | _ | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х _ | 0.00 = | 0.00 |
| | | · | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х _ | 0.00 = | 0.00 |
| | | · | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | district's Raw ADM | | 502.17 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>134.727690</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 502.17 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 5.09

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 36 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N A | |
|-----|---|--------|-----|--|
| Kaw | А | ט | IVI | |

| 529 - | 340.74 | _ = | 0.355879 | x .2 | 0.071176 | Х | 340.74 | = | 24.25 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN District: I040 - BENNINGTON

- A. If school district's total area in square miles <u>160.529620</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>340.74</u> divided by district's total area in square mile <u>160.529620</u> = District's Areal Density <u>2.12</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 159.74 | + | 23 = | 182.74 | (Ca) |
|--------|------------|--------|---|-------|--------------|------|
| Grades | 6th - 8th | 79.55 | + | 133 = | 212.55 | (Cb) |
| Grades | PK3,9 -OHP | 101.45 | + | 128 = | 229.45 | (Cc) |
| | | 340.74 | | | - | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 182.74 = | 0.404947 | + .85 = | 1.254947 | x 159.74 = | 200.47 |
|----|---|----------|---------------|------------------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 212.55 = | 0.573983 | + .85 = | 1.423983 | x 79.55 = | 113.28 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 229.45 = | 1.272608 | + .78 = | 2.052608 | x 101.45 = | 208.24 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 521.99 | divided by di | strict's Raw ADM | 340.74 | |

- 1.00 = District Cost Factor

0.53

5) (District's Square Miles <u>160.529620</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.17</u>

1.53

- 6) Multiply District Cost Factor (Line 4 above) 0.53 by lessor of the Area Factor (Line 5 above) 0.17 or 1.00 = Isolation Factor 0.09
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 340.74 = Isolation Weight 30.70
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 30.70

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 37 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 778.22 | = | 0.000000 | x .2 | 0.000000 | х _ | 778.22 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN **District: 1048 - CALERA**

- If school district's total area in square miles 47.496820 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM _778.22 divided by district's total area in square mile _47.496820 = District's Areal В Density 16.38.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--------------------------------|----------|----------------|-----------------|-----|---------|-------------------|
| | | | | | E | C-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | _ | | | 9-0 | OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | | 778.22 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>47.496820</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 778.22 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 38 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 3,743.77 | = | 0.000000 | x .2 | 0.000000 | Х | 3,743.77 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN **District: I072 - DURANT**

- If school district's total area in square miles 43.274830 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,743.77 divided by district's total area in square mile 43.274830 = District's Areal В Density 86.51.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

3,743.77

0.00 5) (District's Square Miles <u>43.274830</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.743.77 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 39 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 440.47 | = | 0.167353 | x .2 | 0.033471 | х | 440.47 | _ = _ | 14.74 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| _ | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I011 - HYDRO-EAKLY

- A. If school district's total area in square miles <u>188.146720</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>440.47</u> divided by district's total area in square mile <u>188.146720</u> = District's Areal Density <u>2.34</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 220.26 | + | 23 = | 243.26 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 89.93 | + | 133 = | 222.93 | (Cb) |
| Grades | PK3,9 -OHP | 130.28 | + | 128 = | 258.28 | (Cc) |
| | | 440.47 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 243.26 | = | 0.304201 | + .85 = | 1.154201 | Х | 220.26 = | 254.22 |
|----|---------------------------------------|-----|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | |
| | 222.93 | = | 0.547257 | + .85 = | 1.397257 | x | 89.93 = | 125.66 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 258.28 | = | 1.130556 | + .78 = | 1.910556 | x | 130.28 = | 248.91 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 628.79 | divided by d | listrict's Raw ADM | | 440.47 | |

- 1.00 = District Cost Factor

0.43

5) (District's Square Miles <u>188.146720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.37</u>

1.43

- 6) Multiply District Cost Factor (Line 4 above) 0.43 by lessor of the Area Factor (Line 5 above) 0.37 or 1.00 = Isolation Factor 0.16
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 440.47 = Isolation Weight 70.08

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 40 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 238.34 | _ = | 0.549452 | x .2 | 0.109890 | Х | 238.34 | _ = _ | 26.19 |
|-------|--------|-----|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I012 - LOOKEBA SICKLES

- A. If school district's total area in square miles <u>106.109890</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>238.34</u> divided by district's total area in square mile <u>106.109890</u> = District's Areal Density <u>2.25</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--------------------------------|----------|----------------|-----------------|-------|--------|-------------------|
| | | | | | EC-5 | ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | 6-8 | ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | 9-OHP | ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | 23 | 38.34 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>106.109890</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 238.34 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.19_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 41 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO **District: I020 - ANADARKO**

- A. If school district's total area in square miles 109.468710 is greater than the state average area in square miles 137.00000, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,614.77 divided by district's total area in square mile 109.468710 = District's Areal В Density 14.75.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|---------|----------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,614.77

0

0.00 divided by $\underline{137.00000}$ = Area Factor 5) (District's Square Miles 109.468710 - <u>137.00000</u>)

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.614.77 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 42 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | ٨ | | ١./ |
|-----|---|---|-----|
| Raw | А | ט | IV |

| 529 - | 548.98 | = | 0.000000 | x .2 | 0.000000 | Х | 548.98 | = | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: 1033 - CARNEGIE

- A. If school district's total area in square miles <u>202.627650</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>548.98</u> divided by district's total area in square mile <u>202.627650</u> = District's Areal Density <u>2.71</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|---------|----------|---|-----------|-------------------|
| | _ | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | _ | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

548.98

5) (District's Square Miles <u>202.627650</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 548.98 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 43 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 575.72 | = | 0.000000 | x .2 | 0.000000 | х | 575.72 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO **District: I056 - BOONE-APACHE**

- If school district's total area in square miles 137.572000 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>575.72</u> divided by district's total area in square mile <u>137.572000</u> = District's Areal В Density <u>4.18</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | X | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|------------------|---------------|----------|--------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | • |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | Х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by "Cc" from above | 3) |
| 0.00 | 0.00 = | Х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 575.72 | | strict's Raw ADM | divided by di | 0.00 | Sum 1 + 2 + 3 from above | 4) |

divided by district's Raw ADM

- 1.00 = District Cost Factor

575.72

5) (District's Square Miles <u>137.572000</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 575.72 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 44 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 343.40 | _ = | 0.350851 | x .2 | 0.070170 | Х | 343.40 | = | 24.10 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I064 - CYRIL

- If school district's total area in square miles <u>54.330010</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>343.40</u> divided by district's total area in square mile <u>54.330010</u> = District's Areal В Density <u>6.32</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
|----|---------------------------------------|----------|---------------|------------------|-----------|-------------------|
| | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
| | <u> </u> | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ve | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by di | strict's Raw ADM | 343.40 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>54.330010</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>343.40</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.10

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 45 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 149.83 | = | 0.716767 | x .2 | 0.143353 | Х | 149.83 | = | 21.48 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO **District: I086 - GRACEMONT**

- If school district's total area in square miles 100.695810 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>149.83</u> divided by district's total area in square mile <u>100.695810</u> = District's Areal В Density <u>1.49</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

149.83

0.00 5) (District's Square Miles <u>100.695810</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 149.83 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.48

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 46 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 232.03 | = | 0.561380 | x .2 | 0.112276 | Х | 232.03 | = | 26.05 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO **District: I160 - CEMENT**

- If school district's total area in square miles 67.954700 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>232.03</u> divided by district's total area in square mile <u>67.954700</u> = District's Areal В Density <u>3.41</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = _ | 0.000000 | + .85 | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|--------|------|--------------------|---|-----------|-------------------|
| | | | _ | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 = | · _ | 0.000000 | + .85 | = | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 = | · _ | 0.000000 | + .78 | 3 = | 0.780000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divide | d by | district's Raw ADM | | 232.03 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

232.03

0.00 5) (District's Square Miles <u>67.954700</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 232.03 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.05</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 47 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 739.99 | = _ | 0.000000 | x .2 | 0.000000 | Х | 739.99 | = | 0.00 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | _ | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I161 - HINTON

- A. If school district's total area in square miles <u>171.602870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>739.99</u> divided by district's total area in square mile <u>171.602870</u> = District's Areal Density <u>4.31</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|-----------|----------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y district's Raw ADM | | 739.99 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>171.602870</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>739.99</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 48 of 541

Privacy Level: Public

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 321.65 | = | 0.391966 | x .2 | 0.078393 | х | 321.65 | =_ | 25.22 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I167 - FORT COBB-BROXTON

- A. If school district's total area in square miles <u>154.630030</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>321.65</u> divided by district's total area in square mile <u>154.630030</u> = District's Areal Density <u>2.08</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 158.92 | + | 23 = | 181.92 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 71.00 | + | 133 = | 204.00 | (Cb) |
| Grades | PK3,9 -OHP | 91.73 | + | 128 = | 219.73 | (Cc) |
| | | 321.65 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 181.92 = | = | 0.406772 | + .85 = | 1.256772 x | 158.92 = | 199.73 |
|----|---------------------------------------|-----|----------|------------------|----------------|-----------|-------------------|
| | | · | | · | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | | |
| | 204.00 = | = | 0.598039 | + .85 = | 1.448039 x | 71.00 = | 102.81 |
| | _ | | _ | | · | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | |
| | 219.73 | = | 1.328904 | + .78 = | 2.108904 x | 91.73 = | 193.45 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 495.99 | divided by distr | rict's Raw ADM | 321.65 | |

- 1.00 = District Cost Factor

0.54

5) (District's Square Miles <u>154.630030</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.13</u>

1.54

- 6) Multiply District Cost Factor (Line 4 above) 0.54 by lessor of the Area Factor (Line 5 above) 0.13 or 1.00 = Isolation Factor 0.07
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 321.65 = Isolation Weight 22.58
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.22_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 49 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 336.30 | = | 0.364272 | x .2 | 0.072854 | Х | 336.30 | =_ | 24.50 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I168 - BINGER-ONEY

- A. If school district's total area in square miles <u>150.041550</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>336.30</u> divided by district's total area in square mile <u>150.041550</u> = District's Areal Density <u>2.24</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 158.59 | + | 23 = | 181.59 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 67.15 | + | 133 = | 200.15 | (Cb) |
| Grades | PK3,9 -OHP | 110.56 | + | 128 = | 238.56 | (Cc) |
| | | 336.30 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 181.59 = | 0.407511 | + .85 = | 1.257511 | x 158.59 = | 199.43 |
|----|---|----------|----------------|-----------------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 200.15 = | 0.609543 | + .85 = | 1.459543 | x 67.15 | 98.01 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 238.56 = | 1.224011 | + .78 = | 2.004011 | x 110.56 = | 221.56 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 519.00 | divided by dis | trict's Raw ADM | 336.30 | |

- 1.00 = District Cost Factor

0.54

5) (District's Square Miles $\underline{150.041550}$ - $\underline{137.00000}$) divided by $\underline{137.00000}$ = Area Factor $\underline{0.10}$

1.54

- 6) Multiply District Cost Factor (Line 4 above) 0.54 by lessor of the Area Factor (Line 5 above) 0.10 or 1.00 = Isolation Factor 0.05
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 336.30 = Isolation Weight 18.16
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.50

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 50 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 178.06 | = | 0.663403 | x .2 | 0.132681 | Χ | 178.06 | = | 23.63 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: C029 - RIVERSIDE

- If school district's total area in square miles 32.663660 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>178.06</u> divided by district's total area in square mile <u>32.663660</u> = District's Areal В Density <u>5.45</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------|----------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

178.06

0.00 5) (District's Square Miles <u>32.663660</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{178.06}{1}$ = Isolation Weight $\frac{0.00}{1}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.63

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 51 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 255.76 | = | 0.516522 | x .2 | 0.103304 | Х | 255.76 | _ = _ | 26.42 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: C031 - BANNER

- If school district's total area in square miles 40.343620 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>255.76</u> divided by district's total area in square mile <u>40.343620</u> = District's Areal В Density <u>6.34</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--------------------------------|----------|---------------|------------------|---|-----------|-------------------|
| | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | - | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by di | strict's Raw ADM | | 255.76 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>40.343620</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>255.76</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.42

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 52 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 247.34 | = | 0.532439 | x .2 | 0.106488 | Х | 247.34 | = | 26.34 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| _ | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: C070 - DARLINGTON

- If school district's total area in square miles 60.989720 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>247.34</u> divided by district's total area in square mile <u>60.989720</u> = District's Areal В Density <u>4.06</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|-----------------------------|------|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by o | district's Raw ADM | | 247.34 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>60.989720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>247.34</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.34</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 53 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 178.48 | = | 0.662609 | x .2 | 0.132522 | Х | 178.48 | = | 23.65 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: C162 - MAPLE

- If school district's total area in square miles <u>92.545800</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>178.48</u> divided by district's total area in square mile <u>92.545800</u> = District's Areal В Density <u>1.93</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|------------|----------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | y district's Raw ADM | | 178.48 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>92.545800</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 178.48 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.65

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 54 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 4,307.01 | = _ | 0.000000 | x .2 | 0.000000 | Х | 4,307.01 | =_ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | _ | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1022 - PIEDMONT

- If school district's total area in square miles <u>92.229020</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 4,307.01 divided by district's total area in square mile 92.229020 = District's Areal В Density 46.70 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 4,307.01 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>92.229020</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{4.307.01}{1.00}$ = Isolation Weight $\frac{0.00}{1.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 55 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 8,864.53 | _ = _ | 0.000000 | x .2 | 0.000000 | Х | 8,864.53 | =_ | 0.00 |
|-------|----------|-------|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1027 - YUKON

- If school district's total area in square miles <u>68.066780</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>8,864.53</u> divided by district's total area in square mile <u>68.066780</u> = District's Areal В Density <u>130.23</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by o | district's Raw ADM | | 8,864.53 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>68.066780</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>8.864.53</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 56 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,780.65 | = | 0.000000 | x .2 | 0.000000 | Х | 2,780.65 | = | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1034 - EL RENO

- If school district's total area in square miles 44.776400 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,780.65 divided by district's total area in square mile 44.776400 = District's Areal В Density <u>62.10</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 2,780.65 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>44.776400</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.780.65 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 57 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 317.91 | = | 0.399036 | x .2 | 0.079807 | Х | 317.91 | =_ | 25.37 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1057 - UNION CITY

- If school district's total area in square miles <u>84.704430</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>317.91</u> divided by district's total area in square mile <u>84.704430</u> = District's Areal В Density <u>3.75</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | e | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | e | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 3) | · | | + .78 = | 0.780000 x | 0.00 = | 0.00 |

divided by district's Raw ADM

- 1.00 = District Cost Factor

317.91

0.00 5) (District's Square Miles <u>84.704430</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>317.91</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.37

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 58 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 11,891.22 | _ = | 0.000000 | x .2 | 0.000000 | Х | 11,891.22 | =_ | 0.00 |
|-------|-----------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | _ | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1069 - MUSTANG

- If school district's total area in square miles _73.281790_ is greater than the state average area in square miles _137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 11,891.22 divided by district's total area in square mile 73.281790 = District's Areal В Density 162.27 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---|----------|---------|----------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | re | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | e | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

11,891.22

0.00 5) (District's Square Miles <u>73.281790</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 11.891.22 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 59 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 267.11 | = | 0.495066 | x .2 | 0.099013 | х | 267.11 | =_ | 26.45 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1076 - CALUMET

- If school district's total area in square miles <u>94.832100</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>267.11</u> divided by district's total area in square mile <u>94.832100</u> = District's Areal В Density <u>2.82</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|-----------------|----------------|----------|---|----|
| EC-5 Cost Factor | EC-5 ADM | | | | _ | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | |
| | | | | | | 292 divided by " <u>Cc</u> " from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 267 11 | | trict's Raw ADM | divided by dis | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>94.832100</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>267.11</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.45

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 60 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 264.24 | = | 0.500491 | x .2 | 0.100098 | х _ | 264.24 | =_ | 26.45 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: C072 - ZANEIS

- If school district's total area in square miles <u>57.485890</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>264.24</u> divided by district's total area in square mile <u>57.485890</u> = District's Areal В Density <u>4.60</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|----------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | |
| | 0.00 = | = _ | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 0.00 = | = _ | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | · · | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by dis | strict's Raw ADM | | 264.24 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>57.485890</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 264.24 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.45

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 61 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,834.70 | = | 0.000000 | Х | .2 | (| 0.000000 | Х | 2,834.70 | = | 0.00 |
|-------|----------|---|----------|---|----|---|----------|---|-----------|---|-----------------|
| | 529 | | | | | | | | Same Year | | Small School |
| | | | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I019 - ARDMORE

- If school district's total area in square miles 27.450310 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,834.70 divided by district's total area in square mile 27.450310 = District's Areal В Density 103.27.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------|----------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,834.70

0.00 5) (District's Square Miles <u>27.450310</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.834.70</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 62 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N A | |
|-----|---|--------|-----|--|
| Kaw | А | ט | IVI | |

| 529 - | 235.90 | = | 0.554064 | x .2 | 0.110813 | Х | 235.90 | = | 26.14 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I021 - SPRINGER

- If school district's total area in square miles 102.231650 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>235.90</u> divided by district's total area in square mile <u>102.231650</u> = District's Areal В Density <u>2.31</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|------------------|---------------|----------|--------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | · | | | | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | Х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by "Cc" from above | 3) |
| 0.00 | 0.00 = | Х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 235.90 | | strict's Raw ADM | divided by di | 0.00 | Sum 1 + 2 + 3 from above | 4) |

divided by district's Raw ADM

- 1.00 = District Cost Factor

235.90

5) (District's Square Miles <u>102.231650</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 235.90 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.14</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 63 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,535.58 | _ = | 0.000000 | x .2 | 0.000000 | Χ | 1,535.58 | =_ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I027 - PLAINVIEW

- If school district's total area in square miles <u>74.392900</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,535.58 divided by district's total area in square mile 74.392900 = District's Areal В Density 20.64.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,535.58

0.00 5) (District's Square Miles <u>74.392900</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.535.58 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 64 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,462.44 | = | 0.000000 | x .2 | 0.000000 | Х | 1,462.44 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I032 - LONE GROVE

- A. If school district's total area in square miles <u>127.716870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,462.44</u> divided by district's total area in square mile <u>127.716870</u> = District's Areal Density <u>11.45</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--|----------|---------|----------|-------|--------|-------------------|
| | | | | | EC-5 | ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abou | ve | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | 6-8 | ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | /e | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | 9-OHP | ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,462.44

5) (District's Square Miles <u>127.716870</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1.462.44}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 65 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 378.32 | = _ | 0.284839 | x .2 | 0.056968 | Х | 378.32 | = | 21.55 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: 1043 - WILSON

- If school district's total area in square miles _91.258010_ is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>378.32</u> divided by district's total area in square mile <u>91.258010</u> = District's Areal В Density <u>4.15</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|-----------------------------|------|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by o | district's Raw ADM | | 378.32 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>91.258010</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 378.32 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.55

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 66 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 480.59 | _ = | 0.091512 | x .2 | 0.018302 | Х | 480.59 | = | 8.80 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I055 - HEALDTON

- If school district's total area in square miles <u>98.298860</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>480.59</u> divided by district's total area in square mile <u>98.298860</u> = District's Areal В Density 4.89 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|--------------------|--------------|-----------|-------------------|
| | | _ | _ | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distric | ct's Raw ADM | 480.59 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>98.298860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 480.59 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 8.80

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 67 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 268.78 | = | 0.491909 | x .2 | 0.098382 | Х | 268.78 | =_ | 26.44 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: 1074 - FOX

- A. If school district's total area in square miles <u>135.463420</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>268.78</u> divided by district's total area in square mile <u>135.463420</u> = District's Areal Density <u>1.98</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х _ | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|------------|--------------------|-----|-----------|-------------------|
| | | | _ | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | · | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | district's Raw ADM | | 268.78 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>135.463420</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>268.78</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.44_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 68 of 541

Privacy Level: Public

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,343.72 | = | 0.000000 | x .2 | 0.000000 | Х | 1,343.72 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I077 - DICKSON

- If school district's total area in square miles 128.078370 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,343.72 divided by district's total area in square mile 128.078370 = District's Areal В Density 10.49.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|---------|----------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,343.72

0.00 5) (District's Square Miles <u>128.078370</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.343.72 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 69 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 144.35 | _ = | 0.727127 | x .2 | 0.145425 | Х | 144.35 | =_ | 20.99 |
|-------|--------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C010 - LOWREY

- If school district's total area in square miles <u>52.165590</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>144.35</u> divided by district's total area in square mile <u>52.165590</u> = District's Areal В Density <u>2.77</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|-----------------|----------------|----------|---|----|
| EC-5 Cost Factor | EC-5 ADM | | | | _ | | _ |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | _ |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | _ |
| | | | | | | 292 divided by " <u>Cc</u> " from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | _ |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 144 35 | | trict's Raw ADM | divided by dis | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>52.165590</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{144.35}{1}$ = Isolation Weight $\frac{0.00}{1}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.99

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 70 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 128.15 | = | 0.757750 | x .2 | 0.151550 | Х | 128.15 | = | 19.42 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C014 - NORWOOD

- If school district's total area in square miles 30.063940 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>128.15</u> divided by district's total area in square mile <u>30.063940</u> = District's Areal В Density <u>4.26</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|------------------------------|------------|----------|----------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | - <u> </u> | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by dis | strict's Raw ADM | | 128 15 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>30.063940</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 128.15 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.42

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 71 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 476.24 | = | 0.099735 | x .2 | 0.019947 | х _ | 476.24 | _ = _ | 9.50 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C021 - WOODALL

- If school district's total area in square miles 22.851420 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>476.24</u> divided by district's total area in square mile <u>22.851420</u> = District's Areal В Density 20.84.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.00 | 0.00 |
|----|--|----------|---------|----------|-----------|--------------------|
| | | | | | EC-5 ADN | M EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | /e | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 | 0.00 |
| | | | | | 6-8 ADN | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | re e | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x0.00 | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

476.24

0.00 5) (District's Square Miles <u>22.851420</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{476.24}{1}$ = Isolation Weight $\frac{0.00}{1}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 9.50

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 72 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 157.17 | = | 0.702892 | x .2 | 0.140578 | Х | 157.17 | =_ | 22.09 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C026 - SHADY GROVE

- If school district's total area in square miles <u>24.080630</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>157.17</u> divided by district's total area in square mile <u>24.080630</u> = District's Areal В Density <u>6.53</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|---|----------|----------------|-----------------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | | 157.17 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>24.080630</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 157.17 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.09

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 73 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 207.98 | = | 0.606843 | x .2 | 0.121369 | Х | 207.98 | = | 25.24 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C031 - PEGGS

- If school district's total area in square miles 69.689150 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 207.98 divided by district's total area in square mile 69.689150 = District's Areal В Density <u>2.98</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|--------------------|--------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distric | ct's Raw ADM | 207.98 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

207.98

0.00 5) (District's Square Miles <u>69.689150</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 207.98 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.24

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 74 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 596.92 | = | 0.000000 | x .2 | 0.000000 | Х | 596.92 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C034 - GRAND VIEW

- If school district's total area in square miles 29.375230 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>596.92</u> divided by district's total area in square mile <u>29.375230</u> = District's Areal В Density 20.32 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|--------------|-------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | _ | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by d | istrict's Raw ADM | | 596.92 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>29.375230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>596.92</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 75 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 438.89 | = | 0.170340 | x .2 | 0.034068 | Х | 438.89 | = | 14.95 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C044 - BRIGGS

- If school district's total area in square miles 64.127980 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>438.89</u> divided by district's total area in square mile <u>64.127980</u> = District's Areal В Density <u>6.84</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|-----------------|----------------|----------|-------------------------------|---------------|
| EC-5 Cost Factor | EC-5 ADM | | | | | | |
| | | | | | | d by " <u>Cb</u> " from above | 2) 122 divide |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | |
| | | | | | | d by " <u>Cc</u> " from above | 3) 292 divide |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | |
| | 438.89 | | trict's Raw ADM | divided by dis | 0.00 | + 3 from above | 4) Sum 1 + 2 |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>64.127980</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 438.89 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.95

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 76 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 253.31 | = _ | 0.521153 | x .2 | 0.104231 | Х | 253.31 | = | 26.40 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C066 - TENKILLER

- If school district's total area in square miles 49.471590 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>253.31</u> divided by district's total area in square mile <u>49.471590</u> = District's Areal В Density <u>5.12</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | · _ | 0.000000 | + .85 | 5 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|--------|----------|--------------------|---|-----------|-------------------|
| | | | _ | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 = | _ | 0.000000 | + .85 | <u> </u> | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 = | _ | 0.000000 | + .78 | 3 = | 0.780000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divide | d by | district's Raw ADM | | 253.31 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

253.31

0.00 5) (District's Square Miles <u>49.471590</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>253.31</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.40

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 77 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 739.49 | = | 0.000000 | x .2 | 0.000000 | Х | 739.49 | = | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: 1006 - KEYS

- If school district's total area in square miles 109.171230 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>739.49</u> divided by district's total area in square mile <u>109.171230</u> = District's Areal В Density <u>6.77</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------|----------|---|----------|------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 739.49 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>109.171230</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>739.49</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 78 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 574.39 | = | 0.000000 | x .2 | 0.000000 | Х | 574.39 | = | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: I016 - HULBERT

- If school district's total area in square miles _91.391150_ is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>574.39</u> divided by district's total area in square mile <u>91.391150</u> = District's Areal В Density <u>6.28</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|-------------------------------------|------|----------|---------|----------|---|----------|------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 574.39 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>91.391150</u> <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 574.39 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 79 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 3,581.38 | = | 0.000000 | x .2 | 0.000000 | Х | 3,581.38 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: 1035 - TAHLEQUAH

- A. If school district's total area in square miles <u>139.598260</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,581.38</u> divided by district's total area in square mile <u>139.598260</u> = District's Areal Density <u>25.65</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | <u> </u> | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | district's Raw ADM | | 3,581.38 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>139.598260</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.581.38 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 80 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 120.35 | _ = _ | 0.772495 | x .2 | 0.154499 | Х | 120.35 | = | 18.59 |
|-------|--------|-------|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: T001 - CHEROKEE IMMERSION CHARTER SCH

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>120.35</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

| | | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----|-----------------|-----------------|---|-----------|-------------------|
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | | |
| | 0.00 = 0.00000 | 00 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | | |
| | 0.00 = 0.00000 | 00 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above 0.0 | 00 | divided by dist | trict's Raw ADM | | 120.35 | |

- 1.00 = District Cost Factor

0.850000 x

+ .85 =

0.00 =

0.00

5) (District's Square Miles 0 - 137.0000) divided by 137.00000 =Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{120.35}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Α | D | M |
|-----|---|---|---|
| | | | |

| 529 - | 339.18 | = | 0.358828 | x .2 | 0.071766 | _ x | 339.18 | = | 24.34 |
|-------|--------|---|----------|------|----------|-----|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 12 - CHOCTAW District: I001 - BOSWELL

- A. If school district's total area in square miles <u>178.648170</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>339.18</u> divided by district's total area in square mile <u>178.648170</u> = District's Areal Density <u>1.90</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 178.15 | + | 23 = | 201.15 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 80.62 | + | 133 = | 213.62 | (Cb) |
| Grades | PK3,9 -OHP | 80.41 | + | 128 = | 208.41 | (Cc) |
| | | 339.18 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 201.15 = | 0.367885 | + .85 = | 1.217885 | x 178.15 | = 216.97 |
|----|---|----------|----------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | 2 | | | | |
| | 213.62 = | 0.571108 | + .85 = | 1.421108 | x80.62 | = 114.57 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 208.41 = | 1.401084 | + .78 = | 2.181084 | x80.41 | = 175.38 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 506.92 | divided by dis | strict's Raw ADM | 339.18 | |

- 1.00 = District Cost Factor

0.49

5) (District's Square Miles <u>178.648170</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.30</u>

1.49

- 6) Multiply District Cost Factor (Line 4 above) 0.49 by lessor of the Area Factor (Line 5 above) 0.30 or 1.00 = Isolation Factor 0.15
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 339.18 = Isolation Weight 49.86
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 49.86

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 82 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 462.71 | = | 0.125312 | x .2 | 0.025062 | Х _ | 462.71 | =_ | 11.60 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | · | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 12 - CHOCTAW District: I002 - FORT TOWSON

- A. If school district's total area in square miles <u>193.637650</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>462.71</u> divided by district's total area in square mile <u>193.637650</u> = District's Areal Density <u>2.39</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 244.04 | + | 23 = | 267.04 | (Ca) |
|--------|------------|--------|---|-------|--------------|------|
| Grades | 6th - 8th | 87.77 | + | 133 = | 220.77 | (Cb) |
| Grades | PK3,9 -OHP | 130.90 | + | 128 = | 258.90 | (Cc) |
| | | 462.71 | | | - | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 267.04 | = _ | 0.277112 | + .85 = | 1.127112 | Х | 244.04 = | 275.06 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 220.77 | = _ | 0.552611 | + .85 = | 1.402611 | х | 87.77 = | 123.11 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 258.90 | = _ | 1.127849 | + .78 = | 1.907849 | х | 130.90 = | 249.74 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 647.91 | divided by di | strict's Raw ADM | | 462.71 | |

- 1.00 = District Cost Factor

0.40

5) (District's Square Miles <u>193.637650</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.41</u>

1.40

- 6) Multiply District Cost Factor (Line 4 above) 0.40 by lessor of the Area Factor (Line 5 above) 0.41 or 1.00 = Isolation Factor 0.16
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 462.71 = Isolation Weight 74.03

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 83 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 346.06 | = _ | 0.345822 | x .2 | 0.069164 | Х | 346.06 | =_ | 23.94 |
|-------|--------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 12 - CHOCTAW District: 1004 - SOPER

- A. If school district's total area in square miles <u>138.618690</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>346.06</u> divided by district's total area in square mile <u>138.618690</u> = District's Areal Density <u>2.50</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|------------|--------------------|---|-----------|-------------------|
| | | | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | _ | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | Х | 0.00 = | 0.00 |
| | | | _ | | | _ | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | district's Raw ADM | | 346.06 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>138.618690</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{346.06}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.93

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 84 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,246.80 | = | 0.000000 | x .2 | 0.000000 | Х | 1,246.80 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 12 - CHOCTAW District: 1039 - HUGO

- A. If school district's total area in square miles <u>250.001630</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,246.80</u> divided by district's total area in square mile <u>250.001630</u> = District's Areal Density <u>4.99</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
|----|---------------------------------------|----------|----------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | strict's Raw ADM | 1,246.80 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>250.001630</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1,246.80}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __21.98_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 85 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 324.24 | = | 0.387070 | x .2 | 0.077414 | Х | 324.24 | = | 25.10 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 13 - CIMARRON District: 1002 - BOISE CITY

- A. If school district's total area in square miles <u>1444.505880</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>324.24</u> divided by district's total area in square mile <u>1444.505880</u> = District's Areal Density <u>0.22</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 171.91 | + | 23 = | 194.91 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 65.40 | + | 133 = | 198.40 | (Cb) |
| Grades | PK3,9 -OHP | 86.93 | + | 128 = | 214.93 | (Cc) |
| | | 324.24 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 194.91 | | 0.379662 | + .85 = | 1.229662 | ., | 171.01 | 211 20 |
|----|--------------------------------------|------|----------|--------------|-------------------|----|-----------|-------------------|
| | 194.91 | = _ | 0.379662 | + .85 = | 1.229662 | × | 171.91 = | 211.39 |
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 198.40 | = _ | 0.614919 | + .85 = | 1.464919 | х | 65.40 = | 95.81 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 214.93 | = _ | 1.358582 | + .78 = | 2.138582 | х | 86.93 = | 185.91 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 493 11 | divided by d | istrict's Raw ADM | | 324 24 | |

- 1.00 = District Cost Factor

0.52

5) (District's Square Miles <u>1444.505880</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>9.54</u>

1.52

- 6) Multiply District Cost Factor (Line 4 above) 0.52 by lessor of the Area Factor (Line 5 above) 9.54 or 1.00 = Isolation Factor 0.52
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 324.24 = Isolation Weight 168.60
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 168.60

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 86 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 84.00 | = | 0.841210 | x .2 | 0.168242 | Х | 84.00 | _ = _ | 14.13 |
|-------|-------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 13 - CIMARRON District: I010 - FELT

- A. If school district's total area in square miles <u>345.773170</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>84.00</u> divided by district's total area in square mile <u>345.773170</u> = District's Areal Density <u>0.24</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 40.00 | + | 23 = | 63.00 | (Ca) |
|--------|------------|-------|---|-------|--------|------|
| Grades | 6th - 8th | 18.00 | + | 133 = | 151.00 | (Cb) |
| Grades | PK3,9 -OHP | 26.00 | + | 128 = | 154.00 | (Cc) |
| | | 84.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 63.00 = | 1.174603 | + .85 = | 2.024603 x | 40.00 = | 80.98 |
|----|---|----------|----------------|-----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 151.00 = | 0.807947 | + .85 = | 1.657947 x | 18.00 = | 29.84 |
| | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 154.00 = | 1.896104 | + .78 = | 2.676104 x | 26.00 = | 69.58 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 180.40 | divided by dis | trict's Raw ADM | 84.00 | |

- 1.00 = District Cost Factor

1.15

5) (District's Square Miles <u>345.773170</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.52</u>

2.15

- 6) Multiply District Cost Factor (Line 4 above) 1.15 by lessor of the Area Factor (Line 5 above) 1.52 or 1.00 = Isolation Factor 1.15
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 84.00 = Isolation Weight 96.60
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __96.60_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 87 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 351.16 | = | 0.336181 | x .2 | 0.067236 | X | 351.16 | = | 23.61 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: C016 - ROBIN HILL

- If school district's total area in square miles 17.076080 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>351.16</u> divided by district's total area in square mile <u>17.076080</u> = District's Areal В Density 20.56.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | | | | | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

351.16

0.00 5) (District's Square Miles <u>17.076080</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>351.16</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.61

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 88 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: 1002 - MOORE

- A. If school district's total area in square miles <u>124.959040</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>24,572.76</u> divided by district's total area in square mile <u>124.959040</u> = District's Areal Density <u>196.65</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
|----|--------------------------------|----------|----------------|-----------------|---------|--------|-------------------|
| | | _ | | | EC-5 A | DM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | 6-8 A | DM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | _ | | | 9-OHP A | DM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | 24,572 | 2.76 | |

- 1.00 = District Cost Factor

0

5) (District's Square Miles $\underline{124.959040}$ - $\underline{137.00000}$) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 24.572.76 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 89 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 16,030.88 | = | 0.000000 | x .2 | 0.000000 | Х | 16,030.88 | = | 0.00 |
|-------|-----------|---|----------|------|----------|---|-----------|---|-----------------|
| _ | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: 1029 - NORMAN

- A. If school district's total area in square miles <u>128.119470</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>16,030.88</u> divided by district's total area in square mile <u>128.119470</u> = District's Areal Density <u>125.12</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 | = | 0.850000 | Х | 0.00 = | | 0.00 |
|----|--------------------------------------|-----|----------|---------|--------|------------------|---|-----------|----|------------------|
| | | | | | | | _ | EC-5 ADM | | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 | = | 0.850000 | х | 0.00 = | | 0.00 |
| | | | | | | | | 6-8 ADM | | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 | = | 0.780000 | х | 0.00 = | | 0.00 |
| | | | | | | | | 9-OHP ADM | 9- | OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided | by dis | strict's Raw ADM | | 16,030.88 | | |

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>128.119470</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 16.030.88 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 90 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,767.71 | = | 0.000000 | x .2 | 0.000000 | Х | 2,767.71 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: I040 - NOBLE

- A. If school district's total area in square miles <u>118.737060</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,767.71</u> divided by district's total area in square mile <u>118.737060</u> = District's Areal Density <u>23.31</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | X | 0.00 = | 0.00 |
|----|---------------------------------------|------|----------|---------|----------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from all | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

2,767.71

= 0.00 - 1.00 = District Cost Factor

0.00

5) (District's Square Miles <u>118.737060</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{2,767.71}{}$ = Isolation Weight $\frac{0.00}{}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 91 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 999.25 | = | 0.000000 | x .2 | 0.000000 | Х | 999.25 | = | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: 1057 - LEXINGTON

- If school district's total area in square miles 104.763960 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 999.25 divided by district's total area in square mile 104.763960 = District's Areal В Density <u>9.54</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = _ | 0.000000 | + .8 | 5 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|-------|-------|--------------------|---|-----------|-------------------|
| | | | _ | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 = | | 0.000000 | + .8 | 5 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 = | | 0.000000 | + .7 | ′8 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divid | ed by | district's Raw ADM | | 999.25 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

5) (District's Square Miles <u>104.763960</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 999.25 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 92 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,308.56 | _ = | 0.000000 | x .2 | 0.000000 | Х | 1,308.56 | _ = _ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | _ | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: 1070 - LITTLE AXE

- If school district's total area in square miles <u>57.039110</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,308.56 divided by district's total area in square mile 57.039110 = District's Areal В Density 22.94.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,308.56

0.00 5) (District's Square Miles <u>57.039110</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.308.56}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 93 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 161.43 | = | 0.694839 | x .2 | 0.138968 | Х | 161.43 | _ = _ | 22.43 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 15 - COAL **District: C004 - COTTONWOOD**

- If school district's total area in square miles <u>35.835380</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>161.43</u> divided by district's total area in square mile <u>35.835380</u> = District's Areal В Density <u>4.50</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|------------------|----------------|----------|--------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by "Cc" from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 161.43 | | strict's Raw ADM | divided by dis | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>35.835380</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 161.43 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.43

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 94 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 653.52 | = _ | 0.000000 | x .2 | 0.000000 | х _ | 653.52 | _ = _ | 0.00 |
|-------|--------|-----|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 15 - COAL District: I001 - COALGATE

- A. If school district's total area in square miles <u>357.636810</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>653.52</u> divided by district's total area in square mile <u>357.636810</u> = District's Areal Density <u>1.83</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 280.84 | + | 23 = | 303.84 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 132.20 | + | 133 = | 265.20 | (Cb) |
| Grades | PK3,9 -OHP | 240.48 | + | 128 = | 368.48 | (Cc) |
| | | 653.52 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 303.84 = | 0.243549 | + .85 = | 1.093549 | x 280.84 | = 307.11 |
|----|---|----------|---------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | 2 | | | | |
| | 265.20 = | 0.460030 | + .85 = | 1.310030 | x132.20 | = 173.19 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 368.48 = | 0.792445 | + .78 = | 1.572445 | x 240.48 | = 378.14 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 858.44 | divided by di | strict's Raw ADM | 653.52 | |

- 1.00 = District Cost Factor

0.31

5) (District's Square Miles <u>357.636810</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.61</u>

1.31

- 6) Multiply District Cost Factor (Line 4 above) 0.31 by lessor of the Area Factor (Line 5 above) 1.61 or 1.00 = Isolation Factor 0.31
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 653.52 = Isolation Weight 202.59
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __202.59_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 95 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 243.70 | = | 0.539319 | x .2 | 0.107864 | Х | 243.70 | = | 26.29 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 15 - COAL **District: 1002 - TUPELO**

- If school district's total area in square miles 118.346980 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>243.70</u> divided by district's total area in square mile <u>118.346980</u> = District's Areal В Density <u>2.06</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | = | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|------------|----------|---------|---|----------|---|-----------|-------------------|
| | | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 = | = | 0.000000 | + .85 = | = | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 = | - <u> </u> | 0.000000 | + .78 = | : | 0.780000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

243.70

0.00 5) (District's Square Miles <u>118.346980</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 243.70 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.29

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 96 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 326.57 | = | 0.382665 | x .2 | 0.076533 | Х | 326.57 | _ = _ | 24.99 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: C048 - FLOWER MOUND

- If school district's total area in square miles __9.929080_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>326.57</u> divided by district's total area in square mile <u>9.929080</u> = District's Areal В Density 32.89.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|-----------|--------|----------------|---|-----------|-------------------|
| | | | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y dist | rict's Raw ADM | | 326.57 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>9.929080</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 326.57 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.99

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 97 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 580.35 | = | 0.000000 | x .2 | 0.000000 | х | 580.35 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: C049 - BISHOP

- If school district's total area in square miles __7.334230_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>580.35</u> divided by district's total area in square mile <u>7.334230</u> = District's Areal В Density <u>79.13</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0 = | 0.00 | |
|-------------------|-----------|---|-----------------|----------------|----------|---------|--------------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | | |
| | | | | | | n above | 122 divided by " <u>Cb</u> " from a | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0 = | 0.00 | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | | |
| | | | | | | above | 292 divided by " <u>Cc</u> " from al | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0 = | 0.00 | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | | |
| | 580.35 | | trict's Raw ADM | divided by dis | 0.00 | ve | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles $\frac{7.334230}{10000}$ - $\frac{137.00000}{10000}$) divided by $\frac{137.00000}{100000}$ = Area Factor $\frac{0}{100000}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>580.35</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 98 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | ٨ | | ١./ |
|-----|---|---|-----|
| Raw | А | ט | IV |

| 529 - | 1,988.81 | = | 0.000000 | x .2 | 0.000000 | Х | 1,988.81 | = | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1001 - CACHE

- If school district's total area in square miles 273.744470 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,988.81 divided by district's total area in square mile 273.744470 = District's Areal В Density <u>7.27</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | = 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---------------------------------------|------------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | pove | | | | |
| | 0.00 = | = 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | |
| | 0.00 = | = 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,988.81

0.00 5) (District's Square Miles <u>273.744470</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.988.81 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 99 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 209.66 | = | 0.603667 | x .2 | 0.120733 | Х | 209.66 | =_ | 25.31 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1002 - INDIAHOMA

- If school district's total area in square miles 122.742730 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>209.66</u> divided by district's total area in square mile <u>122.742730</u> = District's Areal В Density <u>1.71</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

209.66

0.00 5) (District's Square Miles <u>122.742730</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 209.66 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.31

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 100 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 385.74 | = | 0.270813 | x .2 | 0.054163 | Х | 385.74 | = | 20.89 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1003 - STERLING

- If school district's total area in square miles <u>92.635920</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>385.74</u> divided by district's total area in square mile <u>92.635920</u> = District's Areal В Density <u>4.16</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0 = | 0.00 | |
|-------------------|-----------|---|-----------------|----------------|----------|---------|--------------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | | |
| | | | | | | n above | 122 divided by " <u>Cb</u> " from a | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0 = | 0.00 | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | | |
| | | | | | | above | 292 divided by " <u>Cc</u> " from al | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0 = | 0.00 | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | | |
| | 385.74 | | trict's Raw ADM | divided by dis | 0.00 | ve | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>92.635920</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 385.74 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.89

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 101 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 318.04 | = | 0.398790 | x .2 | 0.079758 | Х | 318.04 | = | 25.37 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | _ | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1004 - GERONIMO

- If school district's total area in square miles <u>83.668790</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>318.04</u> divided by district's total area in square mile <u>83.668790</u> = District's Areal В Density 3.80 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--|----------|----------------|------------------|---|----------|-------------------|
| | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abou | ve | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | ve | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | 9 | -OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | strict's Raw ADM | | 318.04 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>83.668790</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 318.04 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.37

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 102 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 13,714.76 | _ = | 0.000000 | x .2 | 0.000000 | Х | 13,714.76 | _ = | 0.00 |
|-------|-----------|-------------|----------|------|----------|---|-----------|-----|-----------------|
| • | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: I008 - LAWTON

- A. If school district's total area in square miles <u>185.020600</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>13,714.76</u> divided by district's total area in square mile <u>185.020600</u> = District's Areal Density <u>74.13</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | 0.00 | |
|-------------------|-----------|---|-----------------|----------------|----------|----------|-------------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | | |
| | | | | | | om above | 122 divided by " <u>Cb</u> " from a | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | 0.00 | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | | |
| | | | | | | om above | 292 divided by " <u>Cc</u> " from a | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | 0.00 | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | | |
| | 13.714.76 | | trict's Raw ADM | divided by dis | 0.00 | bove | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>185.020600</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{13,714.76}{}$ = Isolation Weight $\frac{0.00}{}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 103 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 445.41 | _ = | 0.158015 | x .2 | 0.031603 | Х | 445.41 | _ = _ | 14.08 |
|-------|--------|-----|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1009 - FLETCHER

- If school district's total area in square miles 60.286000 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>445.41</u> divided by district's total area in square mile <u>60.286000</u> = District's Areal В Density <u>7.39</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|-------------------|--------------|-----------|-------------------|
| | | _ | <u>-</u> | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | · | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | _ | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distri | ct's Raw ADM | 445.41 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>60.286000</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 445.41 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.08

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 104 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,338.14 | = | 0.000000 | x .2 | 0.000000 | Х | 2,338.14 | = | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: I016 - ELGIN

- If school district's total area in square miles 123.101580 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,338.14 divided by district's total area in square mile 123.101580 = District's Areal В Density 18.99 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | | | | | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,338.14

0.00 5) (District's Square Miles <u>123.101580</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.338.14 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 105 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 250.41 | = | 0.526635 | x .2 | 0.105327 | х _ | 250.41 | _ = _ | 26.37 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: I132 - CHATTANOOGA

- A. If school district's total area in square miles <u>265.362420</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>250.41</u> divided by district's total area in square mile <u>265.362420</u> = District's Areal Density <u>0.94</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 129.17 | + | 23 = | 152.17 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 50.29 | + | 133 = | 183.29 | (Cb) |
| Grades | PK3,9 -OHP | 70.95 | + | 128 = | 198.95 | (Cc) |
| | | 250.41 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 152.17 = | 0.486298 | + .85 = | 1.336298 | x 129.17 = | 172.61 |
|----|---|----------|---------|----------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 183.29 = | 0.665612 | + .85 = | 1.515612 | x 50.29 = | 76.22 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | ! | | | | |
| | 198.95 = | 1.467705 | + .78 = | 2.247705 | x 70.95 = | 159.47 |
| | | _ | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

250.41

0.63

5) (District's Square Miles <u>265.362420</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.94</u>

408.30

1.63

- 6) Multiply District Cost Factor (Line 4 above) 0.63 by lessor of the Area Factor (Line 5 above) 0.94 or 1.00 = Isolation Factor 0.59
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>250.41</u> = Isolation Weight <u>148.29</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 148.29

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 106 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 651.66 | _ = | 0.000000 | x .2 | 0.000000 | Х | 651.66 | = | 0.00 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | · | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 17 - COTTON **District: I001 - WALTERS**

- If school district's total area in square miles 196.308690 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>651.66</u> divided by district's total area in square mile <u>196.308690</u> = District's Areal В Density <u>3.32</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---------|------------------|---------------|----------|--------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by "Cc" from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | · · · · | | | | | |
| | 651.66 | | strict's Raw ADM | divided by di | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>196.308690</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 651.66 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 107 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 178.25 | = | 0.663043 | x .2 | 0.132609 | Х _ | 178.25 | =_ | 23.64 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 17 - COTTON District: I101 - TEMPLE

- A. If school district's total area in square miles <u>177.790220</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>178.25</u> divided by district's total area in square mile <u>177.790220</u> = District's Areal Density <u>1.00</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 94.01 | + | 23 = | 117.01 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 39.77 | + | 133 = | 172.77 | (Cb) |
| Grades | PK3,9 -OHP | 44.47 | + | 128 = | 172.47 | (Cc) |
| | | 178.25 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 117.01 = | 0.632425 | + .85 = | 1.482425 | Х | 94.01 = | 139.36 |
|----|---------------------------------------|----------|----------------|-----------------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ve | | | | | |
| | 172.77 = | 0.706141 | + .85 = | 1.556141 | х | 39.77 = | 61.89 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ve | | | | | |
| | 172.47 = | 1.693048 | + .78 = | 2.473048 | х | 44.47 = | 109.98 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 311.23 | divided by dis | trict's Raw ADM | | 178.25 | |

- 1.00 = District Cost Factor

0.75

5) (District's Square Miles <u>177.790220</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.30</u>

1.75

- 6) Multiply District Cost Factor (Line 4 above) 0.75 by lessor of the Area Factor (Line 5 above) 0.30 or 1.00 = Isolation Factor 0.23
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{178.25}{2}$ = Isolation Weight $\frac{40.11}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 40.11

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 108 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 197.53 | = _ | 0.626597 | x .2 | 0.125319 | х | 197.53 | _ = _ | 24.75 |
|-------|--------|-----|----------|------|----------|---|-----------|-------|-----------------|
| _ | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 17 - COTTON District: I333 - BIG PASTURE

- A. If school district's total area in square miles <u>202.430230</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>197.53</u> divided by district's total area in square mile <u>202.430230</u> = District's Areal Density <u>0.98</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 104.55 | + | 23 = | 127.55 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 43.00 | + | 133 = | 176.00 | (Cb) |
| Grades | PK3,9 -OHP | 49.98 | + | 128 = | 177.98 | (Cc) |
| | | 197.53 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 127.55 | = | 0.580165 | + .85 = | 1.430165 | Х | 104.55 = | 149.52 |
|----|---------------------------------------|-----|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 176.00 | = | 0.693182 | + .85 = | 1.543182 | х | 43.00 = | 66.36 |
| | | ' | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 177.98 | = | 1.640634 | + .78 = | 2.420634 | x | 49.98 = | 120.98 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 336.86 | divided by di | strict's Raw ADM | | 197.53 | |

- 1.00 = District Cost Factor

0.71

5) (District's Square Miles <u>202.430230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.48</u>

1.71

- 6) Multiply District Cost Factor (Line 4 above) 0.71 by lessor of the Area Factor (Line 5 above) 0.48 or 1.00 = Isolation Factor 0.34
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 197.53 = Isolation Weight 67.32
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 67.32

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 109 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 37.75 | = | 0.928639 | x .2 | 0.185728 | х _ | 37.75 | = | 7.01 |
|-------|-------|---|----------|------|----------|-----|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIG **District: C001 - WHITE OAK**

- If school district's total area in square miles 115.258660 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>37.75</u> divided by district's total area in square mile <u>115.258660</u> = District's Areal В Density <u>0.33</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|---------|----------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

37.75

0.00 - 1.00 = District Cost Factor

0.00

- 5) (District's Square Miles <u>115.258660</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{37.75}{100}$ = Isolation Weight $\frac{0.00}{100}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 7.01

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 110 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 621.11 | = | 0.000000 | x .2 | 0.000000 | Х | 621.11 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIG **District: 1006 - KETCHUM**

- If school district's total area in square miles 60.397310 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>621.11</u> divided by district's total area in square mile <u>60.397310</u> = District's Areal В Density 10.28.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | | | | | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

621.11

0.00 5) (District's Square Miles <u>60.397310</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 621.11 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 111 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 283.77 | = | 0.463573 | x .2 | 0.092715 | х | 283.77 | _ = _ | 26.31 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| _ | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIG District: I017 - WELCH

- A. If school district's total area in square miles <u>247.688250</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>283.77</u> divided by district's total area in square mile <u>247.688250</u> = District's Areal Density <u>1.15</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 137.65 | + | 23 = | 160.65 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 67.67 | + | 133 = | 200.67 | (Cb) |
| Grades | PK3,9 -OHP | 78.45 | + | 128 = | 206.45 | (Cc) |
| | | 283.77 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 160.65 | = | 0.460629 | + .85 = | 1.310629 | х | 137.65 = | 180.41 |
|----|--------------------------------------|------|----------------|----------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 200.67 | = _ | 0.607963 | + .85 = | 1.457963 | x | 67.67 = | 98.66 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 206.45 | = _ | 1.414386 | + .78 = | 2.194386 | x | 78.45 = | 172.15 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | <i>4</i> 51 22 | divided by div | strict's Raw ADM | | 283 77 | |

- 1.00 = District Cost Factor

0.59

5) (District's Square Miles <u>247.688250</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.81</u>

1.59

- 6) Multiply District Cost Factor (Line 4 above) 0.59 by lessor of the Area Factor (Line 5 above) 0.81 or 1.00 = Isolation Factor 0.48
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>283.77</u> = Isolation Weight <u>135.61</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __135.61_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 112 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 197.99 | = _ | 0.625728 | x .2 | 0.125146 | Х | 197.99 | =_ | 24.78 |
|-------|--------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIG District: I020 - BLUEJACKET

- A. If school district's total area in square miles <u>167.882870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>197.99</u> divided by district's total area in square mile <u>167.882870</u> = District's Areal Density <u>1.18</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 104.03 | + | 23 = | 127.03 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 36.74 | + | 133 = | 169.74 | (Cb) |
| Grades | PK3,9 -OHP | 57.22 | + | 128 = | 185.22 | (Cc) |
| | | 197.99 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 127.03 | = | 0.582540 | + .85 = | 1.432540 | Х | 104.03 = | 149.03 |
|----|--------------------------------------|------|----------|--------------|-------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | oove | | | | | | |
| | 169.74 | = | 0.718746 | + .85 = | 1.568746 | х | 36.74 = | 57.64 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | oove | | | | | | |
| | 185.22 | = | 1.576504 | + .78 = | 2.356504 | х | 57.22 = | 134.84 |
| | | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 341.51 | divided by d | istrict's Raw ADM | | 197.99 | |

- 1.00 = District Cost Factor

0.72

5) (District's Square Miles <u>167.882870</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.23</u>

1.72

- 6) Multiply District Cost Factor (Line 4 above) 0.72 by lessor of the Area Factor (Line 5 above) 0.23 or 1.00 = Isolation Factor 0.17
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 197.99 = Isolation Weight 32.79
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 32.79

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 113 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Α | D | М |
|-----|---|---|---|
| | | | |

| 529 - | 1,425.94 | = _ | 0.000000 | x .2 | 0.000000 | х | 1,425.94 | =_ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIG District: 1065 - VINITA

- A. If school district's total area in square miles <u>172.553680</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,425.94</u> divided by district's total area in square mile <u>172.553680</u> = District's Areal Density <u>8.26</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
|----|---------------------------------------|------------|----------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | |
| | 0.00 = | = 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | |
| | 0.00 = | = 0.000000 | + .78 = | 0.780000 | x 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | strict's Raw ADM | 1,425.94 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>172.553680</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.425.94 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 114 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 896.63 | = | 0.000000 | x .2 | 0.000000 | Х | 896.63 | = | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: C008 - LONE STAR**

- If school district's total area in square miles <u>15.820290</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>896.63</u> divided by district's total area in square mile <u>15.820290</u> = District's Areal В Density <u>56.68</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | | 0.000000 | + .85 | = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|---------------------------------------|----|----------|---------|-------|------------------|---|-----------|-------------------|
| | | | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ve | | | | | | | |
| | 0.00 = | | 0.000000 | + .85 | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ve | | | | | | | |
| | 0.00 = | | 0.000000 | + .78 | = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided | bv di | strict's Raw ADM | | 896.63 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

896.63

0.00 5) (District's Square Miles <u>15.820290</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 896.63 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 115 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Α | D | М |
|-----|---|---|---|
| | | | |

| 529 - | 56.85 | = | 0.892533 | x .2 | 0.178507 | х | 56.85 | = | 10.15 |
|-------|-------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: C012 - GYPSY**

- If school district's total area in square miles 46.367290 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>56.85</u> divided by district's total area in square mile <u>46.367290</u> = District's Areal В Density <u>1.23</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|--------------|-------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | _ | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by d | istrict's Raw ADM | | 56.85 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>46.367290</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 56.85 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 10.15

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 116 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 280.24 | = _ | 0.470246 | x .2 | 0.094049 | Х | 280.24 | = | 26.36 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: C034 - PRETTY WATER**

- If school district's total area in square miles <u>9.346740</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>280.24</u> divided by district's total area in square mile <u>9.346740</u> = District's Areal В Density 29.98.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|-------------------|--------------|-----------|-------------------|
| | | _ | _ | · | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | _ | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distri | ct's Raw ADM | 280.24 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles 9.346740 - 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 280.24 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.36</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 117 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 327.99 | _ = _ | 0.379981 | x .2 | 0.075996 | Х | 327.99 | =_ | 24.93 |
|-------|--------|-------|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK District: C035 - ALLEN-BOWDEN

- A. If school district's total area in square miles <u>9.965340</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>327.99</u> divided by district's total area in square mile <u>9.965340</u> = District's Areal Density <u>32.91</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------------------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by district | s Raw ADM | 327.99 | |

- 1.00 = District Cost Factor

5) (District's Square Miles 9.965340 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 327.99 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.93

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 118 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,743.46 | = | 0.000000 | x .2 | 0.000000 | X | 1,743.46 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK District: I002 - BRISTOW

- A. If school district's total area in square miles <u>242.569520</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,743.46</u> divided by district's total area in square mile <u>242.569520</u> = District's Areal Density <u>7.19</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | x 0.00 | = 0.00 |
|----|-------------------------------------|------|----------|---------|----------|----------|------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | x 0.00 | = 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from a | bove | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | x 0.00 | = 0.00 |

- 1.00 = District Cost Factor

9-OHP ADM

9-OHP Cost Factor

| 4) | | | | |
|----|----------------------------|------|-------------------------------|----------|
| 4) | Sum $1 + 2 + 3$ from above | 0.00 | divided by district's Raw ADM | 1,743.46 |
| | | | | |

5) (District's Square Miles <u>242.569520</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1,743.46}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 119 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,493.14 | = | 0.000000 | x .2 | 0.000000 | Х | 1,493.14 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I003 - MANNFORD**

- If school district's total area in square miles __77.469790_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,493.14 divided by district's total area in square mile 77.469790 = District's Areal В Density 19.27.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | | | | | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,493.14

0.00 5) (District's Square Miles <u>77.469790</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.493.14}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 120 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 588.14 | = | 0.000000 | x .2 | 0.000000 | Х | 588.14 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | _ | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I005 - MOUNDS**

- If school district's total area in square miles 39.962980 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>588.14</u> divided by district's total area in square mile <u>39.962980</u> = District's Areal В Density <u>14.72</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|-------------------------------------|------|----------|---------|----------|---|----------|------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 588.14 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>39.962980</u> <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 588.14 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 121 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | |
|-----|---|---|----|
| ĸaw | Α | U | IV |

| 529 - | 285.00 | = | 0.461248 | x .2 | 0.092250 | Х | 285.00 | =_ | 26.29 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK District: I017 - OLIVE

- A. If school district's total area in square miles <u>95.670020</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>285.00</u> divided by district's total area in square mile <u>95.670020</u> = District's Areal Density <u>2.98</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | _ | | _ | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

285.00

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 95.670020 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>285.00</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.29_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 122 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| _ | | _ | |
|------|--------|----------------------------|-----|
| Daw | Λ | l 1 | NΛ |
| navv | \sim | $\boldsymbol{\mathcal{L}}$ | IVI |

| 529 - | 869.23 | = | 0.000000 | x .2 | 0.000000 | Х | 869.23 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I018 - KIEFER**

- If school district's total area in square miles 13.588540 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>869.23</u> divided by district's total area in square mile <u>13.588540</u> = District's Areal В Density <u>63.97</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|--------------|-------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | _ | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by d | istrict's Raw ADM | | 869.23 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>13.588540</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 869.23 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 123 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 271.94 | = _ | 0.485936 | x .2 | 0.097187 | Х | 271.94 | = | 26.43 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| _ | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK District: I020 - OILTON

- If school district's total area in square miles 39.143860 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>271.94</u> divided by district's total area in square mile <u>39.143860</u> = District's Areal В Density <u>6.95</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.0 | 0.00 |
|----|--|----------|---------------|------------------|-----------|--------------------|
| | | | | | EC-5 ADN | A EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abov | ⁄e | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.0 | 0.00 |
| | | | | | 6-8 ADN | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | re | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x0.0 | 0.00 |
| | | | | | 9-OHP ADN | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by di | strict's Raw ADM | 271.9 | 4 |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>39.143860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 271.94 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.43</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 124 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 386.73 | = | 0.268941 | x .2 | 0.053788 | Х | 386.73 | _ = _ | 20.80 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK District: I021 - DEPEW

- A. If school district's total area in square miles <u>130.532130</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>386.73</u> divided by district's total area in square mile <u>130.532130</u> = District's Areal Density <u>2.96</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | · | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | _ | · | _ | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

386.73

= <u>0.00</u> - 1.00 = District Cost Factor

0.00

5) (District's Square Miles <u>130.532130</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 386.73 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __20.80_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 125 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 892.35 | = | 0.000000 | x .2 | 0.000000 | Х _ | 892.35 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I031 - KELLYVILLE**

- If school district's total area in square miles 129.645740 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>892.35</u> divided by district's total area in square mile <u>129.645740</u> = District's Areal В Density <u>6.88</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|------------------|--------------|----------|--------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by "Cc" from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 892.35 | | strict's Raw ADM | divided by d | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>129.645740</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 892.35 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 126 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 3,747.28 | = _ | 0.000000 | x .2 | 0.000000 | Х | 3,747.28 | = | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I033 - SAPULPA**

- If school district's total area in square miles 37.485690 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,747.28 divided by district's total area in square mile 37.485690 = District's Areal В Density <u>99.97</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

3,747.28

0.00 5) (District's Square Miles <u>37.485690</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.747.28 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 127 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 513.81 | <u> </u> | 0.028715 | x .2 | 0.005743 | Х | 513.81 | =_ | 2.95 |
|-------|--------|----------|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I039 - DRUMRIGHT**

- If school district's total area in square miles 67.179360 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>513.81</u> divided by district's total area in square mile <u>67.179360</u> = District's Areal В Density <u>7.65</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

513.81

0.00 5) (District's Square Miles <u>67.179360</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>513.81</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 2.95

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 128 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 469.48 | = | 0.112514 | x .2 | 0.022503 | Х | 469.48 | _ = _ | 10.56 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 20 - CUSTER District: I005 - ARAPAHO-BUTLER

- A. If school district's total area in square miles <u>294.649410</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>469.48</u> divided by district's total area in square mile <u>294.649410</u> = District's Areal Density <u>1.59</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 259.24 | + | 23 = | 282.24 | (Ca) |
|--------|------------|--------|---|-------|--------------|------|
| Grades | 6th - 8th | 102.00 | + | 133 = | 235.00 | (Cb) |
| Grades | PK3,9 -OHP | 108.24 | + | 128 = | 236.24 | (Cc) |
| | | 469.48 | | | - | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 282.24 = | 0.262188 | + .85 = | 1.112188 | x 259.24 | = 288.32 |
|----|--------------------------------|----------|---------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 235.00 = | 0.519149 | + .85 = | 1.369149 | x102.00 | = 139.65 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 236.24 = | 1.236031 | + .78 = | 2.016031 | x108.24 | = 218.22 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 646.19 | divided by di | strict's Raw ADM | 469.48 | |

- 1.00 = District Cost Factor

0.38

5) (District's Square Miles <u>294.649410</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.15</u>

1.38

- 6) Multiply District Cost Factor (Line 4 above) 0.38 by lessor of the Area Factor (Line 5 above) 1.15 or 1.00 = Isolation Factor 0.38
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{469.48}{2}$ = Isolation Weight $\frac{178.40}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 178.40

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 129 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 490.96 | = | 0.071909 | x .2 | 0.014382 | x | 490.96 | = | 7.06 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 20 - CUSTER District: 1007 - THOMAS-FAY-CUSTER UNIFIED DIST

- A. If school district's total area in square miles <u>463.581660</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>490.96</u> divided by district's total area in square mile <u>463.581660</u> = District's Areal Density <u>1.06</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 260.17 | + | 23 = | 283.17 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 102.75 | + | 133 = | 235.75 | (Cb) |
| Grades | PK3,9 -OHP | 128.04 | + | 128 = | 256.04 | (Cc) |
| | | 490.96 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 283.17 | = _ | 0.261327 | + .85 = | 1.111327 | Х | 260.17 = | 289.13 |
|----|---------------------------------------|------|----------|---------|----------|---|-----------|-------------------|
| | _ | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | bove | | | | | | |
| | 235.75 | = _ | 0.517497 | + .85 = | 1.367497 | x | 102.75 = | 140.51 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from all | oove | | | | | | |
| | 256.04 | = _ | 1.140447 | + .78 = | 1.920447 | х | 128.04 = | 245.89 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

490.96

0.38

5) (District's Square Miles <u>463.581660</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.38</u>

675.53

1.38

- 6) Multiply District Cost Factor (Line 4 above) 0.38 by lessor of the Area Factor (Line 5 above) 2.38 or 1.00 = Isolation Factor 0.38
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{490.96}$ = Isolation Weight $\underline{186.56}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>186.56</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 130 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,378.57 | = | 0.000000 | x .2 | 0.000000 | Х | 2,378.57 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 20 - CUSTER District: I026 - WEATHERFORD

- A. If school district's total area in square miles <u>154.036070</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,378.57</u> divided by district's total area in square mile <u>154.036070</u> = District's Areal Density <u>15.44</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by d | listrict's Raw ADM | | 2,378.57 | |

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>154.036070</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.378.57 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 131 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,205.92 | = | 0.000000 | x .2 | 0.000000 | х | 2,205.92 | = | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 20 - CUSTER District: 1099 - CLINTON

- If school district's total area in square miles 136.882430 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,205.92 divided by district's total area in square mile 136.882430 = District's Areal В Density 16.12.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | 2 | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | • | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,205.92

0.00 5) (District's Square Miles <u>136.882430</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.205.92 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 132 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Α | D | М |
|-----|---|---|---|
| | | | |

| 529 - | 134.00 | = | 0.746692 | x .2 | 0.149338 | Х | 134.00 | =_ | 20.01 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: C006 - CLEORA

- If school district's total area in square miles 32.248480 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>134.00</u> divided by district's total area in square mile <u>32.248480</u> = District's Areal В Density <u>4.16</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|---------------|------------------|---|-----------|-------------------|
| | - | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 134.00 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>32.248480</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>134.00</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.01

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 133 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 151.52 | = | 0.713573 | x .2 | 0.142715 | Х | 151.52 | =_ | 21.62 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: C014 - LEACH

- If school district's total area in square miles 30.067610 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>151.52</u> divided by district's total area in square mile <u>30.067610</u> = District's Areal В Density <u>5.04</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | = _ | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|-----------|------------|---------------|---|-----------|-------------------|
| | | | _ | | _ | _ | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | = <u>_</u> | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y distr | ict's Raw ADM | | 151.52 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>30.067610</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 151.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.62

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 134 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 93.18 | = | 0.823856 | x .2 | 0.164771 | х | 93.18 | =_ | 15.35 |
|-------|-------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: C030 - KENWOOD

- A. If school district's total area in square miles <u>28.791030</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>93.18</u> divided by district's total area in square mile <u>28.791030</u> = District's Areal Density <u>3.24</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|-------------------------------------|------|----------|---------|----------|-----|----------|------------------|
| | | | _ | | | - | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | - | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | x _ | 0.00 = | 0.00 |

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 93.18

 = 0.00 1.00 = District Cost Factor
- 5) (District's Square Miles $\underline{28.791030}$ $\underline{137.00000}$) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 93.18 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __15.35_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 135 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 178.72 | = | 0.662155 | x .2 | 0.132431 | Х | 178.72 | = | 23.67 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| • | 529 | _ | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: C034 - MOSELEY

- A. If school district's total area in square miles <u>23.255850</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>178.72</u> divided by district's total area in square mile <u>23.255850</u> = District's Areal Density <u>7.68</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 178.72

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>23.255850</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 178.72 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __23.67_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 136 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | |
|-----|---|---|----|
| ĸaw | Α | U | IV |

| 529 - | 1,579.25 | = | 0.000000 | x .2 | 0.000000 | Х | 1,579.25 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: I001 - JAY

- A. If school district's total area in square miles <u>255.020460</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,579.25</u> divided by district's total area in square mile <u>255.020460</u> = District's Areal Density <u>6.19</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0. | .00 = | 0.00 |
|----|---|----------|----------------|-----------------|----------|-------|-------------------|
| | | _ | | | EC-5 AD | M | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0. | .00 = | 0.00 |
| | | | | | 6-8 AD | M | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x0. | .00 = | 0.00 |
| | | | | | 9-OHP AD | M | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | 1,579. | .25 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>255.020460</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.579.25 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 137 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,485.29 | = | 0.000000 | x .2 | 0.000000 | Х | 2,485.29 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | • | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: 1002 - GROVE

- If school district's total area in square miles 188.381650 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,485.29 divided by district's total area in square mile 188.381650 = District's Areal В Density 13.19.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 × | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,485.29

0.00 5) (District's Square Miles <u>188.381650</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.485.29 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 138 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 878.62 | = | 0.000000 | x .2 | 0.000000 | Х | 878.62 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: 1003 - KANSAS

- If school district's total area in square miles 133.351650 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>878.62</u> divided by district's total area in square mile <u>133.351650</u> = District's Areal В Density <u>6.59</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|--------------------|--------------|-----------|-------------------|
| | | _ | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distric | ct's Raw ADM | 878.62 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

878.62

5) (District's Square Miles <u>133.351650</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 878.62 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 139 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 585.71 | = | 0.000000 | x .2 | 0.000000 | Х | 585.71 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: 1004 - COLCORD

- If school district's total area in square miles <u>84.102190</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>585.71</u> divided by district's total area in square mile <u>84.102190</u> = District's Areal В Density <u>6.96</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|-----------|----------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y district's Raw ADM | | 585.71 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>84.102190</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>585.71</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 140 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 198.91 | = | 0.623989 | x .2 | 0.124798 | Χ | 198.91 | _ = _ | 24.82 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: 1005 - OAKS-MISSION

- If school district's total area in square miles <u>55.482380</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>198.91</u> divided by district's total area in square mile <u>55.482380</u> = District's Areal В Density 3.59.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 198.91 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>55.482380</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 198.91 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.82

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 141 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| _ | | | |
|-----|---|----|---|
| Raw | Α | 1) | N |

| 529 - | 316.69 | = | 0.401342 | x .2 | 0.080268 | Х | 316.69 | =_ | 25.42 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 22 - DEWEY District: 1005 - VICI

- A. If school district's total area in square miles <u>295.067810</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>316.69</u> divided by district's total area in square mile <u>295.067810</u> = District's Areal Density <u>1.07</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 153.02 | + | 23 = | 176.02 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 73.85 | + | 133 = | 206.85 | (Cb) |
| Grades | PK3,9 -OHP | 89.82 | + | 128 = | 217.82 | (Cc) |
| | | 316.69 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 176.02 | = | 0.420407 | + .85 = | 1.270407 | Х | 153.02 = | 194.40 |
|----|--------------------------------------|------|----------|--------------|-------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | bove | | | | | | |
| | 206.85 | = _ | 0.589799 | + .85 = | 1.439799 | х | 73.85 = | 106.33 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 217.82 | = _ | 1.340556 | + .78 = | 2.120556 | x | 89.82 = | 190.47 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 491.20 | divided by d | istrict's Raw ADM | | 316.69 | |

- 1.00 = District Cost Factor

0.55

5) (District's Square Miles <u>295.067810</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.15</u>

1.55

- 6) Multiply District Cost Factor (Line 4 above) 0.55 by lessor of the Area Factor (Line 5 above) 1.15 or 1.00 = Isolation Factor 0.55
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 316.69 = Isolation Weight 174.18
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 174.18

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 142 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw . | A[| DM |
|-------|----|----|
|-------|----|----|

| 529 - | 467.18 | = | 0.116862 | x .2 | 0.023372 | х | 467.18 | _ = _ | 10.92 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 22 - DEWEY District: 1008 - SEILING

- A. If school district's total area in square miles <u>298.492290</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>467.18</u> divided by district's total area in square mile <u>298.492290</u> = District's Areal Density <u>1.57</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 229.15 | + | 23 = | 252.15 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 100.60 | + | 133 = | 233.60 | (Cb) |
| Grades | PK3,9 -OHP | 137.43 | + | 128 = | 265.43 | (Cc) |
| | | 467.18 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 252.15 = | 0.293476 | + .85 = | 1.143476 | x 229.15 = | 262.03 |
|----|--------------------------------|----------|----------------|------------------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 233.60 = | 0.522260 | + .85 = | 1.372260 | x 100.60 = | 138.05 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | r | | | | |
| | 265.43 = | 1.100102 | + .78 = | 1.880102 | x 137.43 = | 258.38 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 658.46 | divided by dis | strict's Raw ADM | 467.18 | |

- 1.00 = District Cost Factor

0.41

5) (District's Square Miles <u>298.492290</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.18</u>

1.41

- 6) Multiply District Cost Factor (Line 4 above) 0.41 by lessor of the Area Factor (Line 5 above) 1.18 or 1.00 = Isolation Factor 0.41
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 467.18 = Isolation Weight 191.54
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __191.54_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 143 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| | Raw | Α | D | M |
|--|-----|---|---|---|
|--|-----|---|---|---|

| 529 - | 100.04 | = | 0.810888 | x .2 | 0.162178 | Х | 100.04 | = | 16.22 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 22 - DEWEY District: I010 - TALOGA

- A. If school district's total area in square miles <u>350.719110</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 100.04 divided by district's total area in square mile 350.719110 = District's Areal Density 0.29.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 50.96 | + | 23 = | 73.96 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 19.08 | + | 133 = | 152.08 | (Cb) |
| Grades | PK3,9 -OHP | 30.00 | + | 128 = | 158.00 | (Cc) |
| | | 100.04 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 73.96 = | 1.000541 | + .85 = | 1.850541 x | 50.96 = | 94.30 |
|----|---|----------|----------------|-----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 152.08 = | 0.802209 | + .85 = | 1.652209 x | 19.08 = | 31.52 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 158.00 = | 1.848101 | + .78 = | 2.628101 x | 30.00 = | 78.84 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 204.66 | divided by dis | trict's Raw ADM | 100.04 | |

- 1.00 = District Cost Factor

1.05

5) (District's Square Miles <u>350.719110</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.56</u>

2.05

- 6) Multiply District Cost Factor (Line 4 above) 1.05 by lessor of the Area Factor (Line 5 above) 1.56 or 1.00 = Isolation Factor 1.05
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{100.04}$ = Isolation Weight $\underline{105.04}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __105.04_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 144 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 224.19 | _ = _ | 0.576200 | x .2 | 0.115240 | Х | 224.19 | _ = _ | 25.84 |
|-------|--------|-------|----------|------|----------|---|-----------|-------|-----------------|
| _ | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 23 - ELLIS District: I002 - FARGO

- A. If school district's total area in square miles <u>343.826620</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>224.19</u> divided by district's total area in square mile <u>343.826620</u> = District's Areal Density <u>0.65</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 114.60 | + | 23 = | 137.60 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 56.84 | + | 133 = | 189.84 | (Cb) |
| Grades | PK3,9 -OHP | 52.75 | + | 128 = | 180.75 | (Cc) |
| | | 224.19 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 159.04 | 114.60 = | Χ | 1.387791 | + .85 = | 0.537791 | 137.60 = | |
|-------------------|-----------|---|------------------|--------------|----------|--------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 84.84 | 56.84 = | х | 1.492646 | + .85 = | 0.642646 | 189.84 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by "Cc" from above | 3) |
| 126.36 | 52.75 = | х | 2.395491 | + .78 = | 1.615491 | 180.75 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | |
| | 224.19 | | strict's Raw ADM | divided by d | 370.24 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

0.65

5) (District's Square Miles <u>343.826620</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.51</u>

1.65

- 6) Multiply District Cost Factor (Line 4 above) 0.65 by lessor of the Area Factor (Line 5 above) 1.51 or 1.00 = Isolation Factor 0.65
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 224.19 = Isolation Weight 145.72
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __145.72_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 145 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 172.70 | = | 0.673535 | x .2 | 0.134707 | х _ | 172.70 | _ = _ | 23.26 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| _ | 529 | | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 23 - ELLIS District: 1003 - ARNETT

- A. If school district's total area in square miles <u>540.839110</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>172.70</u> divided by district's total area in square mile <u>540.839110</u> = District's Areal Density <u>0.32</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 77.59 | + | 23 = | 100.59 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 43.95 | + | 133 = | 176.95 | (Cb) |
| Grades | PK3,9 -OHP | 51.16 | + | 128 = | 179.16 | (Cc) |
| | | 172.70 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 100.59 = | 0.735660 | + .85 = | 1.585660 | x 77.59 | = 123.03 |
|----|--|----------|----------------|-----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | ve | | | | |
| | 176.95 = | 0.689460 | + .85 = | 1.539460 | x43.95 | = 67.66 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | /e | | | | |
| | 179.16 = | 1.629828 | + .78 = | 2.409828 | x51.16 | = 123.29 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 313.98 | divided by dis | trict's Raw ADM | 172.70 | |

- 1.00 = District Cost Factor

0.82

5) (District's Square Miles <u>540.839110</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.95</u>

1.82

- 6) Multiply District Cost Factor (Line 4 above) 0.82 by lessor of the Area Factor (Line 5 above) 2.95 or 1.00 = Isolation Factor 0.82
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 172.70 = Isolation Weight 141.61
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __141.61_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 146 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 368.49 | = | 0.303422 | x .2 | 0.060684 | Х | 368.49 | = | 22.36 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 23 - ELLIS District: 1042 - SHATTUCK

- A. If school district's total area in square miles <u>285.910360</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>368.49</u> divided by district's total area in square mile <u>285.910360</u> = District's Areal Density <u>1.29</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 171.89 | + | 23 = | 194.89 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 87.98 | + | 133 = | 220.98 | (Cb) |
| Grades | PK3,9 -OHP | 108.62 | + | 128 = | 236.62 | (Cc) |
| | | 368.49 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 194.89 = | 0.379701 | + .85 = | 1.229701 | х | 171.89 = | 211.37 |
|----|------------------------------|------------|---------------|------------------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | |
| | 220.98 = | = 0.552086 | + .85 = | 1.402086 | х | 87.98 = | 123.36 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | |
| | 236.62 = | 1.234046 | + .78 = | 2.014046 | х | 108.62 = | 218.77 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 553.50 | divided by di | strict's Raw ADM | | 368.49 | |

- 1.00 = District Cost Factor

0.50

5) (District's Square Miles 285.910360 - 137.00000) divided by 137.00000 = Area Factor 1.09

1.50

- 6) Multiply District Cost Factor (Line 4 above) 0.50 by lessor of the Area Factor (Line 5 above) 1.09 or 1.00 = Isolation Factor 0.50
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 368.49 = Isolation Weight 184.25
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __184.25_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 147 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 420.03 | = | 0.205992 | x .2 | 0.041198 | Х | 420.03 | = | 17.30 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: I001 - WAUKOMIS

- If school district's total area in square miles <u>82.067840</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>420.03</u> divided by district's total area in square mile <u>82.067840</u> = District's Areal В Density <u>5.12</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--|-------------------|---------|------------|-----------|-------------------|
| | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | |
| | 0.00 = | = 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | 0.00 = 292 divided by " <u>Cc</u> " from abo | = 0.000000 ove | | | 6-8 ADM | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

420.03

0.00 5) (District's Square Miles <u>82.067840</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 420.03 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.30

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 148 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 288.30 | = | 0.455009 | x .2 | 0.091002 | Х _ | 288.30 | =_ | 26.24 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: I018 - KREMLIN-HILLSDALE

- A. If school district's total area in square miles <u>131.828860</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>288.30</u> divided by district's total area in square mile <u>131.828860</u> = District's Areal Density <u>2.19</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | district's Raw ADM | | 288.30 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>131.828860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>288.30</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.24_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 149 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,181.07 | = | 0.000000 | x .2 | 0.000000 | Х | 1,181.07 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1042 - CHISHOLM

- If school district's total area in square miles <u>87.329100</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,181.07 divided by district's total area in square mile 87.329100 = District's Areal В Density 13.52.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | · | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 1,181.07 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>87.329100</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.181.07}{1.181.07}$ = Isolation Weight $\frac{0.00}{1.181.07}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 150 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 387.69 | = _ | 0.267127 | x .2 | 0.053425 | х _ | 387.69 | =_ | 20.71 |
|-------|--------|-----|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | _ | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1047 - GARBER

- A. If school district's total area in square miles <u>173.685340</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>387.69</u> divided by district's total area in square mile <u>173.685340</u> = District's Areal Density <u>2.23</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 190.62 | + | 23 = | 213.62 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 88.14 | + | 133 = | 221.14 | (Cb) |
| Grades | PK3,9 -OHP | 108.93 | + | 128 = | 236.93 | (Cc) |
| | | 387.69 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 213.62 = | 0.346410 | + .85 = | 1.196410 | Х | 190.62 = | 228.06 |
|----|---|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | ve . | | | | | |
| | 221.14 = | 0.551687 | + .85 = | 1.401687 | х | 88.14 = | 123.54 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | ve | | | | | |
| | 236.93 = | 1.232432 | + .78 = | 2.012432 | х | 108.93 = | 219.21 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 570.81 | divided by di | strict's Raw ADM | | 387 69 | |

- 1.00 = District Cost Factor

0.47

5) (District's Square Miles <u>173.685340</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.27</u>

1.47

- 6) Multiply District Cost Factor (Line 4 above) 0.47 by lessor of the Area Factor (Line 5 above) 0.27 or 1.00 = Isolation Factor 0.13
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 387.69 = Isolation Weight 49.20
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 49.20

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 151 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 498.50 | _ = | 0.057656 | x .2 | 0.011531 | Х | 498.50 | = | 5.75 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | _ | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1056 - PIONEER-PLEASANT VALE

- A. If school district's total area in square miles <u>126.144330</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>498.50</u> divided by district's total area in square mile <u>126.144330</u> = District's Areal Density <u>3.95</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 126.144330 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 498.50 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __5.75_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 152 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 7,756.96 | = | 0.000000 | x .2 | 0.000000 | Х _ | 7,756.96 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1057 - ENID

- If school district's total area in square miles 47.885990 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>7,756.96</u> divided by district's total area in square mile <u>47.885990</u> = District's Areal В Density 161.99 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|------------------|---------------|-----------|-------------------|
| | | _ | · | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | _ | _ | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distr | ict's Raw ADM | 7,756.96 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>47.885990</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{7.756.96}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 153 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | ٨ | | ١./ |
|-----|---|---|-----|
| Raw | А | ט | IV |

| 529 - | 349.29 | = | 0.339716 | x .2 | 0.067943 | Х | 349.29 | = | 23.73 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1085 - DRUMMOND

- A. If school district's total area in square miles <u>87.518900</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>349.29</u> divided by district's total area in square mile <u>87.518900</u> = District's Areal Density <u>3.99</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | • | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 87.518900 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 349.29 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __23.73_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 154 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 290.51 | = | 0.450832 | x .2 | 0.090166 | Х | 290.51 | _ = _ | 26.19 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1094 - COVINGTON-DOUGLAS

- A. If school district's total area in square miles <u>271.007870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>290.51</u> divided by district's total area in square mile <u>271.007870</u> = District's Areal Density <u>1.07</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 135.64 | + | 23 = | 158.64 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 67.86 | + | 133 = | 200.86 | (Cb) |
| Grades | PK3,9 -OHP | 87.01 | + | 128 = | 215.01 | (Cc) |
| | | 290.51 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 158.64 | = | 0.466465 | + .85 = | 1.316465 | Х | 135.64 = | 178.57 |
|----|---------------------------------------|------------|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | | | |
| | 200.86 | = <u> </u> | 0.607388 | + .85 = | 1.457388 | х | 67.86 = | 98.90 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 215.01 | = <u> </u> | 1.358076 | + .78 = | 2.138076 | х | 87.01 = | 186.03 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 463.50 | divided by d | listrict's Raw ADM | | 290.51 | |

- 1.00 = District Cost Factor

0.60

5) (District's Square Miles <u>271.007870</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.98</u>

1.60

- 6) Multiply District Cost Factor (Line 4 above) 0.60 by lessor of the Area Factor (Line 5 above) 0.98 or 1.00 = Isolation Factor 0.59
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 290.51 = Isolation Weight 170.82
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __170.82_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 155 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 416.51 | = | 0.212647 | x .2 | 0.042529 | Х | 416.51 | _ = _ | 17.71 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: C016 - WHITEBEAD

- If school district's total area in square miles 29.386720 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>416.51</u> divided by district's total area in square mile <u>29.386720</u> = District's Areal В Density 14.17.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|--------------|-------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | _ | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | | 0.00 | divided by d | istrict's Raw ADM | | 416.51 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>29.386720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{416.51}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.71

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 156 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 639.12 | = | 0.000000 | x .2 | 0.000000 | х _ | 639.12 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: I002 - STRATFORD

- If school district's total area in square miles 153.772450 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>639.12</u> divided by district's total area in square mile <u>153.772450</u> = District's Areal В Density <u>4.16</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|------------------|---------------|----------|--------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by "Cc" from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | |
| | 639.12 | | strict's Raw ADM | divided by di | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>153.772450</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 639.12 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 157 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 226.14 | = | 0.572514 | x .2 | 0.114503 | Х | 226.14 | = | 25.89 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: 1005 - PAOLI

- A. If school district's total area in square miles <u>48.188450</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>226.14</u> divided by district's total area in square mile <u>48.188450</u> = District's Areal Density <u>4.69</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--|----------|---------|------------|-----------|-------------------|
| | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abou | ove | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | ve | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

226.14

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 48.188450 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 226.14 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.89_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 158 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 310.36 | = | 0.413308 | x .2 | 0.082662 | Х | 310.36 | =_ | 25.65 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN **District: I007 - MAYSVILLE**

- If school district's total area in square miles <u>80.746110</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>310.36</u> divided by district's total area in square mile <u>80.746110</u> = District's Areal В Density 3.84.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------|----------|----------------|-----------------|----------------|--------|-------------------|
| | | | | | EC-5 A | 4DM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | 6-8 A | ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | 9-OHP <i>A</i> | ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | 31 | 0.36 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>80.746110</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>310.36</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.65

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 159 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,222.37 | _ = | 0.000000 | x .2 | 0.000000 | Х | 1,222.37 | =_ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: 1009 - LINDSAY

- A. If school district's total area in square miles <u>185.036280</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,222.37</u> divided by district's total area in square mile <u>185.036280</u> = District's Areal Density <u>6.61</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------|----------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | _ | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,222.37

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>185.036280</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1,222,37 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 160 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,298.90 | = | 0.000000 | x .2 | 0.000000 | Х | 1,298.90 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: I018 - PAULS VALLEY

- A. If school district's total area in square miles <u>51.121810</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 1,298.90 divided by district's total area in square mile 51.121810 = District's Areal Density 25.41.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

1,298.90

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 51.121810 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) $\underline{0}$ by lessor of the Area Factor (Line 5 above) $\underline{0}$ or 1.00 = Isolation Factor $\underline{0}$
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1,298.90 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 161 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 709.91 | <u> </u> | 0.000000 | x .2 | 0.000000 | Х | 709.91 | =_ | 0.00 |
|-------|--------|----------|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN **District: I038 - WYNNEWOOD**

- If school district's total area in square miles 152.953480 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM __709.91 _ divided by district's total area in square mile __152.953480 = District's Areal В Density <u>4.64</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>152.953480</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 709.91 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 162 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| n | | | |
|------|---|---|----|
| Raw. | Α | U | IV |

| 529 - | 503.68 | _ = | 0.047864 | x .2 | 0.009573 | Х | 503.68 | =_ | 4.82 |
|-------|--------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: 1072 - ELMORE CITY-PERNELL

- A. If school district's total area in square miles <u>220.567160</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>503.68</u> divided by district's total area in square mile <u>220.567160</u> = District's Areal Density <u>2.28</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 230.68 | + | 23 = | 253.68 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 127.00 | + | 133 = | 260.00 | (Cb) |
| Grades | PK3,9 -OHP | 146.00 | + | 128 = | 274.00 | (Cc) |
| | | 503.68 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 253.68 | = | 0.291706 | + .85 = | 1.141706 | Х | 230.68 = | 263.37 |
|----|--------------------------------------|-----|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | |
| | 260.00 | = | 0.469231 | + .85 = | 1.319231 | x | 127.00 = | 167.54 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 274.00 | = | 1.065693 | + .78 = | 1.845693 | х | 146.00 = | 269.47 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 700.38 | divided by di | strict's Raw ADM | | 503.68 | |

- 1.00 = District Cost Factor

0.39

5) (District's Square Miles <u>220.567160</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.61</u>

1.39

- 6) Multiply District Cost Factor (Line 4 above) 0.39 by lessor of the Area Factor (Line 5 above) 0.61 or 1.00 = Isolation Factor 0.24
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{503.68}$ = Isolation Weight $\underline{119.83}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight ___119.83_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 163 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 262.63 | = | 0.503535 | x .2 | 0.100707 | х _ | 262.63 | _ = _ | 26.45 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: C037 - FRIEND**

- If school district's total area in square miles 30.794390 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>262.63</u> divided by district's total area in square mile <u>30.794390</u> = District's Areal В Density <u>8.53</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|---------------------------------------|------------|----------|----------------|-----------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | |
| | 0.00 = | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 0.00 = | - <u> </u> | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by dis | trict's Raw ADM | | 262 63 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>30.794390</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>262.63</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.45

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 164 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 203.92 | = | 0.614518 | x .2 | 0.122904 | Х | 203.92 | = | 25.06 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: C096 - MIDDLEBERG**

- If school district's total area in square miles <u>52.300890</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>203.92</u> divided by district's total area in square mile <u>52.300890</u> = District's Areal В Density 3.90 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--|----------|---------|----------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | ve . | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | /e | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | _ | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

203.92

0.00 5) (District's Square Miles <u>52.300890</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 203.92 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.06

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 165 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Α | D | M |
|-----|---|---|---|
| | | | |

| 529 - | 391.00 | = | 0.260870 | x .2 | 0.052174 | х _ | 391.00 | =_ | 20.40 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY District: C131 - PIONEER

- A. If school district's total area in square miles <u>38.644960</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>391.00</u> divided by district's total area in square mile <u>38.644960</u> = District's Areal Density <u>10.12</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---|----------|----------------|-----------------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abov | e | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | e | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | | 391.00 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>38.644960</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 391.00 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 166 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,203.87 | = | 0.000000 | x .2 | 0.000000 | Х | 2,203.87 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: I001 - CHICKASHA**

- If school district's total area in square miles 43.276080 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,203.87 divided by district's total area in square mile 43.276080 = District's Areal В Density <u>50.93</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--------------------------------|----------|----------------|-----------------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | | 2,203.87 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>43.276080</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2,203.87 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 167 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 566.08 | =_ | 0.000000 | x .2 | 0.000000 | Х | 566.08 | = | 0.00 |
|-------|--------|----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: I002 - MINCO**

- If school district's total area in square miles 119.359350 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>566.08</u> divided by district's total area in square mile <u>119.359350</u> = District's Areal В Density <u>4.74</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | · _ | 0.000000 | + .8 | 35 = | 0.850000 | X | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|-------|--------|--------------------|---|-----------|-------------------|
| | | _ | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | | | | |
| | 0.00 = | | 0.000000 | + .8 | 35 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ve | | | | | | | |
| | 0.00 = | | 0.000000 | + . | 78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divic | led by | district's Raw ADM | | 566.08 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

566.08

5) (District's Square Miles <u>119.359350</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 566.08 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 168 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 528.64 | = | 0.000681 | x .2 | 0.000136 | х | 528.64 | =_ | 0.07 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: I051 - NINNEKAH**

- If school district's total area in square miles <u>97.122750</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>528.64</u> divided by district's total area in square mile <u>97.122750</u> = District's Areal В Density <u>5.44</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by o | district's Raw ADM | | 528.64 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>97.122750</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>528.64</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.07

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 169 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 325.18 | = | 0.385293 | x .2 | 0.077059 | Х | 325.18 | _ = _ | 25.06 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY District: 1056 - ALEX

- A. If school district's total area in square miles <u>144.553630</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>325.18</u> divided by district's total area in square mile <u>144.553630</u> = District's Areal Density <u>2.25</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 158.88 | + | 23 = | 181.88 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 63.24 | + | 133 = | 196.24 | (Cb) |
| Grades | PK3,9 -OHP | 103.06 | + | 128 = | 231.06 | (Cc) |
| | | 325.18 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 181.88 = | 0.406862 | + .85 = | 1.256862 x | 158.88 = | 199.69 |
|----|---|----------|--------------------|--------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | 2 | | | | |
| | 196.24 = | 0.621688 | + .85 = | 1.471688 x | 63.24 = | 93.07 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | 2 | | | | |
| | 231.06 = | 1.263741 | + .78 = | 2.043741 x | 103.06 = | 210.63 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 503.39 | divided by distric | ct's Raw ADM | 325.18 | |

- 1.00 = District Cost Factor

0.55

5) (District's Square Miles <u>144.553630</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.06</u>

1.55

- 6) Multiply District Cost Factor (Line 4 above) 0.55 by lessor of the Area Factor (Line 5 above) 0.06 or 1.00 = Isolation Factor 0.03
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>325.18</u> = Isolation Weight <u>10.73</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.06_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 170 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 522.05 | _ = _ | 0.013138 | x .2 | 0.002628 | Х | 522.05 | =_ | 1.37 |
|-------|--------|-------|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | _ | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: 1068 - RUSH SPRINGS**

- If school district's total area in square miles 165.156680 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>522.05</u> divided by district's total area in square mile <u>165.156680</u> = District's Areal В Density <u>3.16</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | - <u> </u> | 0.000000 | + .85 | = | 0.850000 | × | 0.00 = | 0.00 |
|----|---------------------------------------|------------|----------|-------|---|---------------------------------------|---|-----------|-------------------|
| | | | | | | · · · · · · · · · · · · · · · · · · · | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 = | = _ | 0.000000 | + .85 | = | 0.850000 | κ | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 = | = | 0.000000 | + .78 | = | 0.780000 | κ | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

522.05

0.00 5) (District's Square Miles <u>165.156680</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>522.05</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 1.37

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 171 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,669.78 | _ = | 0.000000 | x .2 | 0.000000 | Х | 1,669.78 | = | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: 1095 - BRIDGE CREEK**

- If school district's total area in square miles 44.108530 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,669.78 divided by district's total area in square mile 44.108530 = District's Areal В Density 37.86.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---|----------|---------|----------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | re | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | e | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,669.78

0.00 5) (District's Square Miles <u>44.108530</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.669.78 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 172 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,953.55 | _ = | 0.000000 | x .2 | 0.000000 | Χ | 1,953.55 | _ = _ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: 1097 - TUTTLE**

- If school district's total area in square miles <u>81.804340</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,953.55 divided by district's total area in square mile 81.804340 = District's Areal В Density 23.88.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 1,953.55 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>81.804340</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.953.55 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 173 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 288.01 | = | 0.455558 | x .2 | 0.091112 | Х | 288.01 | _ = _ | 26.24 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY District: 1099 - VERDEN

- A. If school district's total area in square miles <u>100.684490</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>288.01</u> divided by district's total area in square mile <u>100.684490</u> = District's Areal Density <u>2.86</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 | = _ | 0.000000 | + .85 | = | 0.850000 | х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------|---|----------|---|-----------|-------------------|
| | _ | | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from al | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | = | 0.780000 | х | 0.00 = | 0.00 |
| | - | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

288.01

5) (District's Square Miles <u>100.684490</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>288.01</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.24_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 174 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 511.65 | = | 0.032798 | x .2 | 0.006560 | х _ | 511.65 | =_ | 3.36 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY District: I128 - AMBER-POCASSET

- A. If school district's total area in square miles <u>146.023230</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>511.65</u> divided by district's total area in square mile <u>146.023230</u> = District's Areal Density <u>3.50</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 | = 0.00 |
|----|--|----------|---------|----------|----------|------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abov | ve . | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.00 | = 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | е | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x 0.00 | = 0.00 |

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 511.65

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>146.023230</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{511.65}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 3.36

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 175 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 263.19 | = _ | 0.502476 | x .2 | 0.100495 | х _ | 263.19 | _ = _ | 26.45 |
|-------|--------|-----|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 27 - GRANT District: 1054 - MEDFORD

- A. If school district's total area in square miles <u>507.194350</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>263.19</u> divided by district's total area in square mile <u>507.194350</u> = District's Areal Density <u>0.52</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 125.36 | + | 23 = | 148.36 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 62.28 | + | 133 = | 195.28 | (Cb) |
| Grades | PK3,9 -OHP | 75.55 | + | 128 = | 203.55 | (Cc) |
| | | 263.19 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 148.36 = | 0.498787 | + .85 = | 1.348787 | x 125.36 = | 169.08 |
|----|--|----------|----------------|-----------------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abov | re | | | | |
| | 195.28 = | 0.624744 | + .85 = | 1.474744 | x 62.28 = | 91.85 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | e | | | | |
| | 203.55 = | 1.434537 | + .78 = | 2.214537 | x 75.55 = | 167.31 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 428.24 | divided by dis | trict's Raw ADM | 263.19 | |

- 1.00 = District Cost Factor

0.63

5) (District's Square Miles <u>507.194350</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.70</u>

1.63

- 6) Multiply District Cost Factor (Line 4 above) 0.63 by lessor of the Area Factor (Line 5 above) 2.70 or 1.00 = Isolation Factor 0.63
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 263.19 = Isolation Weight 165.81
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 165.81

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 176 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 322.86 | = | 0.389679 | x .2 | 0.077936 | _ x | 322.86 | = | 25.16 |
|-------|--------|---|----------|------|----------|-----|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 27 - GRANT **District: 1090 - POND CREEK-HUNTER**

- If school district's total area in square miles 214.283860 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>322.86</u> divided by district's total area in square mile <u>214.283860</u> = District's Areal В Density <u>1.51</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 153.63 | + | 23 = | 176.63 | (Ca) |
|--------|------------|--------|---|-------|--------------|------|
| Grades | 6th - 8th | 76.80 | + | 133 = | 209.80 | (Cb) |
| Grades | PK3,9 -OHP | 92.43 | + | 128 = | 220.43 | (Cc) |
| | | 322.86 | | | - | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 194.95 | 153.63 = | Χ | 1.268955 | + .85 = | 0.418955 | 176.63 = | |
|-------------------|-----------|---|------------------|---------------|----------|---|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | |
| | | | | | | 122 divided by " <u>Cb</u> " from above | 2) |
| 109.94 | 76.80 = | х | 1.431506 | + .85 = | 0.581506 | 209.80 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by " <u>Cc</u> " from above | 3) |
| 194.54 | 92.43 = | Х | 2.104684 | + .78 = | 1.324684 | 220.43 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 322.86 | | strict's Raw ADM | divided by di | 499.43 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

0.55

5) (District's Square Miles <u>214.283860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.56</u>

1.55

- 6) Multiply District Cost Factor (Line 4 above) 0.55 by lessor of the Area Factor (Line 5 above) 0.56 or 1.00 = Isolation Factor 0.31
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 322.86 = Isolation Weight 99.44
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 99.44

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 177 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | |
|-----|---|---|----|
| ĸaw | Α | U | IV |

| 529 - | 160.29 | = | 0.696994 | x .2 | 0.139399 | х | 160.29 | =_ | 22.34 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | • | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 27 - GRANT District: 1095 - DEER CREEK-LAMONT

- A. If school district's total area in square miles <u>249.871990</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>160.29</u> divided by district's total area in square mile <u>249.871990</u> = District's Areal Density <u>0.64</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 82.65 | + | 23 = | 105.65 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 30.19 | + | 133 = | 163.19 | (Cb) |
| Grades | PK3,9 -OHP | 47.45 | + | 128 = | 175.45 | (Cc) |
| | | 160.29 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 105.65 = | 0.700426 | + .85 = | 1.550426 | Х | 82.65 = | 128.14 |
|----|---|----------|---------------|------------------|------|---------|-------------------|
| | | | | | EC- | 5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | e | | | | | |
| | 163.19 = | 0.747595 | + .85 = | 1.597595 | х | 30.19 = | 48.23 |
| | · · · · · · · · · · · · · · · · · · · | | | | 6- | 8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | e | | | | | |
| | 175.45 = | 1.664292 | + .78 = | 2.444292 | х | 47.45 = | 115.98 |
| | · | | | | 9-OH | P ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 292.35 | divided by di | strict's Raw ADM | | 160.29 | |

- 1.00 = District Cost Factor

0.82

5) (District's Square Miles <u>249.871990</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.82</u>

1.82

- 6) Multiply District Cost Factor (Line 4 above) 0.82 by lessor of the Area Factor (Line 5 above) 0.82 or 1.00 = Isolation Factor 0.67
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 160.29 = Isolation Weight 107.78
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 107.78

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 178 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 743.94 | _ = | 0.000000 | x .2 | 0.000000 | Х | 743.94 | _ = _ | 0.00 |
|-------|--------|-----|----------|------|----------|---|-----------|-------|-----------------|
| • | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 28 - GREER District: I001 - MANGUM

- A. If school district's total area in square miles <u>393.436230</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>743.94</u> divided by district's total area in square mile <u>393.436230</u> = District's Areal Density <u>1.89</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 382.05 | + | 23 = | 405.05 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 144.45 | + | 133 = | 277.45 | (Cb) |
| Grades | PK3,9 -OHP | 217.44 | + | 128 = | 345.44 | (Cc) |
| | | 743.94 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 405.05 = | 0.182693 | + .85 = | 1.032693 | х | 382.05 = | 394.54 |
|----|---|----------|---------|----------|---|-----------|-------------------|
| | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | | |
| | 277.45 = | 0.439719 | + .85 = | 1.289719 | х | 144.45 = | 186.30 |
| | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | | |
| | 345.44 = | 0.845299 | + .78 = | 1.625299 | х | 217.44 = | 353.40 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

743.94

0.26

5) (District's Square Miles <u>393.436230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.87</u>

934.24

1.26

- 6) Multiply District Cost Factor (Line 4 above) 0.26 by lessor of the Area Factor (Line 5 above) 1.87 or 1.00 = Isolation Factor 0.26
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 743.94 = Isolation Weight 193.42
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __193.42_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 179 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| n | | | |
|------|---|---|----|
| Raw. | Α | U | IV |

| 529 - | 254.89 | _ = | 0.518166 | x .2 | 0.103633 | Х | 254.89 | =_ | 26.42 |
|-------|--------|-----|----------|------|----------|---|-----------|----|-----------------|
| _ | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 28 - GREER District: 1003 - GRANITE

- A. If school district's total area in square miles <u>178.837370</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>254.89</u> divided by district's total area in square mile <u>178.837370</u> = District's Areal Density <u>1.43</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 124.26 | + | 23 = | 147.26 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 57.85 | + | 133 = | 190.85 | (Cb) |
| Grades | PK3,9 -OHP | 72.78 | + | 128 = | 200.78 | (Cc) |
| | | 254.89 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 147.26 = | 0.502513 | + .85 = | 1.352513 x | 124.26 = | 168.06 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 190.85 = | 0.639245 | + .85 = | 1.489245 x | 57.85 = | 86.15 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 200.78 = | 1.454328 | + .78 = | 2.234328 x | 72.78 = | 162.61 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

254.89

= 1.64 - 1.00 = District Cost Factor 0.64

5) (District's Square Miles 178.837370 - 137.00000) divided by 137.00000 = Area Factor 0.31

416.82

- 6) Multiply District Cost Factor (Line 4 above) 0.64 by lessor of the Area Factor (Line 5 above) 0.31 or 1.00 = Isolation Factor 0.20
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 254.89 = Isolation Weight 50.57
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __50.57_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 180 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Α | D | М |
|-----|---|---|---|
| | | | |

| 529 - | 550.00 | = | 0.000000 | x .2 | 0.000000 | х | 550.00 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 29 - HARMON District: 1066 - HOLLIS

- A. If school district's total area in square miles <u>510.819850</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>550.00</u> divided by district's total area in square mile <u>510.819850</u> = District's Areal Density <u>1.08</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 261.93 | + | 23 = | 284.93 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 131.51 | + | 133 = | 264.51 | (Cb) |
| Grades | PK3,9 -OHP | 156.56 | + | 128 = | 284.56 | (Cc) |
| | | 550.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 284.93 | = | 0.259713 | + .85 = | 1.109713 | х | 261.93 = | 290.67 |
|----|---------------------------------------|------------|----------|--------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | |
| | 264.51 | | 0.461230 | + .85 = | 1.311230 | x | 131.51 = | 172.44 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 284.56 | = <u> </u> | 1.026146 | + .78 = | 1.806146 | х | 156.56 = | 282.77 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 745.88 | divided by d | strict's Raw ADM | | 550.00 | |

- 1.00 = District Cost Factor

0.36

5) (District's Square Miles <u>510.819850</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.73</u>

1.36

- 6) Multiply District Cost Factor (Line 4 above) 0.36 by lessor of the Area Factor (Line 5 above) 2.73 or 1.00 = Isolation Factor 0.36
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{550.00}$ = Isolation Weight $\underline{198.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 198.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 181 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 467.75 | = _ | 0.115784 | x .2 | 0.023157 | Х | 467.75 | _ = _ | 10.83 |
|-------|--------|-----|----------|------|----------|---|-----------|-------|-----------------|
| _ | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 30 - HARPER District: I001 - LAVERNE

- A. If school district's total area in square miles <u>833.946150</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>467.75</u> divided by district's total area in square mile <u>833.946150</u> = District's Areal Density <u>0.56</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 259.60 | + | 23 = | 282.60 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 93.81 | + | 133 = | 226.81 | (Cb) |
| Grades | PK3,9 -OHP | 114.34 | + | 128 = | 242.34 | (Cc) |
| | | 467.75 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 282.60 | = _ | 0.261854 | + .85 = | 1.111854 | х | 259.60 = | 288.64 |
|----|--------------------------------------|------|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | bove | | | | | | |
| | 226.81 | = | 0.537895 | + .85 = | 1.387895 | х | 93.81 = | 130.20 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | oove | | | | | | |
| | 242.34 | = | 1.204919 | + .78 = | 1.984919 | х | 114.34 = | 226.96 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 645.80 | divided by o | district's Raw ADM | | 467.75 | |

- 1.00 = District Cost Factor

0.38

5) (District's Square Miles <u>833.946150</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>5.09</u>

1.38

- 6) Multiply District Cost Factor (Line 4 above) 0.38 by lessor of the Area Factor (Line 5 above) 5.09 or 1.00 = Isolation Factor 0.38
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{467.75}{}$ = Isolation Weight $\frac{177.75}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 177.75

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 182 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | ٨ | | ١./ |
|-----|---|---|-----|
| Raw | А | ט | IV |

| 529 - | 307.21 | = | 0.419263 | x .2 | 0.083853 | х _ | 307.21 | = | 25.76 |
|-------|--------|---|----------|------|----------|-----|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 30 - HARPER District: 1004 - BUFFALO

- A. If school district's total area in square miles <u>532.967840</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>307.21</u> divided by district's total area in square mile <u>532.967840</u> = District's Areal Density <u>0.58</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 161.67 | + | 23 = | 184.67 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 72.69 | + | 133 = | 205.69 | (Cb) |
| Grades | PK3,9 -OHP | 72.85 | + | 128 = | 200.85 | (Cc) |
| | | 307.21 | | | _ | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 184.67 | = | 0.400715 | + .85 = | 1.250715 | х | 161.67 = | 202.20 |
|----|---------------------------------------|-----|----------|---------|----------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | |
| | 205.69 = | = | 0.593126 | + .85 = | 1.443126 | x | 72.69 = | 104.90 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 200.85 = | = | 1.453821 | + .78 = | 2.233821 | х | 72.85 = | 162.73 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

307.21

0.53

5) (District's Square Miles <u>532.967840</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.89</u>

469.83

1.53

- 6) Multiply District Cost Factor (Line 4 above) 0.53 by lessor of the Area Factor (Line 5 above) 2.89 or 1.00 = Isolation Factor 0.53
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 307.21 = Isolation Weight 162.82
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 162.82

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 183 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| _ | | _ | |
|------|--------|----------------------------|-----|
| Daw | Λ | l 1 | NΛ |
| navv | \sim | $\boldsymbol{\mathcal{L}}$ | IVI |

| 529 - | 163.76 | = | 0.690435 | x .2 | 0.138087 | Х | 163.76 | _ = _ | 22.61 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELL District: C010 - WHITEFIELD

- If school district's total area in square miles 30.938300 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>163.76</u> divided by district's total area in square mile <u>30.938300</u> = District's Areal В Density <u>5.29</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 163.76 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>30.938300</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{163.76}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.61

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 184 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 208.89 | = | 0.605123 | x .2 | 0.121025 | Х | 208.89 | = | 25.28 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELL District: I013 - KINTA

- A. If school district's total area in square miles <u>129.226520</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>208.89</u> divided by district's total area in square mile <u>129.226520</u> = District's Areal Density <u>1.62</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | · | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | district's Raw ADM | | 208.89 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>129.226520</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 208.89 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.28_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 185 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,308.94 | _ = | 0.000000 | x .2 | 0.000000 | Х | 1,308.94 | = | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELL District: I020 - STIGLER

- A. If school district's total area in square miles <u>214.933700</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,308.94</u> divided by district's total area in square mile <u>214.933700</u> = District's Areal Density <u>6.09</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | · | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

1,308.94

= <u>0.00</u> - 1.00 = District Cost Factor

0.00

5) (District's Square Miles <u>214.933700</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1,308.94 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 186 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 216.71 | = | 0.590340 | x .2 | 0.118068 | Х | 216.71 | = | 25.59 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELL District: 1037 - MCCURTAIN

- A. If school district's total area in square miles <u>105.106730</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>216.71</u> divided by district's total area in square mile <u>105.106730</u> = District's Areal Density <u>2.06</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

216.71

5) (District's Square Miles <u>105.106730</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 216.71 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.59_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 187 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 409.66 | = | 0.225595 | x .2 | 0.045119 | Х | 409.66 | = | 18.48 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELL District: 1043 - KEOTA

- If school district's total area in square miles 136.098490 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 409.66 divided by district's total area in square mile 136.098490 = District's Areal В Density 3.01.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|--------------------|--------------|-----------|-------------------|
| | | _ | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distric | ct's Raw ADM | 409.66 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

409.66

5) (District's Square Miles <u>136.098490</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 409.66 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.48

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 188 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw . | A[| DM |
|-------|----|----|
|-------|----|----|

| 529 - | 279.15 | = | 0.472306 | x .2 | 0.094461 | х _ | 279.15 | =_ | 26.37 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| _ | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHES District: I001 - MOSS

- A. If school district's total area in square miles <u>147.902730</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>279.15</u> divided by district's total area in square mile <u>147.902730</u> = District's Areal Density <u>1.89</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 141.04 | + | 23 = | 164.04 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 56.75 | + | 133 = | 189.75 | (Cb) |
| Grades | PK3,9 -OHP | 81.36 | + | 128 = | 209.36 | (Cc) |
| | | 279.15 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 164.04 | = | 0.451109 | + .85 = | 1.301109 | Χ | 141.04 = | 183.51 |
|----|---------------------------------------|-----|----------|------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | |
| | 189.75 | = _ | 0.642951 | + .85 = | 1.492951 | х | 56.75 = | 84.72 |
| | <u> </u> | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 209.36 | = _ | 1.394727 | + .78 = | 2.174727 | х | 81.36 = | 176.94 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 445.17 | divided by | district's Raw ADM | | 279.15 | |

- 1.00 = District Cost Factor

0.59

5) (District's Square Miles <u>147.902730</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.08</u>

1.59

- 6) Multiply District Cost Factor (Line 4 above) 0.59 by lessor of the Area Factor (Line 5 above) 0.08 or 1.00 = Isolation Factor 0.05
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 279.15 = Isolation Weight 13.18
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.37_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 189 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 422.76 | = | 0.200832 | x .2 | 0.040166 | Х | 422.76 | = | 16.98 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHES District: 1005 - WETUMKA

- If school district's total area in square miles 140.270560 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>422.76</u> divided by district's total area in square mile <u>140.270560</u> = District's Areal В Density 3.01.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | | 0.000000 | + .85 = | | 0.850000 | Χ | 0.00 = | 0.00 |
|----|---------------------------------------|----|----------|------------|----------------|----------|---|-----------|-------------------|
| | | | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ve | | | | | | | |
| | 0.00 = | | 0.000000 | + .85 = | | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ve | | | | | | | |
| | 0.00 = | | 0.000000 | + .78 = | | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | v district's l | Raw ADM | | 422.76 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

422.76

0.00 5) (District's Square Miles <u>140.270560</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{422.76}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.98

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 190 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,046.34 | = | 0.000000 | x .2 | 0.000000 | Х | 1,046.34 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHES District: 1035 - HOLDENVILLE

- If school district's total area in square miles 150.954730 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,046.34 divided by district's total area in square mile 150.954730 = District's Areal В Density <u>6.93</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,046.34

0.00 5) (District's Square Miles <u>150.954730</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.046.34 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 191 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | AD | M |
|-----|----|---|
| | | |

| 529 - | 177.46 | = | 0.664537 | x .2 | 0.132907 | Х | 177.46 | _ = _ | 23.59 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHES District: 1048 - CALVIN

- A. If school district's total area in square miles <u>155.023520</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>177.46</u> divided by district's total area in square mile <u>155.023520</u> = District's Areal Density <u>1.14</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 92.85 | + | 23 = | 115.85 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 35.51 | + | 133 = | 168.51 | (Cb) |
| Grades | PK3,9 -OHP | 49.10 | + | 128 = | 177.10 | (Cc) |
| | | 177.46 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 115.85 = | 0.638757 | + .85 = | 1.488757 | Х | 92.85 = | 138.23 |
|----|---|----------|---------------|------------------|-------|---------|-------------------|
| | | | | | EC-5 | ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 168.51 = | 0.723993 | + .85 = | 1.573993 | х | 35.51 = | 55.89 |
| | | | | | 6-8 | ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | | |
| | 177.10 = | 1.648786 | + .78 = | 2.428786 | х | 49.10 = | 119.25 |
| | | | | | 9-OHP | ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 313.37 | divided by di | strict's Raw ADM | 1 | 77.46 | |

- 1.00 = District Cost Factor

0.77

5) (District's Square Miles <u>155.023520</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.13</u>

1.77

- 6) Multiply District Cost Factor (Line 4 above) 0.77 by lessor of the Area Factor (Line 5 above) 0.13 or 1.00 = Isolation Factor 0.10
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{177.46}$ = Isolation Weight $\underline{17.76}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.59

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 192 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| _ | | | |
|-----|---|----|---|
| Raw | Α | 1) | N |

| 529 - | 258.47 | = | 0.511399 | x .2 | 0.102280 | Х | 258.47 | _ = _ | 26.44 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHES District: 1054 - STUART

- A. If school district's total area in square miles <u>151.521500</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>258.47</u> divided by district's total area in square mile <u>151.521500</u> = District's Areal Density <u>1.71</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 94.46 | + | 23 = | 117.46 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 61.71 | + | 133 = | 194.71 | (Cb) |
| Grades | PK3,9 -OHP | 102.30 | + | 128 = | 230.30 | (Cc) |
| | | 258.47 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 117.46 = | 0.630002 | + .85 = | 1.480002 x | 94.46 = | 139.80 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | - | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 194.71 = | 0.626573 | + .85 = | 1.476573 x | 61.71 = | 91.12 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 230.30 = | 1.267911 | + .78 = | 2.047911 x | 102.30 = | 209.50 |
| | | _ | - | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

258.47

0.70

5) (District's Square Miles <u>151.521500</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.11</u>

440.42

1.70

- 6) Multiply District Cost Factor (Line 4 above) 0.70 by lessor of the Area Factor (Line 5 above) 0.11 or 1.00 = Isolation Factor 0.08
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>258.47</u> = Isolation Weight <u>19.90</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.44_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 193 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 532.83 | = | 0.000000 | x .2 | 0.000000 | х _ | 532.83 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | · | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSON District: I001 - NAVAJO

- A. If school district's total area in square miles <u>145.684440</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>532.83</u> divided by district's total area in square mile <u>145.684440</u> = District's Areal Density <u>3.66</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x = | 0.00 |
|----|---------------------------------------|------------|----------------|-----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | |
| | 0.00 = | = 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | 532.83 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>145.684440</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>532.83</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 194 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 156.41 | = | 0.704329 | x .2 | 0.140866 | х _ | 156.41 | _ = _ | 22.03 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSON District: 1014 - DUKE

- A. If school district's total area in square miles <u>157.101760</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>156.41</u> divided by district's total area in square mile <u>157.101760</u> = District's Areal Density <u>1.00</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 64.60 | + | 23 = | 87.60 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 35.09 | + | 133 = | 168.09 | (Cb) |
| Grades | PK3,9 -OHP | 56.72 | + | 128 = | 184.72 | (Cc) |
| | | 156.41 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 87.60 = | 0.844749 | + .85 = | 1.694749 | x64.60 | = 109.48 |
|----|---|----------|----------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | e | | | | |
| | 168.09 = | 0.725802 | + .85 = | 1.575802 | x 35.09 | = 55.29 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | e | | | | |
| | 184.72 = | 1.580771 | + .78 = | 2.360771 | x 56.72 | = 133.90 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 298.67 | divided by dis | strict's Raw ADM | 156.41 | |

- 1.00 = District Cost Factor

0.91

5) (District's Square Miles <u>157.101760</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.15</u>

1.91

- 6) Multiply District Cost Factor (Line 4 above) 0.91 by lessor of the Area Factor (Line 5 above) 0.15 or 1.00 = Isolation Factor 0.14
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 156.41 = Isolation Weight 21.35
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __22.03_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 195 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 3,329.57 | = | 0.000000 | x .2 | 0.000000 | Х | 3,329.57 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | _ | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSON District: I018 - ALTUS

- If school district's total area in square miles 245.426320 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,329.57 divided by district's total area in square mile 245.426320 = District's Areal В Density 13.57.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--|----------|---------|----------|---|-----------|-------------------|
| | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | ve | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | ve | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

3,329.57

0.00 5) (District's Square Miles <u>245.426320</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.329.57 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 196 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 192.33 | = | 0.636427 | x .2 | 0.127285 | х _ | 192.33 | =_ | 24.48 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSON District: I040 - OLUSTEE-ELDORADO

- A. If school district's total area in square miles <u>284.717470</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>192.33</u> divided by district's total area in square mile <u>284.717470</u> = District's Areal Density <u>0.68</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 104.89 | + | 23 = | 127.89 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 26.26 | + | 133 = | 159.26 | (Cb) |
| Grades | PK3,9 -OHP | 61.18 | + | 128 = | 189.18 | (Cc) |
| | | 192.33 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 127.89 = | 0.578622 | + .85 = | 1.428622 | x 104.89 = | 149.85 |
|----|---|----------|----------------|------------------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | е | | | | |
| | 159.26 = | 0.766043 | + .85 = | 1.616043 | x 26.26 = | 42.44 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | 2 | | | | |
| | 189.18 = | 1.543504 | + .78 = | 2.323504 | x 61.18 = | 142.15 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 334.44 | divided by dis | strict's Raw ADM | 192.33 | |

- 1.00 = District Cost Factor

0.74

5) (District's Square Miles <u>284.717470</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.08</u>

1.74

- 6) Multiply District Cost Factor (Line 4 above) 0.74 by lessor of the Area Factor (Line 5 above) 1.08 or 1.00 = Isolation Factor 0.74
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 192.33 = Isolation Weight 142.32
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __142.32_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 197 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 256.89 | = | 0.514386 | x .2 | 0.102877 | Х | 256.89 | =_ | 26.43 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSON District: 1054 - BLAIR

- If school district's total area in square miles <u>58.428260</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>256.89</u> divided by district's total area in square mile <u>58.428260</u> = District's Areal В Density <u>4.40</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | е | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | 2 | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 3) | · | | + .78 = | 0.780000 x | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

256.89

0.00 5) (District's Square Miles <u>58.428260</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>256.89</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.43</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 198 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 38.94 | = | 0.926389 | x .2 | 0.185278 | х _ | 38.94 | _ = _ | 7.21 |
|-------|-------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | _ | Same Ye | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 34 - JEFFERSON District: C003 - TERRAL

- If school district's total area in square miles 63.163940 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>38.94</u> divided by district's total area in square mile <u>63.163940</u> = District's Areal В Density <u>0.62</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---|----------|---------|----------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | re | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | e | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | · · · · · · · · · · · · · · · · · · · | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>63.163940</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 38.94 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 7.21

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 199 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 245.73 | = | 0.535482 | x .2 | 0.107096 | Х _ | 245.73 | _ = _ | 26.32 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 34 - JEFFERSON District: 1001 - RYAN

- A. If school district's total area in square miles <u>215.179300</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>245.73</u> divided by district's total area in square mile <u>215.179300</u> = District's Areal Density <u>1.14</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 110.43 | + | 23 = | 133.43 | (Ca) |
|--------|------------|--------|---|-------|--------------|------|
| Grades | 6th - 8th | 45.61 | + | 133 = | 178.61 | (Cb) |
| Grades | PK3,9 -OHP | 89.69 | + | 128 = | 217.69 | (Cc) |
| | | 245.73 | | | - | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 133.43 = | 0.554598 | + .85 = | 1.404598 x | 110.43 = | 155.11 |
|----|--|----------|------------------|----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | |
| | 178.61 = | 0.683052 | + .85 = | 1.533052 x | 45.61 = | 69.92 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | ove | | | | |
| | 217.69 = | 1.341357 | + .78 = | 2.121357 x | 89.69 = | 190.26 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 415.29 | divided by disti | rict's Raw ADM | 245.73 | |

- 1.00 = District Cost Factor

0.69

5) (District's Square Miles <u>215.179300</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.57</u>

1.69

- 6) Multiply District Cost Factor (Line 4 above) 0.69 by lessor of the Area Factor (Line 5 above) 0.57 or 1.00 = Isolation Factor 0.39
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 245.73 = Isolation Weight 96.65
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __96.65_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 200 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| 529 - | 380.86 | = _ | 0.280038 | x .2 | 0.056008 | х | 380.86 | =_ | 21.33 |
|-------|--------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 34 - JEFFERSON District: 1014 - RINGLING

- A. If school district's total area in square miles <u>270.453400</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>380.86</u> divided by district's total area in square mile <u>270.453400</u> = District's Areal Density <u>1.41</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 179.76 | + | 23 = | 202.76 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 72.05 | + | 133 = | 205.05 | (Cb) |
| Grades | PK3,9 -OHP | 129.05 | + | 128 = | 257.05 | (Cc) |
| | | 380.86 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 202.76 = | 0.364964 | + .85 = | 1.214964 | x 179.76 = | 218.40 |
|----|--------------------------------|----------|----------------|-----------------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 205.05 = | 0.594977 | + .85 = | 1.444977 | x 72.05 = | 104.11 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 257.05 = | 1.135966 | + .78 = | 1.915966 | x 129.05 = | 247.26 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 569.77 | divided by dis | trict's Raw ADM | 380.86 | |

- 1.00 = District Cost Factor

0.50

5) (District's Square Miles <u>270.453400</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.97</u>

1.50

- 6) Multiply District Cost Factor (Line 4 above) 0.50 by lessor of the Area Factor (Line 5 above) 0.97 or 1.00 = Isolation Factor 0.49
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 380.86 = Isolation Weight 184.72
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __184.72_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 201 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | |
|-----|---|---|----|
| Kaw | Α | U | IV |

| 529 - | 441.91 | = | 0.164631 | x .2 | 0.032926 | Х | 441.91 | = | 14.55 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 34 - JEFFERSON District: 1023 - WAURIKA

- A. If school district's total area in square miles <u>261.493700</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>441.91</u> divided by district's total area in square mile <u>261.493700</u> = District's Areal Density <u>1.69</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 242.59 | + | 23 = | 265.59 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 90.76 | + | 133 = | 223.76 | (Cb) |
| Grades | PK3,9 -OHP | 108.56 | + | 128 = | 236.56 | (Cc) |
| | | 441.91 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 265.59 = | 0.278625 | + .85 = | 1.128625 | x 242.59 = | 273.79 |
|----|---|----------|---------------|------------------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | |
| | 223.76 = | 0.545227 | + .85 = | 1.395227 | x 90.76 = | 126.63 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | ove | | | | |
| | 236.56 = | 1.234359 | + .78 = | 2.014359 | x 108.56 = | 218.68 |
| | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 619.10 | divided by di | strict's Raw ADM | 441.91 | |

- 1.00 = District Cost Factor

0.40

5) (District's Square Miles <u>261.493700</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.91</u>

1.40

- 6) Multiply District Cost Factor (Line 4 above) 0.40 by lessor of the Area Factor (Line 5 above) 0.91 or 1.00 = Isolation Factor 0.36
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{441.91}{1000}$ = Isolation Weight $\frac{160.86}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __160.86_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 202 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 115.66 | = | 0.781361 | x .2 | 0.156272 | Х | 115.66 | =_ | 18.07 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: C007 - MANNSVILLE

- If school district's total area in square miles 44.689270 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>115.66</u> divided by district's total area in square mile <u>44.689270</u> = District's Areal В Density <u>2.59</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | 0 x | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|-----|------------------|--------------|----------|---|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | 0 x | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by " <u>Cc</u> " from above | 3) |
| 0.00 | 0.00 = | 0 x | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 115.66 | | strict's Raw ADM | divided by d | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>44.689270</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 115.66 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.07

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 203 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 94.20 | = | 0.821928 | x .2 | 0.164386 | Х | 94.20 | = | 15.49 |
|-------|-------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: C010 - RAVIA

- If school district's total area in square miles 43.820740 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 94.20 divided by district's total area in square mile 43.820740 = District's Areal В Density <u>2.15</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|---------------------------------------|------------|----------|---------------|------------------|---|-----------|-------------------|
| | _ | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | | | |
| | 0.00 | - <u> </u> | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | | 0.00 | divided by di | strict's Raw ADM | | 94.20 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>43.820740</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 94.20 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 15.49

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 204 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N A | |
|-----|---|--------|-----|--|
| Kaw | А | ט | IVI | |

| 529 - | 157.26 | = | 0.702722 | x .2 | 0.140544 | Х | 157.26 | _ = _ | 22.10 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: 1002 - MILL CREEK

- A. If school district's total area in square miles <u>159.835890</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>157.26</u> divided by district's total area in square mile <u>159.835890</u> = District's Areal Density <u>0.98</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 74.88 | + | 23 = | 97.88 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 31.41 | + | 133 = | 164.41 | (Cb) |
| Grades | PK3,9 -OHP | 50.97 | + | 128 = | 178.97 | (Cc) |
| | | 157.26 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 97.88 = | 0.756028 | + .85 = | 1.606028 | Χ | 74.88 | = | 120.26 |
|----|--|----------|-----------------|----------------|---|-----------|-----|-------------------|
| | | | | _ | | EC-5 ADM | _ | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abov | ⁄e | | | | | | |
| | 164.41 = | 0.742047 | + .85 = | 1.592047 | х | 31.41 | = _ | 50.01 |
| | | | | | | 6-8 ADM | | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | е | | | | | | |
| | 178.97 = | 1.631558 | + .78 = | 2.411558 | х | 50.97 | = | 122.92 |
| | | | | | | 9-OHP ADM | | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | 293.19 | divided by dist | rict's Raw ADM | | 157.26 | | |

- 1.00 = District Cost Factor

0.86

5) (District's Square Miles <u>159.835890</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.17</u>

1.86

- 6) Multiply District Cost Factor (Line 4 above) 0.86 by lessor of the Area Factor (Line 5 above) 0.17 or 1.00 = Isolation Factor 0.15
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 157.26 = Isolation Weight 22.99
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __22.99_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 205 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | | |
|-----|---|---|----|--|
| Kaw | Α | U | IV | |

| 529 - | 900.08 | = | 0.000000 | x .2 | 0.000000 | х | 900.08 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: 1020 - TISHOMINGO

- A. If school district's total area in square miles <u>221.949870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>900.08</u> divided by district's total area in square mile <u>221.949870</u> = District's Areal Density <u>4.06</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = | 0.000000 | + .85 | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|---------|--------|-----------------|---|-----------|-------------------|
| | | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 | = | 0.000000 | + .85 | = | 0.850000 | х | 0.00 = | 0.00 |
| | _ | | _ | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 | = | 0.000000 | + .78 | = | 0.780000 | х | 0.00 = | 0.00 |
| | _ | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided | by dis | trict's Raw ADM | | 900.08 | |

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>221.949870</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 900.08 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 206 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 202.63 | = _ | 0.616957 | x .2 | 0.123391 | Х | 202.63 | = | 25.00 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: 1029 - MILBURN

- If school district's total area in square miles <u>64.699310</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>202.63</u> divided by district's total area in square mile <u>64.699310</u> = District's Areal В Density <u>3.13</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 202.63 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>64.699310</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 202.63 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 207 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | | |
|-----|---|---|----|--|
| Kaw | Α | U | IV | |

| 529 - | 152.87 | = | 0.711021 | x .2 | 0.142204 | Х | 152.87 | _ = _ | 21.74 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: 1035 - COLEMAN

- If school district's total area in square miles 62.234810 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>152.87</u> divided by district's total area in square mile <u>62.234810</u> = District's Areal В Density <u>2.46</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

152.87

0.00 5) (District's Square Miles <u>62.234810</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 152.87 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.74

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 208 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 256.26 | = | 0.515577 | x .2 | 0.103115 | Х | 256.26 | _ = _ | 26.42 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: 1037 - WAPANUCKA

- If school district's total area in square miles 139.399530 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>256.26</u> divided by district's total area in square mile <u>139.399530</u> = District's Areal В Density <u>1.84</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 124.17 | + | 23 = | 147.17 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 66.47 | + | 133 = | 199.47 | (Cb) |
| Grades | PK3,9 -OHP | 65.62 | + | 128 = | 193.62 | (Cc) |
| | | 256.26 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 147.17 = | = 0.502820 | + .85 = | 1.352820 | Х | 124.17 = | 167.98 |
|----|---|------------|---------|----------|---|-----------|-------------------|
| | _ | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | |
| | 199.47 = | = 0.611621 | + .85 = | 1.461621 | Х | 66.47 = | 97.15 |
| | _ | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | ove | | | | | |
| | 193.62 = | = 1.508109 | + .78 = | 2.288109 | х | 65.62 = | 150.15 |
| | _ | | _ | | | 9-OHP ADM | 9-OHP Cost Factor |
| | | | | | | | |

4) Sum 1 + 2 + 3 from above

415.28 divided by district's Raw ADM 1.62 - 1.00 = District Cost Factor

256.26

0.62

- 5) (District's Square Miles <u>139.399530</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.02</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.62 by lessor of the Area Factor (Line 5 above) 0.02 or 1.00 = Isolation Factor 0.01
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>256.26</u> = Isolation Weight <u>3.18</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.42

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 209 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 93.99 | = | 0.822325 | x .2 | 0.164465 | х _ | 93.99 | =_ | 15.46 |
|-------|-------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY **District: C027 - PECKHAM**

- If school district's total area in square miles <u>82.977430</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 93.99 divided by district's total area in square mile 82.977430 = District's Areal В Density <u>1.13</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|---------|----------|---|-----------|-------------------|
| | _ | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | |
| | 0.00 = | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | _ | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 0.00 = | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

93.99

0.00 5) (District's Square Miles <u>82.977430</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 93.99 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 15.46

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 210 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 87.15 | = | 0.835255 | x .2 | 0.167051 | Х | 87.15 | =_ | 14.56 |
|-------|-------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY **District: C050 - KILDARE**

- If school district's total area in square miles <u>99.362780</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 87.15 divided by district's total area in square mile 99.362780 = District's Areal В Density <u>0.88</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|---|----------|---------------|------------------|---|-----------|-------------------|
| | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by di | strict's Raw ADM | | 87.15 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>99.362780</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 87.15 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.56

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 211 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,213.25 | = | 0.000000 | x .2 | 0.000000 | Х | 1,213.25 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY District: I045 - BLACKWELL

- A. If school district's total area in square miles <u>114.353960</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,213.25</u> divided by district's total area in square mile <u>114.353960</u> = District's Areal Density <u>10.61</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by o | listrict's Raw ADM | | 1,213.25 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>114.353960</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.213.25 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 212 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 4,864.61 | = _ | 0.000000 | x .2 | 0.000000 | Х | 4,864.61 | =_ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY District: I071 - PONCA CITY

- A. If school district's total area in square miles <u>172.954960</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>4,864.61</u> divided by district's total area in square mile <u>172.954960</u> = District's Areal Density <u>28.13</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|-----------|---------|----------------|---|-----------|-------------------|
| | _ | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | bove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | : | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y disti | rict's Raw ADM | | 4,864.61 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>172.954960</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{4.864.61}{1}$ = Isolation Weight $\frac{0.00}{1}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 213 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 784.17 | = | 0.000000 | x .2 | 0.000000 | х _ | 784.17 | = | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY **District: I087 - TONKAWA**

- If school district's total area in square miles 127.563100 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>784.17</u> divided by district's total area in square mile <u>127.563100</u> = District's Areal В Density <u>6.15</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------|------------|----------|------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |

9-OHP ADM

9-OHP Cost Factor

| 4) | Sum $1 + 2 + 3$ from above | 0.00 | divided by district's Raw ADM | 784.17 |
|----|----------------------------|------|-------------------------------|--------|
| | = | 0.00 | - 1.00 = District Cost Factor | 0 |

- 5) (District's Square Miles <u>127.563100</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>784.17</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 784.79 | = _ | 0.000000 | x .2 | 0.000000 | х | 784.79 | =_ | 0.00 |
|-------|--------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY District: I125 - NEWKIRK

- A. If school district's total area in square miles <u>336.399600</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>784.79</u> divided by district's total area in square mile <u>336.399600</u> = District's Areal Density <u>2.33</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 328.57 | + | 23 = | 351.57 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 197.95 | + | 133 = | 330.95 | (Cb) |
| Grades | PK3,9 -OHP | 258.27 | + | 128 = | 386.27 | (Cc) |
| | | 784.79 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 351.57 = | 0.210484 | + .85 = | 1.060484 x | 328.57 = | 348.44 |
|----|--------------------------------|----------|----------------|-----------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 330.95 = | 0.368636 | + .85 = | 1.218636 x | 197.95 = | 241.23 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 386.27 = | 0.755948 | + .78 = | 1.535948 x | 258.27 = | 396.69 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 986.36 | divided by dis | trict's Raw ADM | 784.79 | |

- 1.00 = District Cost Factor

0.26

5) (District's Square Miles <u>336.399600</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.46</u>

1.26

- 6) Multiply District Cost Factor (Line 4 above) 0.26 by lessor of the Area Factor (Line 5 above) 1.46 or 1.00 = Isolation Factor 0.26
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>784.79</u> = Isolation Weight <u>204.05</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __204.05_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 215 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 167.66 | = | 0.683062 | x .2 | 0.136612 | х | 167.66 | =_ | 22.90 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: 1002 - DOVER

- If school district's total area in square miles 123.525640 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>167.66</u> divided by district's total area in square mile <u>123.525640</u> = District's Areal В Density <u>1.36</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | · _ | 0.000000 | + .8 | 5 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|--------|-------|--------------------|---|-----------|-------------------|
| | | | _ | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | | | | |
| | 0.00 = | _ | 0.000000 | + .8 | 5 = | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ve | | | | | | | |
| | 0.00 = | _ | 0.000000 | + .7 | 8 = | 0.780000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divide | ed by | district's Raw ADM | | 167.66 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

167.66

5) (District's Square Miles <u>123.525640</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{167.66}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.90

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 216 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 229.57 | _ = | 0.566030 | x .2 | 0.113206 | х _ | 229.57 | = | 25.99 |
|-------|--------|-----|----------|------|----------|-----|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: 1003 - LOMEGA

- If school district's total area in square miles 220.517250 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>229.57</u> divided by district's total area in square mile <u>220.517250</u> = District's Areal В Density <u>1.04</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 116.00 | + | 23 = | 139.00 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 48.94 | + | 133 = | 181.94 | (Cb) |
| Grades | PK3,9 -OHP | 64.63 | + | 128 = | 192.63 | (Cc) |
| | | 229.57 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 139.00 = | | 0.532374 | + .85 = | 1.382374 | Х | 116.00 = | 160.36 |
|----|---------------------------------------|----|----------|---------|--------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ve | | | | | | |
| | 181.94 = | | 0.670551 | + .85 = | 1.520551 | х | 48.94 = | 74.42 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abou | ve | | | | | | |
| | 192.63 = | | 1.515859 | + .78 = | 2.295859 | х | 64.63 = | 148.38 |
| | _ | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | | | | | | | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

229.57

0.67

1.67 5) (District's Square Miles <u>220.517250</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.61</u>

383.16

- 6) Multiply District Cost Factor (Line 4 above) 0.67 by lessor of the Area Factor (Line 5 above) 0.61 or 1.00 = Isolation Factor 0.41
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 229.57 = Isolation Weight 93.83
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 93.83

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 217 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,508.66 | = _ | 0.000000 | x .2 | 0.000000 | Х | 1,508.66 | =_ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: 1007 - KINGFISHER

- A. If school district's total area in square miles <u>184.203710</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,508.66</u> divided by district's total area in square mile <u>184.203710</u> = District's Areal Density <u>8.19</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|-----------|--------|----------------|---|-----------|-------------------|
| | | _ | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | : | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y dist | rict's Raw ADM | | 1,508.66 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>184.203710</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.508.66 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 218 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 874.46 | = _ | 0.000000 | x .2 | 0.000000 | х _ | 874.46 | =_ | 0.00 |
|-------|--------|-----|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: I016 - HENNESSEY

- If school district's total area in square miles 243.314830 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>874.46</u> divided by district's total area in square mile <u>243.314830</u> = District's Areal В Density 3.59.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

874.46

0.00 5) (District's Square Miles <u>243.314830</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 874.46 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 219 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 599.35 | = | 0.000000 | x .2 | 0.000000 | х _ | 599.35 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: 1089 - CASHION

- If school district's total area in square miles 115.299310 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>599.35</u> divided by district's total area in square mile <u>115.299310</u> = District's Areal В Density <u>5.20</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|--------------------|--------------|-----------|-------------------|
| | | _ | _ | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distric | ct's Raw ADM | 599.35 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

599.35

5) (District's Square Miles <u>115.299310</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 599.35 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 220 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 392.33 | = | 0.258355 | x .2 | 0.051671 | Х | 392.33 | = | 20.27 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: I105 - OKARCHE

- If school district's total area in square miles 153.981750 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 392.33 divided by district's total area in square mile 153.981750 = District's Areal В Density <u>2.55</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|--------------------|--------------|-----------|-------------------|
| | | _ | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distric | ct's Raw ADM | 392.33 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

392.33

5) (District's Square Miles <u>153.981750</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 392.33 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.27

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 221 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 764.89 | = | 0.000000 | x .2 | 0.000000 | Х _ | 764.89 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 38 - KIOWA District: I001 - HOBART

- A. If school district's total area in square miles <u>136.741860</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>764.89</u> divided by district's total area in square mile <u>136.741860</u> = District's Areal Density <u>5.59</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|---------|------------|----------|------------------|
| | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ve | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | /e | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 764.89

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>136.741860</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{764.89}{1000}$ = Isolation Weight $\frac{0.00}{1000}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 222 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Α | D | М |
|-----|---|---|---|
| | | | |

| 529 - | 88.33 | = | 0.833025 | x .2 | 0.166605 | Х | 88.33 | =_ | 14.72 |
|-------|-------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 38 - KIOWA District: 1002 - LONE WOLF

- A. If school district's total area in square miles <u>160.661230</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>88.33</u> divided by district's total area in square mile <u>160.661230</u> = District's Areal Density <u>0.55</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 52.65 | + | 23 = | 75.65 | (Ca) |
|--------|------------|-------|---|-------|--------|------|
| Grades | 6th - 8th | 17.00 | + | 133 = | 150.00 | (Cb) |
| Grades | PK3,9 -OHP | 18.68 | + | 128 = | 146.68 | (Cc) |
| | | 88.33 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 75.65 = | 0.978189 | + .85 = | 1.828189 | x 52.65 = | 96.25 |
|----|--------------------------------|----------|----------------|-----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | е | | | | |
| | 150.00 = | 0.813333 | + .85 = | 1.663333 | x 17.00 = | 28.28 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | 9 | | | | |
| | 146.68 = | 1.990728 | + .78 = | 2.770728 | x 18.68 = | 51.76 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | 176.29 | divided by dis | trict's Raw ADM | 88.33 | |

- 1.00 = District Cost Factor

1.00

5) (District's Square Miles <u>160.661230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.17</u>

2.00

- 6) Multiply District Cost Factor (Line 4 above) 1.00 by lessor of the Area Factor (Line 5 above) 0.17 or 1.00 = Isolation Factor 0.17
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>88.33</u> = Isolation Weight <u>15.02</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight ___15.02_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 223 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 245.34 | _ = | 0.536219 | x .2 | 0.107244 | Х | 245.34 | =_ | 26.31 |
|-------|--------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | _ | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 38 - KIOWA District: I003 - MOUNTAIN VIEW-GOTEBO

- A. If school district's total area in square miles <u>410.046550</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>245.34</u> divided by district's total area in square mile <u>410.046550</u> = District's Areal Density <u>0.60</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 132.90 | + | 23 = | 155.90 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 44.13 | + | 133 = | 177.13 | (Cb) |
| Grades | PK3,9 -OHP | 68.31 | + | 128 = | 196.31 | (Cc) |
| | | 245.34 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 155.90 = | 0.474663 | + .85 = | 1.324663 | x 132.90 = | 176.05 |
|----|---|----------|----------------|-----------------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | 2 | | | | |
| | 177.13 = | 0.688760 | + .85 = | 1.538760 | x 44.13 = | 67.91 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 196.31 = | 1.487443 | + .78 = | 2.267443 | x68.31 = | 154.89 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 398.85 | divided by dis | trict's Raw ADM | 245.34 | |

- 1.00 = District Cost Factor

0.63

5) (District's Square Miles <u>410.046550</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.99</u>

1.63

- 6) Multiply District Cost Factor (Line 4 above) 0.63 by lessor of the Area Factor (Line 5 above) 1.99 or 1.00 = Isolation Factor 0.63
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 245.34 = Isolation Weight 154.56
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __154.56_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 224 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 460.81 | = | 0.128904 | x .2 | 0.025781 | х | 460.81 | _ = _ | 11.88 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 38 - KIOWA District: 1004 - SNYDER

- A. If school district's total area in square miles <u>450.575680</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>460.81</u> divided by district's total area in square mile <u>450.575680</u> = District's Areal Density <u>1.02</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 224.51 | + | 23 = | 247.51 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 91.05 | + | 133 = | 224.05 | (Cb) |
| Grades | PK3,9 -OHP | 145.25 | + | 128 = | 273.25 | (Cc) |
| | | 460.81 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 247.51 | = | 0.298978 | + .85 = | 1.148978 | Х | 224.51 = | 257.96 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | oove | | | | | | |
| | 224.05 | = | 0.544521 | + .85 = | 1.394521 | х | 91.05 = | 126.97 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 273.25 | = | 1.068618 | + .78 = | 1.848618 | х | 145.25 = | 268.51 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 653.44 | divided by di | strict's Raw ADM | | 460.81 | |

- 1.00 = District Cost Factor

0.42

5) (District's Square Miles <u>450.575680</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.29</u>

1.42

- 6) Multiply District Cost Factor (Line 4 above) 0.42 by lessor of the Area Factor (Line 5 above) 2.29 or 1.00 = Isolation Factor 0.42
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{460.81}{193.54}$ = Isolation Weight $\frac{193.54}{193.54}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __193.54_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 225 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 802.25 | = | 0.000000 | x .2 | 0.000000 | Х | 802.25 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 39 - LATIMER District: 1001 - WILBURTON

- A. If school district's total area in square miles <u>180.857840</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>802.25</u> divided by district's total area in square mile <u>180.857840</u> = District's Areal Density <u>4.44</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--------------------------------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by di | strict's Raw ADM | | 802.25 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>180.857840</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 802.25 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 226 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 321.47 | = | 0.392306 | x .2 | 0.078461 | х _ | 321.47 | _ = _ | 25.22 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 39 - LATIMER District: 1002 - RED OAK

- A. If school district's total area in square miles <u>129.971690</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>321.47</u> divided by district's total area in square mile <u>129.971690</u> = District's Areal Density <u>2.47</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 321.47

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>129.971690</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 321.47 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.22_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 227 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Δ | \Box | М |
|-----|---|--------|---|
| | | | |

| 529 - | 145.22 | = | 0.725482 | x .2 | 0.145096 | х | 145.22 | _ = _ | 21.07 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 39 - LATIMER District: 1003 - BUFFALO VALLEY

- A. If school district's total area in square miles <u>154.248550</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>145.22</u> divided by district's total area in square mile <u>154.248550</u> = District's Areal Density <u>0.94</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 65.99 | + | 23 = | 88.99 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 27.52 | + | 133 = | 160.52 | (Cb) |
| Grades | PK3,9 -OHP | 51.71 | + | 128 = | 179.71 | (Cc) |
| | | 145.22 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 88.99 = | 0.831554 | + .85 = | 1.681554 | x 65.99 = | = 110.97 |
|----|---|----------|----------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | e | | | | |
| | 160.52 = | 0.760030 | + .85 = | 1.610030 | x 27.52 = | = 44.31 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | е | | | | |
| | 179.71 = | 1.624840 | + .78 = | 2.404840 | x 51.71 = | = 124.35 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | 279.63 | divided by dis | strict's Raw ADM | 145.22 | |

- 1.00 = District Cost Factor

0.93

5) (District's Square Miles <u>154.248550</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.13</u>

1.93

- 6) Multiply District Cost Factor (Line 4 above) 0.93 by lessor of the Area Factor (Line 5 above) 0.13 or 1.00 = Isolation Factor 0.12
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 145.22 = Isolation Weight 17.56
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __21.07_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 228 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 110.01 | = | 0.792042 | x .2 | 0.158408 | х | 110.01 | = | 17.43 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 39 - LATIMER District: 1004 - PANOLA

- If school district's total area in square miles 120.302740 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>110.01</u> divided by district's total area in square mile <u>120.302740</u> = District's Areal В Density <u>0.91</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | 2 | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | • | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

110.01

0.00 5) (District's Square Miles <u>120.302740</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 110.01 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.43

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 229 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | ΔD | М |
|-------|--------------|-----|
| 1\avv | $\Delta \nu$ | IVI |

| 529 - | 155.93 | = | 0.705236 | x .2 | 0.141047 | х _ | 155.93 | =_ | 21.99 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: C004 - SHADY POINT

- If school district's total area in square miles <u>5.017140</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>155.93</u> divided by district's total area in square mile <u>5.017140</u> = District's Areal В Density 31.08.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---------------------------------------|------------|----------|--------------|--------------------|---|-----------|-------------------|
| | | _ | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 0.00 | = <u> </u> | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | _ | 0.00 | divided by o | listrict's Raw ADM | | 155.93 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>5.017140</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 155.93 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.99

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 230 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 98.21 | = | 0.814348 | x .2 | 0.162870 | х _ | 98.21 | _ = _ | 16.00 |
|-------|-------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | · | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: C011 - MONROE

- If school district's total area in square miles _51.244900_ is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>98.21</u> divided by district's total area in square mile <u>51.244900</u> = District's Areal В Density 1.92 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---|----------|---------|----------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | е | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | е | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

98.21

0.00 5) (District's Square Miles <u>51.244900</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 98.21 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 231 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 252.98 | = | 0.521777 | x .2 | 0.104355 | Х | 252.98 | = | 26.40 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: C014 - HODGEN

- A. If school district's total area in square miles <u>140.519870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>252.98</u> divided by district's total area in square mile <u>140.519870</u> = District's Areal Density <u>1.80</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 187.86 | + | 23 = | 210.86 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 63.56 | + | 133 = | 196.56 | (Cb) |
| Grades | PK3,9 -OHP | 1.56 | + | 128 = | 129.56 | (Cc) |
| | | 252.98 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 210.86 = | 0.350944 | + .85 = | 1.200944 x | 187.86 = | 225.61 |
|----|---------------------------------------|----------|--------------------|-------------|-----------|-------------------|
| | | | _ | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | |
| | 196.56 = | 0.620676 | + .85 = | 1.470676 x | 63.56 = | 93.48 |
| | | | _ | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | |
| | 129.56 = | 2.253782 | + .78 = | 3.033782 x | 1.56 = | 4.73 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 323.82 | divided by distric | t's Raw ADM | 252.98 | |

- 1.00 = District Cost Factor

0.28

5) (District's Square Miles <u>140.519870</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.03</u>

1.28

- 6) Multiply District Cost Factor (Line 4 above) 0.28 by lessor of the Area Factor (Line 5 above) 0.03 or 1.00 = Isolation Factor 0.01
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>252.98</u> = Isolation Weight <u>2.13</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.40_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 232 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 110.52 | = | 0.791078 | x .2 | 0.158216 | Х | 110.52 | =_ | 17.49 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: C039 - FANSHAWE

- If school district's total area in square miles __77.827380_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>110.52</u> divided by district's total area in square mile <u>77.827380</u> = District's Areal В Density <u>1.42</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.00 | 0.00 |
|----|--|----------|---------|----------|-----------|--------------------|
| | | | | | EC-5 ADN | A EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | /e | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 | 0.00 |
| | | | | | 6-8 ADN | A 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | re e | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x0.00 | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

110.52

0.00 5) (District's Square Miles <u>77.827380</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{110.52}{10.00}$ = Isolation Weight $\frac{0.00}{10.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.49

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 233 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 1,070.29 | = | 0.000000 | x .2 | 0.000000 | Х | 1,070.29 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1002 - SPIRO

- A. If school district's total area in square miles <u>129.790770</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,070.29</u> divided by district's total area in square mile <u>129.790770</u> = District's Areal Density <u>8.25</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x <u>0.00</u> = | 0.00 |
|----|---|----------|----------------|-----------------|-----------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ve | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x <u>0.00</u> = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | ve | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | 1,070.29 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>129.790770</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.070.29 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 234 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 943.31 | = | 0.000000 | x .2 | 0.000000 | х _ | 943.31 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1003 - HEAVENER

- A. If school district's total area in square miles <u>127.745680</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>943.31</u> divided by district's total area in square mile <u>127.745680</u> = District's Areal Density <u>7.38</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

943.31

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 127.745680 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>943.31</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 235 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | ٨ | | ١./ |
|-----|---|---|-----|
| Raw | А | ט | IV |

| 529 - | 799.84 | = | 0.000000 | x .2 | 0.000000 | Х | 799.84 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1007 - POCOLA

- If school district's total area in square miles 31.600120 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>799.84</u> divided by district's total area in square mile <u>31.600120</u> = District's Areal В Density <u>25.31</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|-----------------|---------------|----------|--------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | Х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by "Cc" from above | 3) |
| 0.00 | 0.00 = | Х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 799.84 | | trict's Raw ADM | divided by di | 0.00 | Sum 1 + 2 + 3 from above | 4) |

divided by district's Raw ADM

- 1.00 = District Cost Factor

799.84

0.00 5) (District's Square Miles <u>31.600120</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 799.84 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 236 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 243.46 | = _ | 0.539773 | x .2 | 0.107955 | х | 243.46 | =_ | 26.28 |
|-------|--------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1016 - LE FLORE

- A. If school district's total area in square miles <u>183.232290</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>243.46</u> divided by district's total area in square mile <u>183.232290</u> = District's Areal Density <u>1.33</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 117.97 | + | 23 = | 140.97 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 52.00 | + | 133 = | 185.00 | (Cb) |
| Grades | PK3,9 -OHP | 73.49 | + | 128 = | 201.49 | (Cc) |
| | | 243.46 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 140.97 = | 0.524934 | + .85 = | 1.374934 | х | 117.97 = | 162.20 |
|----|---|----------|---------|----------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | ove | | | | | |
| | 185.00 = | 0.659459 | + .85 = | 1.509459 | х | 52.00 = | 78.49 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | ove | | | | | |
| | 201.49 = | 1.449203 | + .78 = | 2.229203 | х | 73.49 = | 163.82 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

243.46

0.66

5) (District's Square Miles <u>183.232290</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.34</u>

404.51

1.66

- 6) Multiply District Cost Factor (Line 4 above) 0.66 by lessor of the Area Factor (Line 5 above) 0.34 or 1.00 = Isolation Factor 0.22
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 243.46 = Isolation Weight _54.63
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>54.63</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 237 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 288.57 | = _ | 0.454499 | x .2 | 0.090900 | Х | 288.57 | = | 26.23 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: I017 - CAMERON

- If school district's total area in square miles <u>74.836890</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>288.57</u> divided by district's total area in square mile <u>74.836890</u> = District's Areal В Density <u>3.86</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|-----------------------------|-----|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 288.57 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>74.836890</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>288.57</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.23</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 238 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 719.79 | = | 0.000000 | x .2 | 0.000000 | Х _ | 719.79 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1020 - PANAMA

- A. If school district's total area in square miles <u>90.148450</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>719.79</u> divided by district's total area in square mile <u>90.148450</u> = District's Areal Density <u>7.98</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | 0.00 | = 0.00 |
|----|--------------------------------------|------|----------|---------|------------|----------|------------------|
| | | · · | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 > | 0.00 | = 0.00 |
| | _ | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | oove | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | 0.00 | = 0.00 |

9-OHP ADM

9-OHP Cost Factor

| 4) Sum 1 + 2 + 3 f | rom above | 0.00 | divided by district's Raw ADM | 719.79 | |
|--------------------|-----------|------|-------------------------------|--------|--|
| | = | 0.00 | - 100 = District Cost Factor | 0 | |

- 5) (District's Square Miles <u>90.148450</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{719.79}{1000}$ = Isolation Weight $\frac{0.00}{1000}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 239 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | |
|-----|---|---|----|
| ĸaw | Α | U | IV |

| 529 - | 196.77 | = | 0.628034 | x .2 | 0.125607 | X | 196.77 | = | 24.72 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| • | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1026 - BOKOSHE

- If school district's total area in square miles <u>58.574330</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>196.77</u> divided by district's total area in square mile <u>58.574330</u> = District's Areal В Density <u>3.36</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 196.77 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>58.574330</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 196.77 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.72

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 240 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,302.58 | = | 0.000000 | x .2 | 0.000000 | Х | 2,302.58 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1029 - POTEAU

- If school district's total area in square miles <u>85.049330</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,302.58 divided by district's total area in square mile 85.049330 = District's Areal В Density <u>27.07</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 00 = | 0.00 | |
|-------------------|-----------|---|-----------------|-----------------|----------|---------|--------------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | | |
| | | | | | | n above | 122 divided by " <u>Cb</u> " from a | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 00 = | 0.00 | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | | |
| | | | | | | n above | 292 divided by " <u>Cc</u> " from al | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 00 = | 0.00 | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | | |
| | 2.302.58 | | trict's Raw ADM | divided by dist | 0.00 | ove | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>85.049330</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.302.58 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 241 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 487.61 | = | 0.078242 | x .2 | 0.015648 | Х _ | 487.61 | =_ | 7.63 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1049 - WISTER

- A. If school district's total area in square miles <u>49.648690</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>487.61</u> divided by district's total area in square mile <u>49.648690</u> = District's Areal Density <u>9.82</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

487.61

- = 0.00 1.00 = District Cost Factor
- 5) (District's Square Miles 49.648690 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 487.61 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 242 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| n | | | |
|------|---|---|----|
| Raw. | Α | U | IV |

| 529 - | 532.46 | = | 0.000000 | x .2 | 0.000000 | Х | 532.46 | = | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| • | 529 | _ | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1052 - TALIHINA

- If school district's total area in square miles __71.093350_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>532.46</u> divided by district's total area in square mile <u>71.093350</u> = District's Areal В Density <u>7.49</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|------------------------------|-----|----------|----------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | | · · | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | · · | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by div | strict's Raw ADM | | 532.46 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>71.093350</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>532.46</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 243 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| n | | | |
|------|---|---|----|
| Raw. | Α | U | IV |

| 529 - | 211.52 | = | 0.600151 | x .2 | 0.120030 | х _ | 211.52 | _ = _ | 25.39 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1062 - WHITESBORO

- A. If school district's total area in square miles <u>253.464530</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>211.52</u> divided by district's total area in square mile <u>253.464530</u> = District's Areal Density <u>0.83</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 91.75 | + | 23 = | 114.75 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 40.86 | + | 133 = | 173.86 | (Cb) |
| Grades | PK3,9 -OHP | 78.91 | + | 128 = | 206.91 | (Cc) |
| | | 211.52 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 114.75 = | 0.644880 | + .85 = | 1.494880 | x 91.75 = | 137.16 |
|----|---|----------|----------------|------------------|-----------|-------------------|
| | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ve | | | | |
| | 173.86 = | 0.701714 | + .85 = | 1.551714 | x 40.86 = | 63.40 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | ve | | | | |
| | 206.91 = | 1.411242 | + .78 = | 2.191242 | x 78.91 = | 172.91 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 373.47 | divided by dis | strict's Raw ADM | 211.52 | |

- 1.00 = District Cost Factor

0.77

5) (District's Square Miles <u>253.464530</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.85</u>

1.77

- 6) Multiply District Cost Factor (Line 4 above) 0.77 by lessor of the Area Factor (Line 5 above) 0.85 or 1.00 = Isolation Factor 0.65
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 211.52 = Isolation Weight 138.44
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 138.44

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 244 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | |
|-----|---|---|----|
| ĸaw | Α | U | IV |

| 529 - | 668.08 | = | 0.000000 | x .2 | 0.000000 | Х | 668.08 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1067 - HOWE

- A. If school district's total area in square miles <u>31.343610</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>668.08</u> divided by district's total area in square mile <u>31.343610</u> = District's Areal Density <u>21.31</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--|----------|---------|----------|---|-----------|-------------------|
| | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | ve | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | ve | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

668.08

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 31.343610 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 668.08 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 245 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 405.06 | _ = | 0.234291 | x .2 | 0.046858 | Х | 405.06 | = | 18.98 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1091 - ARKOMA

- If school district's total area in square miles <u>3.596940</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>405.06</u> divided by district's total area in square mile <u>3.596940</u> = District's Areal В Density <u>112.61</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|-----------|-------|-----------------|---|-----------|-------------------|
| | | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | : | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | | 0.780000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | _ | 0.00 | divided b | y dis | trict's Raw ADM | | 405.06 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>3.596940</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{405.06}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.98

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 246 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 91.08 | = | 0.827826 | x .2 | 0.165565 | Х | 91.08 | _ = _ | 15.08 |
|-------|-------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: C005 - WHITE ROCK

- If school district's total area in square miles _50.614950_ is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 91.08 divided by district's total area in square mile 50.614950 = District's Areal В Density <u>1.80</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|--------------------|--------------|-----------|-------------------|
| | | _ | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distric | ct's Raw ADM | 91.08 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

91.08

0.00 5) (District's Square Miles <u>50.614950</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 91.08 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>15.08</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 247 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,164.48 | = | 0.000000 | x .2 | 0.000000 | Х | 1,164.48 | = | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: 1001 - CHANDLER

- A. If school district's total area in square miles <u>113.540920</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,164.48</u> divided by district's total area in square mile <u>113.540920</u> = District's Areal Density <u>10.26</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
|----|---|----------|---------|----------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | е | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | е | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

1,164.48

= 0.00 - 1.00 = District Cost Factor

0.00

5) (District's Square Miles <u>113.540920</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,164.48}{2}$ = Isolation Weight $\frac{0.00}{2}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 248 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 399.62 | = | 0.244575 | x .2 | 0.048915 | Х | 399.62 | =_ | 19.55 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: I003 - DAVENPORT

- If school district's total area in square miles <u>78.458540</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>399.62</u> divided by district's total area in square mile <u>78.458540</u> = District's Areal В Density <u>5.09</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>78.458540</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 399.62 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.55

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 249 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 570.02 | = | 0.000000 | x .2 | 0.000000 | x | 570.02 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| _ | 529 | | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: 1004 - WELLSTON

- A. If school district's total area in square miles <u>104.159380</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>570.02</u> divided by district's total area in square mile <u>104.159380</u> = District's Areal Density <u>5.47</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.0 | 0.00 |
|----|---|----------|---------------|------------------|-----------|---------------------|
| | | | | | EC-5 ADN | M EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | /e | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.0 | 0.00 |
| | _ | | | | 6-8 ADN | M 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | re | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x 0.0 | 0.00 |
| | | | | | 9-OHP ADN | M 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by di | strict's Raw ADM | 570.0 | 2 |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>104.159380</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 570.02 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 250 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 794.08 | = | 0.000000 | x .2 | 0.000000 | Х | 794.08 | = | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: 1054 - STROUD

- If school district's total area in square miles 160.059490 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>794.08</u> divided by district's total area in square mile <u>160.059490</u> = District's Areal В Density <u>4.96</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
|----|--------------------------------|----------|---------|----------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | × 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

794.08

0.00 5) (District's Square Miles <u>160.059490</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>794.08</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 251 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 789.91 | = | 0.000000 | x .2 | 0.000000 | Х | 789.91 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: 1095 - MEEKER

- A. If school district's total area in square miles <u>119.873900</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>789.91</u> divided by district's total area in square mile <u>119.873900</u> = District's Areal Density <u>6.59</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | <u> </u> | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | district's Raw ADM | | 789.91 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>119.873900</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>789.91</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 252 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Δ | \Box | М |
|-----|---|--------|---|
| | | | |

| 529 - | 1,036.90 | =_ | 0.000000 | x .2 | 0.000000 | Х | 1,036.90 | =_ | 0.00 |
|-------|----------|----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: I103 - PRAGUE

- A. If school district's total area in square miles <u>139.804880</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,036.90</u> divided by district's total area in square mile <u>139.804880</u> = District's Areal Density <u>7.42</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 00 = | 0.00 | |
|-------------------|-----------|---|-----------------|-----------------|----------|---------|--------------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | | |
| | | | | | | n above | 122 divided by " <u>Cb</u> " from a | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 00 = | 0.00 | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | | |
| | | | | | | n above | 292 divided by " <u>Cc</u> " from al | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 00 = | 0.00 | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | | |
| | 1.036.90 | | trict's Raw ADM | divided by dist | 0.00 | ove | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>139.804880</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.036.90 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 253 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 255.51 | = | 0.516994 | x .2 | 0.103399 | Χ | 255.51 | _ = _ | 26.42 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: I105 - CARNEY

- A. If school district's total area in square miles <u>48.930910</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>255.51</u> divided by district's total area in square mile <u>48.930910</u> = District's Areal Density <u>5.22</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

255.51

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 48.930910 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>255.51</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.42_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 254 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 313.88 | = | 0.406654 | x .2 | 0.081331 | Х | 313.88 | = | 25.53 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: I134 - AGRA

- If school district's total area in square miles <u>54.937080</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>313.88</u> divided by district's total area in square mile <u>54.937080</u> = District's Areal В Density <u>5.71</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 00 = | 0.00 | |
|-------------------|-----------|---|-----------------|-----------------|----------|---------|-------------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | | |
| | | | | | | m above | 122 divided by " <u>Cb</u> " from a | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 00 = | 0.00 | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | | |
| | | | | | | m above | 292 divided by " <u>Cc</u> " from a | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 00 = | 0.00 | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | | |
| | 313.88 | | trict's Raw ADM | divided by dist | 0.00 | ove | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>54.937080</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 313.88 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.53

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 255 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 3,421.80 | = | 0.000000 | x .2 | 0.000000 | Х | 3,421.80 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 42 - LOGAN District: 1001 - GUTHRIE

- A. If school district's total area in square miles <u>207.678060</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,421.80</u> divided by district's total area in square mile <u>207.678060</u> = District's Areal Density <u>16.48</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | 0.00 | |
|-------------------|-----------|---|-----------------|----------------|----------|------------|--------------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | | |
| | | | | | | from above | 2) 122 divided by " <u>Cb</u> " from | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | 0.00 | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | | |
| | | | | | | from above | 3) 292 divided by " <u>Cc</u> " from | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | 0.00 | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | | |
| | 3.421.80 | | trict's Raw ADM | divided by dis | 0.00 | above | 4) Sum 1 + 2 + 3 from abov | 4) |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>207.678060</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.421.80 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 256 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Δ | \Box | М |
|-----|---|--------|---|
| | | | |

| 529 - | 561.36 | = | 0.000000 | x .2 | 0.000000 | Х | 561.36 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 42 - LOGAN **District: I002 - CRESCENT**

- If school district's total area in square miles 136.920590 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>561.36</u> divided by district's total area in square mile <u>136.920590</u> = District's Areal В Density <u>4.10</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | | | | | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

561.36

- 0.00 5) (District's Square Miles 136.920590 - 137.00000) divided by 137.00000 = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 561.36 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 257 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 236.58 | = | 0.552779 | x .2 | 0.110556 | х _ | 236.58 | =_ | 26.16 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 42 - LOGAN District: I003 - MULHALL-ORLANDO

- A. If school district's total area in square miles <u>223.687850</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>236.58</u> divided by district's total area in square mile <u>223.687850</u> = District's Areal Density <u>1.06</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 110.46 | + | 23 = | 133.46 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 63.28 | + | 133 = | 196.28 | (Cb) |
| Grades | PK3,9 -OHP | 62.84 | + | 128 = | 190.84 | (Cc) |
| | | 236.58 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 133.46 | = | 0.554473 | + .85 = | 1.404473 | Х | 110.46 = | 155.14 |
|----|--------------------------------------|------|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 196.28 | = | 0.621561 | + .85 = | 1.471561 | x | 63.28 = | 93.12 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 190.84 | = | 1.530078 | + .78 = | 2.310078 | x | 62.84 = | 145.17 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 393.43 | divided by d | listrict's Raw ADM | | 236.58 | |

- 1.00 = District Cost Factor

0.66

5) (District's Square Miles <u>223.687850</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.63</u>

1.66

- 6) Multiply District Cost Factor (Line 4 above) 0.66 by lessor of the Area Factor (Line 5 above) 0.63 or 1.00 = Isolation Factor 0.42
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 236.58 = Isolation Weight 98.37
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __98.37_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 258 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 313.61 | = | 0.407164 | x .2 | 0.081433 | Х | 313.61 | =_ | 25.54 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 42 - LOGAN District: I014 - COYLE

- A. If school district's total area in square miles <u>180.094850</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>313.61</u> divided by district's total area in square mile <u>180.094850</u> = District's Areal Density <u>1.74</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 160.62 | + | 23 = | 183.62 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 65.42 | + | 133 = | 198.42 | (Cb) |
| Grades | PK3,9 -OHP | 87.57 | + | 128 = | 215.57 | (Cc) |
| | | 313.61 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 183.62 | = | 0.403006 | + .85 = | 1.253006 | Х | 160.62 = | 201.26 |
|----|--------------------------------------|------|----------|--------------|--------------------|---|-----------|-------------------|
| | | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 198.42 | = _ | 0.614857 | + .85 = | 1.464857 | х | 65.42 = | 95.83 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 215.57 | = _ | 1.354548 | + .78 = | 2.134548 | х | 87.57 = | 186.92 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 484 01 | divided by a | district's Raw ADM | | 313 61 | |

- 1.00 = District Cost Factor

0.54

5) (District's Square Miles <u>180.094850</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.31</u>

1.54

- 6) Multiply District Cost Factor (Line 4 above) 0.54 by lessor of the Area Factor (Line 5 above) 0.31 or 1.00 = Isolation Factor 0.17
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>313.61</u> = Isolation Weight <u>52.50</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 52.50

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 259 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 103.32 | = | 0.804688 | x .2 | 0.160938 | Х | 103.32 | = | 16.63 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 43 - LOVE **District: C003 - GREENVILLE**

- If school district's total area in square miles 45.645930 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>103.32</u> divided by district's total area in square mile <u>45.645930</u> = District's Areal В Density 2.26.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.00000 | 0 + .85 = | 0.850000 | x (| 0.00 = | 0.00 |
|----|---------------------------------------|-----------|--------------|--------------------|---------|--------|-------------------|
| | | | _ | | EC-5 A | DM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | | |
| | 0.00 = | = 0.00000 | 0 + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | _ | | _ | | 6-8 A | MD | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | |
| | 0.00 = | = 0.00000 | 0 + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | _ | | | | 9-OHP A | Md | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.0 | 0 divided by | district's Raw ADM | 103 | 3.32 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>45.645930</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 103.32 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.63

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 260 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 283.78 | = | 0.463554 | x .2 | 0.092711 | Х | 283.78 | _ = _ | 26.31 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 43 - LOVE **District: I004 - THACKERVILLE**

- If school district's total area in square miles 60.495730 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>283.78</u> divided by district's total area in square mile <u>60.495730</u> = District's Areal В Density <u>4.69</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | 00 x | 0.850000 | + .85 = | 0.000000 | 0.00 = | _ |
|-------------------|-----------|------|------------------|---------------|----------|--------------------------------|------|
| EC-5 Cost Factor | EC-5 ADM | | | | _ | | _ |
| | | | | | | 122 divided by "Cb" from above | 2) 1 |
| 0.00 | 0.00 = | 00 x | 0.850000 | + .85 = | 0.000000 | 0.00 = | _ |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by "Cc" from above | 3) 2 |
| 0.00 | 0.00 = | 00 x | 0.780000 | + .78 = | 0.000000 | 0.00 = | _ |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 283.78 | | strict's Raw ADM | divided by di | 0.00 | Sum 1 + 2 + 3 from above | 4) s |

divided by district's Raw ADM

- 1.00 = District Cost Factor

283.78

0.00 5) (District's Square Miles <u>60.495730</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 283.78 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.31</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 261 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Α | D | М |
|-----|---|---|---|
| | | | |

| 529 - | 323.22 | = | 0.388998 | x .2 | 0.077800 | Х | 323.22 | =_ | 25.15 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 43 - LOVE District: I005 - TURNER

- A. If school district's total area in square miles <u>237.380970</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>323.22</u> divided by district's total area in square mile <u>237.380970</u> = District's Areal Density <u>1.36</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 162.20 | + | 23 = | 185.20 | (Ca) |
|--------|------------|--------|---|-------|---------------------------------------|------|
| Grades | 6th - 8th | 76.92 | + | 133 = | 209.92 | (Cb) |
| Grades | PK3,9 -OHP | 84.10 | + | 128 = | 212.10 | (Cc) |
| | | 323.22 | | | · · · · · · · · · · · · · · · · · · · | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 185.20 = | 0.399568 | + .85 = | 1.249568 x | 162.20 = | 202.68 |
|----|--------------------------------|----------|-------------------|--------------|-----------|-------------------|
| | | | _ | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | е | | | | |
| | 209.92 = | 0.581174 | + .85 = | 1.431174 x | 76.92 = | 110.09 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | 2 | | | | |
| | 212.10 = | 1.376709 | + .78 = | 2.156709 x | 84.10 = | 181.38 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | 494.15 | divided by distri | ct's Raw ADM | 323.22 | |

- 1.00 = District Cost Factor

0.53

5) (District's Square Miles <u>237.380970</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.73</u>

1.53

- 6) Multiply District Cost Factor (Line 4 above) 0.53 by lessor of the Area Factor (Line 5 above) 0.73 or 1.00 = Isolation Factor 0.39
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 323.22 = Isolation Weight 125.05
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __125.05_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 262 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,104.56 | = | 0.000000 | x .2 | 0.000000 | Х | 1,104.56 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 43 - LOVE District: I016 - MARIETTA

- A. If school district's total area in square miles <u>119.185270</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,104.56</u> divided by district's total area in square mile <u>119.185270</u> = District's Areal Density <u>9.27</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---|----------|---------|----------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | е | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | е | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

1,104.56

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 119.185270 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,104.56}{2}$ = Isolation Weight $\frac{0.00}{2}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 263 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 377.80 | = _ | 0.285822 | x .2 | 0.057164 | Х | 377.80 | = | 21.60 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 44 - MAJOR District: I001 - RINGWOOD

- A. If school district's total area in square miles <u>119.517330</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>377.80</u> divided by district's total area in square mile <u>119.517330</u> = District's Areal Density <u>3.16</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by di | strict's Raw ADM | | 377.80 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>119.517330</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{377.80}{1}$ = Isolation Weight $\frac{0.00}{1}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __21.60_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 264 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| n | | | |
|------|---|---|----|
| Raw. | Α | U | IV |

| 529 - | 130.05 | = | 0.754159 | x .2 | 0.150832 | Х | 130.05 | = | 19.62 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 44 - MAJOR District: I004 - ALINE-CLEO

- A. If school district's total area in square miles <u>193.963170</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>130.05</u> divided by district's total area in square mile <u>193.963170</u> = District's Areal Density <u>0.67</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 66.81 | + | 23 = | 89.81 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 31.69 | + | 133 = | 164.69 | (Cb) |
| Grades | PK3,9 -OHP | 31.55 | + | 128 = | 159.55 | (Cc) |
| | | 130.05 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 89.81 | = | 0.823962 | + .85 = | 1.673962 | Х | 66.81 = | 111.84 |
|----|--------------------------------------|-----|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 164.69 | = | 0.740786 | + .85 = | 1.590786 | x | 31.69 = | 50.41 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 159.55 | = | 1.830147 | + .78 = | 2.610147 | x | 31.55 = | 82.35 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 244.60 | divided by di | strict's Raw ADM | | 130.05 | |

- 1.00 = District Cost Factor

0.88

5) (District's Square Miles <u>193.963170</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.42</u>

1.88

- 6) Multiply District Cost Factor (Line 4 above) 0.88 by lessor of the Area Factor (Line 5 above) 0.42 or 1.00 = Isolation Factor 0.37
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 130.05 = Isolation Weight 48.07
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 48.07

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 265 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 796.54 | = | 0.000000 | x .2 | 0.000000 | Х _ | 796.54 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 44 - MAJOR District: 1084 - FAIRVIEW

- A. If school district's total area in square miles <u>316.772720</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>796.54</u> divided by district's total area in square mile <u>316.772720</u> = District's Areal Density <u>2.51</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by di | strict's Raw ADM | | 796.54 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>316.772720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{796.54}{}$ = Isolation Weight $\frac{0.00}{}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 266 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| _ | | | |
|-----|---|----|---|
| Raw | Α | 1) | N |

| 529 - | 265.06 | = | 0.498941 | x .2 | 0.099788 | х | 265.06 | =_ | 26.45 |
|-------|--------|---|----------|------|----------|---|--------------|----|-----------------|
| | 529 | | | _ | | | Same Year Sm | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 44 - MAJOR District: 1092 - CIMARRON

- A. If school district's total area in square miles <u>150.526340</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>265.06</u> divided by district's total area in square mile <u>150.526340</u> = District's Areal Density <u>1.76</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 137.95 | + | 23 = | 160.95 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 51.18 | + | 133 = | 184.18 | (Cb) |
| Grades | PK3,9 -OHP | 75.93 | + | 128 = | 203.93 | (Cc) |
| | | 265.06 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 160.95 = | 0.459770 | + .85 = | 1.309770 x | 137.95 = | 180.68 |
|----|---|----------|----------------|-----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | ve . | | | | |
| | 184.18 = | 0.662395 | + .85 = | 1.512395 x | 51.18 = | 77.40 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | ⁄e | | | | |
| | 203.93 = | 1.431864 | + .78 = | 2.211864 x | 75.93 = | 167.95 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 426.03 | divided by dis | trict's Raw ADM | 265.06 | |

- 1.00 = District Cost Factor

0.61

5) (District's Square Miles <u>150.526340</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.10</u>

1.61

- 6) Multiply District Cost Factor (Line 4 above) 0.61 by lessor of the Area Factor (Line 5 above) 0.10 or 1.00 = Isolation Factor 0.06
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 265.06 = Isolation Weight 16.17
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.45_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 267 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,789.52 | = | 0.000000 | x .2 | 0.000000 | Х | 1,789.52 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 45 - MARSHALL District: 1002 - MADILL

- If school district's total area in square miles <u>258.015080</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,789.52 divided by district's total area in square mile 258.015080 = District's Areal В Density <u>6.94</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|--------------|--------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | | | |
| | 0.00 = | _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ve | | | | | | |
| | 0.00 = | _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by o | listrict's Raw ADM | | 1.789.52 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,789.52

0.00 5) (District's Square Miles <u>258.015080</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,789.52}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 268 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,275.37 | _ = | 0.000000 | x .2 | 0.000000 | Х | 1,275.37 | =_ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | _ | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 45 - MARSHALL District: 1003 - KINGSTON

- If school district's total area in square miles 169.463960 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,275.37 divided by district's total area in square mile 169.463960 = District's Areal В

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|------------------|---------------|-----------|-------------------|
| | | _ | - | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distr | ict's Raw ADM | 1,275.37 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles 169.463960 - 137.00000) divided by 137.00000 =Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.275.37 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 269 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 76.53 | = | 0.855331 | x .2 | 0.171066 | Х _ | 76.53 | _ = _ | 13.09 |
|-------|-------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: C035 - WICKLIFFE**

- If school district's total area in square miles 20.487720 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 76.53 divided by district's total area in square mile 20.487720 = District's Areal В Density <u>3.74</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.00 | 0.00 |
|----|--|----------|---------|----------|-----------|--------------------|
| | | | | | EC-5 ADN | A EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | /e | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 | 0.00 |
| | | | | | 6-8 ADN | A 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | re e | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x0.00 | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

76.53

0.00 5) (District's Square Miles <u>20.487720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 76.53 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 13.09

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 270 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 133.13 | = | 0.748336 | x .2 | 0.149667 | Х | 133.13 | _ = | 19.93 |
|-------|--------|---|----------|------|----------|---|-----------|-----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: C043 - OSAGE**

- If school district's total area in square miles 33.497550 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>133.13</u> divided by district's total area in square mile <u>33.497550</u> = District's Areal В Density <u>3.97</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | _ | 0.00 | divided by di | strict's Raw ADM | _ | 133.13 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>33.497550</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 133.13 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.93

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 271 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,759.18 | = | 0.000000 | x .2 | 0.000000 | Х _ | 2,759.18 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | _ | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: I001 - PRYOR**

- If school district's total area in square miles _99.385590_ is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>2,759.18</u> divided by district's total area in square mile <u>99.385590</u> = District's Areal В Density <u>27.76</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 2,759.18 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>99.385590</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{2,759.18}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 272 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,067.27 | = | 0.000000 | x .2 | 0.000000 | Х | 1,067.27 | = | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | _ | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: I002 - ADAIR**

- If school district's total area in square miles 162.013540 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,067.27 divided by district's total area in square mile 162.013540 = District's Areal В Density <u>6.59</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | = | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|------------|----------|---------|---|----------|---|-----------|-------------------|
| | | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | | | | |
| | 0.00 = | = | 0.000000 | + .85 = | = | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 = | - <u> </u> | 0.000000 | + .78 = | : | 0.780000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,067.27

0.00 5) (District's Square Miles <u>162.013540</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.067.27 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 2.98

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 273 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 790.12 | = | 0.000000 | Х | .2 | (| 0.000000 | Х | 790.12 | = | 0.00 |
|-------|--------|---|----------|---|----|---|----------|---|-----------|---|-----------------|
| | 529 | | | | | | | | Same Year | | Small School |
| | | | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: I016 - SALINA**

- If school district's total area in square miles <u>78.948060</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>790.12</u> divided by district's total area in square mile <u>78.948060</u> = District's Areal В Density 10.01.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 790.12 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>78.948060</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 790.12 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>5.65</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 274 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | | |
|-----|---|---|----|--|
| ĸaw | Α | U | IV | |

| 529 - | 1,374.70 | = | 0.000000 | x .2 | 0.000000 | х | 1,374.70 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: I017 - LOCUST GROVE**

- If school district's total area in square miles 152.530880 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,374.70 divided by district's total area in square mile 152.530880 = District's Areal В Density <u>9.01</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = _ | 0.000000 | + .85 | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|--------|------|--------------------|---|-----------|-------------------|
| | | _ | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 = | = _ | 0.000000 | + .85 | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 = | = _ | 0.000000 | + .78 | = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divide | d by | district's Raw ADM | | 1.374.70 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,374.70

5) (District's Square Miles <u>152.530880</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.374.70 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 275 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 873.35 | = | 0.000000 | x .2 | 0.000000 | х _ | 873.35 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: I032 - CHOUTEAU-MAZIE**

- If school district's total area in square miles 135.249010 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>873.35</u> divided by district's total area in square mile <u>135.249010</u> = District's Areal В Density <u>6.46</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = _ | 0.000000 | + .85 | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|---------|-------|------------------|---|-----------|-------------------|
| | | | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | | | | |
| | 0.00 = | _ | 0.000000 | + .85 | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 = | _ | 0.000000 | + .78 | = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided | bv di | strict's Raw ADM | | 873.35 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

873.35

5) (District's Square Miles <u>135.249010</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 873.35 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 276 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,241.55 | _ = | 0.000000 | Х | .2 | 0.000000 | Х | 2,241.55 | = | 0.00 |
|-------|----------|-----|----------|---|----|----------|---|-----------|---|-----------------|
| | 529 | | | | | | | Same Year | | Small School |
| | | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: 1001 - NEWCASTLE

- If school district's total area in square miles <u>54.669960</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,241.55 divided by district's total area in square mile 54.669960 = District's Areal В Density 41.00 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|------------------|----------------|-----------|-------------------|
| | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distr | rict's Raw ADM | 2,241.55 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>54.669960</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{2.241.55}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 277 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | ДΓ | ٦M | ı |
|-----|----|----|---|
| | | | |

| 529 - | 701.02 | = | 0.000000 | x .2 | 0.000000 | x | 701.02 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: 1002 - DIBBLE

- If school district's total area in square miles __73.367940_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM _701.02 divided by district's total area in square mile _73.367940 = District's Areal В Density <u>9.55</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--|-------------------|---------|------------|-----------|-------------------|
| | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | |
| | 0.00 = | = 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | 0.00 = 292 divided by " <u>Cc</u> " from abo | = 0.000000 ove | | | 6-8 ADM | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

701.02

0.00 5) (District's Square Miles <u>73.367940</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{701.02}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 278 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,057.60 | = | 0.000000 | Х | .2 | 0.000000 | Х | 1,057.60 | = | 0.00 |
|-------|----------|---|----------|---|----|----------|---|-----------|---|-----------------|
| | 529 | | | | | | | Same Year | | Small School |
| | | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: 1005 - WASHINGTON

- If school district's total area in square miles <u>96.222400</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,057.60 divided by district's total area in square mile 96.222400 = District's Areal В Density 10.99 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.0 | 0 = | 0.00 |
|----|--------------------------------|----------|----------------|-----------------|-----------|----------|-------------------|
| | - | | | | EC-5 ADN | 1 | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.0 | 0 = | 0.00 |
| | | | | | 6-8 ADN | 1 | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x 0.0 | 0 = | 0.00 |
| | | | | | 9-OHP ADN | Λ | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | 1,057.6 | 0 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>96.222400</u> - <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.057.60 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 279 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 496.97 | = | 0.060548 | x .2 | 0.012110 | X | 496.97 | =_ | 6.02 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: I010 - WAYNE

- A. If school district's total area in square miles <u>184.939950</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>496.97</u> divided by district's total area in square mile <u>184.939950</u> = District's Areal Density <u>2.69</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | district's Raw ADM | | 496.97 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>184.939950</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 496.97 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 6.02

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 280 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,418.86 | _ = | 0.000000 | x .2 | 0.000000 | Х | 1,418.86 | _ = | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|-----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: 1015 - PURCELL

- If school district's total area in square miles 41.673330 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,418.86 divided by district's total area in square mile 41.673330 = District's Areal В Density 34.05.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | | | | | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,418.86

0.00 5) (District's Square Miles <u>41.673330</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1.418.86}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 281 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,056.26 | _ = | 0.000000 | x .2 | 0.000000 | Х | 2,056.26 | =_ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|----|-----------------|
| _ | 529 | _ | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: 1029 - BLANCHARD

- If school district's total area in square miles 62.336550 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,056.26 divided by district's total area in square mile 62.336550 = District's Areal В Density 32.99.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | · | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---------------------------------------|----------|----------|---------------|------------------|---|-----------|-------------------|
| | | <u> </u> | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ve | | | | | | |
| | 0.00 = | | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | | <u> </u> | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ve | | | | | | |
| | 0.00 = | | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | · · · · · · · · · · · · · · · · · · · | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 2,056.26 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>62.336550</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{2.056.26}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 282 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 157.87 | = | 0.701569 | x .2 | 0.140314 | Х | 157.87 | _ = _ | 22.15 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: C001 - FOREST GROVE

- If school district's total area in square miles 44.277860 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>157.87</u> divided by district's total area in square mile <u>44.277860</u> = District's Areal В Density <u>3.57</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

157.87

0.00 5) (District's Square Miles <u>44.277860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{157.87}{1}$ = Isolation Weight $\frac{0.00}{1}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.15

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 283 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 369.33 | = | 0.301834 | x .2 | 0.060367 | х | 369.33 | _ = _ | 22.30 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: C009 - LUKFATA

- If school district's total area in square miles 22.654310 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>369.33</u> divided by district's total area in square mile <u>22.654310</u> = District's Areal В Density 16.30 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 | = 0.00 |
|----|--------------------------------|----------|----------------|-----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.00 | = 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x 0.00 | = 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | 369.33 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>22.654310</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 369.33 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.30

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 284 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 59.43 | = | 0.887656 | x .2 | 0.177531 | Х | 59.43 | _ = _ | 10.55 |
|-------|-------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: C023 - GLOVER

- If school district's total area in square miles 27.839680 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>59.43</u> divided by district's total area in square mile <u>27.839680</u> = District's Areal В Density <u>2.13</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

59.43

0.00 5) (District's Square Miles <u>27.839680</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 59.43 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 10.55

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 285 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 301.69 | = | 0.429698 | x .2 | 0.085940 | Х | 301.69 | =_ | 25.93 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: C037 - DENISON

- If school district's total area in square miles 27.728860 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>301.69</u> divided by district's total area in square mile <u>27.728860</u> = District's Areal В Density 10.88.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = _ | 0.000000 | + .85 | 5 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|--------|----------|--------------------|---|-----------|-------------------|
| | | | _ | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 = | · _ | 0.000000 | + .85 | <u> </u> | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 = | · _ | 0.000000 | + .78 | 3 = | 0.780000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divide | d by | district's Raw ADM | | 301.69 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

301.69

0.00 5) (District's Square Miles <u>27.728860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 301.69 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.93

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 286 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 259.47 | = | 0.509509 | x .2 | 0.101902 | _ x | 259.47 | _ = _ | 26.44 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: C072 - HOLLY CREEK

- A. If school district's total area in square miles <u>34.862860</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>259.47</u> divided by district's total area in square mile <u>34.862860</u> = District's Areal Density <u>7.44</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | · | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | _ | · | _ | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

259.47

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 34.862860 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>259.47</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.44_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 287 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,244.07 | _ = | 0.000000 | x .2 | 0.000000 | Х | 1,244.07 | _ = _ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1005 - IDABEL

- If school district's total area in square miles 127.266250 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,244.07 divided by district's total area in square mile 127.266250 = District's Areal В Density <u>9.78</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|-------------------------------|---------|----------|--------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | Х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by "Cc" from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 1,244.07 | | divided by district's Raw ADM | | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>127.266250</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,244.07}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 288 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | ٨ | | ١./ |
|-----|---|---|-----|
| Raw | А | ט | IV |

| 529 - | 540.49 | = | 0.000000 | x .2 | 0.000000 | х | 540.49 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1006 - HAWORTH

- A. If school district's total area in square miles <u>281.558970</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>540.49</u> divided by district's total area in square mile <u>281.558970</u> = District's Areal Density <u>1.92</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 243.41 | + | 23 = | 266.41 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 138.16 | + | 133 = | 271.16 | (Cb) |
| Grades | PK3,9 -OHP | 158.92 | + | 128 = | 286.92 | (Cc) |
| | | 540.49 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 266.41 = | 0.277767 | + .85 = | 1.127767 | x 243.41 | = 274.51 |
|----|--|----------|---------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abou | ve | | | | |
| | 271.16 = | 0.449919 | + .85 = | 1.299919 | x 138.16 | 5 = 179.60 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | ve | | | | |
| | 286.92 = | 1.017705 | + .78 = | 1.797705 | x 158.92 | 2 = 285.69 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 739.80 | divided by di | strict's Raw ADM | 540.49 |) |

- 1.00 = District Cost Factor

0.37

5) (District's Square Miles <u>281.558970</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.06</u>

1.37

- 6) Multiply District Cost Factor (Line 4 above) 0.37 by lessor of the Area Factor (Line 5 above) 1.06 or 1.00 = Isolation Factor 0.37
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{540.49}$ = Isolation Weight $\underline{199.98}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 199.98

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 289 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | ΔD | М |
|-------|--------------|-----|
| 1\avv | $\Delta \nu$ | IVI |

| 529 - | 843.98 | = | 0.000000 | x .2 | 0.000000 | Х | 843.98 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: I011 - VALLIANT

- A. If school district's total area in square miles <u>152.312730</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>843.98</u> divided by district's total area in square mile <u>152.312730</u> = District's Areal Density <u>5.54</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.0 | 0.00 |
|----|--|----------|---------------|------------------|-----------|--------------------|
| | | | | | EC-5 ADN | A EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abov | ⁄e | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.0 | 0.00 |
| | <u> </u> | | | | 6-8 ADN | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | е | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x 0.0 | 0.00 |
| | | | | | 9-OHP ADN | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by di | strict's Raw ADM | 843.9 | 8 |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>152.312730</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>843.98</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 290 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 149.62 | = _ | 0.717164 | x .2 | 0.143433 | Х | 149.62 | =_ | 21.46 |
|-------|--------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: I013 - EAGLETOWN

- A. If school district's total area in square miles <u>299.892420</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>149.62</u> divided by district's total area in square mile <u>299.892420</u> = District's Areal Density <u>0.50</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 77.48 | + | 23 = | 100.48 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 34.03 | + | 133 = | 167.03 | (Cb) |
| Grades | PK3,9 -OHP | 38.11 | + | 128 = | 166.11 | (Cc) |
| | | 149.62 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 100.48 = | 0.736465 | + .85 = | 1.586465 | x 77.48 : | = 122.92 |
|----|---|----------|----------------|-----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 167.03 = | 0.730408 | + .85 = | 1.580408 | x34.03 = | = 53.78 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 166.11 = | 1.757871 | + .78 = | 2.537871 | x 38.11 = | 96.72 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 273.42 | divided by dis | trict's Raw ADM | 149.62 | |

- 1.00 = District Cost Factor

0.83

5) (District's Square Miles <u>299.892420</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.19</u>

1.83

- 6) Multiply District Cost Factor (Line 4 above) 0.83 by lessor of the Area Factor (Line 5 above) 1.19 or 1.00 = Isolation Factor 0.83
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{149.62}$ = Isolation Weight $\underline{124.18}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 124.18

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 291 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | |
|-----|---|---|----|
| ĸaw | Α | U | IV |

| 529 - | 287.96 | = | 0.455652 | x .2 | 0.091130 | Х | 287.96 | = | 26.24 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1014 - SMITHVILLE

- A. If school district's total area in square miles <u>384.180830</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>287.96</u> divided by district's total area in square mile <u>384.180830</u> = District's Areal Density <u>0.75</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 132.70 | + | 23 = | 155.70 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 69.78 | + | 133 = | 202.78 | (Cb) |
| Grades | PK3,9 -OHP | 85.48 | + | 128 = | 213.48 | (Cc) |
| | | 287.96 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 155.70 = | 0.475273 | + .85 = | 1.325273 | х | 132.70 = | 175.86 |
|----|---|----------|---------|----------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | е | | | | | |
| | 202.78 = | 0.601637 | + .85 = | 1.451637 | х | 69.78 = | 101.30 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | e | | | | | |
| | 213.48 = | 1.367810 | + .78 = | 2.147810 | х | 85.48 = | 183.59 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

287.96

0.60

5) (District's Square Miles <u>384.180830</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.80</u>

460.75

1.60

- 6) Multiply District Cost Factor (Line 4 above) 0.60 by lessor of the Area Factor (Line 5 above) 1.80 or 1.00 = Isolation Factor 0.60
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 287.96 = Isolation Weight 172.78
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 172.78

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 292 of 541

Privacy Level: Public

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 478.63 | = | 0.095217 | x .2 | 0.019043 | х _ | 478.63 | =_ | 9.11 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1039 - WRIGHT CITY

- A. If school district's total area in square miles <u>166.057030</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>478.63</u> divided by district's total area in square mile <u>166.057030</u> = District's Areal Density <u>2.88</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

478.63

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 166.057030 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{478.63}{1}$ = Isolation Weight $\frac{0.00}{1}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __9.11_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 293 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| n | | | |
|------|---|---|----|
| Raw. | Α | U | IV |

| 529 - | 249.40 | = _ | 0.528544 | x .2 | 0.105709 | Х | 249.40 | = | 26.36 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1071 - BATTIEST

- A. If school district's total area in square miles <u>397.582840</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>249.40</u> divided by district's total area in square mile <u>397.582840</u> = District's Areal Density <u>0.63</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 120.67 | + | 23 = | 143.67 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 61.52 | + | 133 = | 194.52 | (Cb) |
| Grades | PK3,9 -OHP | 67.21 | + | 128 = | 195.21 | (Cc) |
| | | 249.40 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 143.67 = | 0.515069 | + .85 = | 1.365069 | х | 120.67 = | 164.72 |
|----|---|----------|---------|----------|---|-----------|-------------------|
| | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 194.52 = | 0.627185 | + .85 = | 1.477185 | x | 61.52 = | 90.88 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | | |
| | 195.21 = | 1.495825 | + .78 = | 2.275825 | х | 67.21 = | 152.96 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

249.40

0.64

5) (District's Square Miles <u>397.582840</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.90</u>

408.56

1.64

- 6) Multiply District Cost Factor (Line 4 above) 0.64 by lessor of the Area Factor (Line 5 above) 1.90 or 1.00 = Isolation Factor 0.64
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 249.40 = Isolation Weight 159.62
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __159.62_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 294 of 541

Privacy Level: Public

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Δ | \Box | М |
|-----|---|--------|---|
| | | | |

| 529 - | 1,590.79 | = | 0.000000 | x .2 | 0.000000 | Х | 1,590.79 | = | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1074 - BROKEN BOW

- A. If school district's total area in square miles <u>214.022050</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,590.79</u> divided by district's total area in square mile <u>214.022050</u> = District's Areal Density <u>7.43</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,590.79

5) (District's Square Miles <u>214.022050</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.590.79}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 295 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 83.67 | = | 0.841834 | x .2 | 0.168367 | Х | 83.67 | =_ | 14.09 |
|-------|-------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: C003 - RYAL

- If school district's total area in square miles <u>18.055270</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>83.67</u> divided by district's total area in square mile <u>18.055270</u> = District's Areal В Density <u>4.63</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 83.67 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>18.055270</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 83.67 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.09

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 296 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 90.62 | = | 0.828696 | x .2 | 0.165739 | Х | 90.62 | _ = _ | 15.02 |
|-------|-------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: C016 - STIDHAM

- If school district's total area in square miles <u>62.708600</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 90.62 divided by district's total area in square mile 62.708600 = District's Areal В Density <u>1.45</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------|---|----------|---|-----------|-------------------|
| | | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | : | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | · | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

90.62

0.00 5) (District's Square Miles <u>62.708600</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 90.62 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 15.02

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 297 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,167.69 | = | 0.000000 | x .2 | 0.000000 | Х | 1,167.69 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: 1001 - EUFAULA

- A. If school district's total area in square miles <u>140.244630</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,167.69</u> divided by district's total area in square mile <u>140.244630</u> = District's Areal Density <u>8.33</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | | | | | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,167.69

5) (District's Square Miles <u>140.244630</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,167.69}{2}$ = Isolation Weight $\frac{0.00}{2}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 298 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,412.01 | = | 0.000000 | x .2 | 0.000000 | X | 1,412.01 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: I019 - CHECOTAH

- If school district's total area in square miles 282.720850 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,412.01 divided by district's total area in square mile 282.720850 = District's Areal В Density 4.99 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | _ | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | district's Raw ADM | | 1,412.01 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>282.720850</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.412.01 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Page 299 of 541 Report# FB107b Printed: 1/5/2022 1:11:54 PM

Privacy Level: Public

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 209.09 | = | 0.604745 | x .2 | 0.120949 | Х | 209.09 | = | 25.29 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: 1027 - MIDWAY

- A. If school district's total area in square miles <u>108.988230</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>209.09</u> divided by district's total area in square mile <u>108.988230</u> = District's Areal Density <u>1.92</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | X | 0.00 = | 0.00 |
|----|---------------------------------------|------|----------|---------|----------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from all | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

209.09

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 108.988230 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 209.09 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.29_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 300 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 79.58 | = | 0.849565 | x .2 | 0.169913 | Х | 79.58 | _ = _ | 13.52 |
|-------|-------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: 1064 - HANNA

- If school district's total area in square miles 111.923280 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>79.58</u> divided by district's total area in square mile <u>111.923280</u> = District's Areal В Density <u>0.71</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | | | | | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

79.58

0.00 5) (District's Square Miles <u>111.923280</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 79.58 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 13.52

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 301 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - 1,55 |).03 = | 0.000000 | x .2 | 0.000000 | X | 1,550.03 | = | 0.00 |
|------------|--------|----------|------|----------|---|----------------------|---|---------------------------------|
| 52 | 9 | | | | | Same Year Raw ADM | _ | Small School District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 50 - MURRAY District: 1001 - SULPHUR

- If school district's total area in square miles 144.852920 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,550.03 divided by district's total area in square mile 144.852920 = District's Areal В Density 10.70 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|------------------|----------------|-----------|-------------------|
| | | _ | · | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distr | rict's Raw ADM | 1,550.03 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>144.852920</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.550.03 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 302 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | ΔD | М |
|-------|--------------|-----|
| 1\avv | $\Delta \nu$ | IVI |

| 529 - | 1,008.18 | = | 0.000000 | x .2 | 0.000000 | Х | 1,008.18 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 50 - MURRAY District: I010 - DAVIS

- A. If school district's total area in square miles <u>229.508500</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,008.18</u> divided by district's total area in square mile <u>229.508500</u> = District's Areal Density <u>4.39</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 1,008.18 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>229.508500</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1.008.18}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 303 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | ΔD | М |
|-------|--------------|-----|
| 1\avv | $\Delta \nu$ | IVI |

| 529 - | 87.36 | = | 0.834858 | x .2 | 0.166972 | Χ | 87.36 | = | 14.59 |
|-------|-------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: C009 - WAINWRIGHT

- If school district's total area in square miles <u>55.369090</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 87.36 divided by district's total area in square mile 55.369090 = District's Areal В Density <u>1.58</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | X | 0.00 = | 0.00 |
|----|------------------------------|-----|----------|---------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | - | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 87 36 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>55.369090</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 87.36 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.59

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 304 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 744.08 | = | 0.000000 | x .2 | 0.000000 | _ x | 744.08 | = | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|---|-----------------|
| | 529 | | | • | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1002 - HASKELL

- If school district's total area in square miles 146.469430 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>744.08</u> divided by district's total area in square mile <u>146.469430</u> = District's Areal В Density <u>5.08</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.0 | 0.00 |
|----|--------------------------------|----------|----------------|-----------------|----------|---------------------|
| | | _ | | | EC-5 AD | M EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.0 | 0.00 |
| | | | | | 6-8 AD | M 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x0.0 | 0.00 |
| | | | | | 9-OHP AD | M 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | 744.0 |)8 |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>146.469430</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>744.08</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 305 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,800.28 | _ = | 0.000000 | x .2 | 0.000000 | Х | 1,800.28 | = | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1003 - FORT GIBSON

- If school district's total area in square miles <u>57.038590</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,800.28 divided by district's total area in square mile 57.038590 = District's Areal В Density 31.56.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | 850000 x | 0 | + .85 = | 0.000000 | = | 0.00 | |
|-------------------|-----------|----------|------------------|--------------|----------|-------|--|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | _ | | |
| | | | | | | above |) 122 divided by " <u>Cb</u> " from ab | 2) |
| 0.00 | 0.00 = | 850000 x | 0 | + .85 = | 0.000000 | = | 0.00 | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | | |
| | | | | | | above | 292 divided by " <u>Cc</u> " from ab | 3) |
| 0.00 | 0.00 = | 780000 x | 0 | + .78 = | 0.000000 | = | 0.00 | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | | |
| | 1,800.28 | DM | district's Raw A | divided by d | 0.00 | e | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>57.038590</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.800.28 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 306 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 286.36 | = | 0.458677 | x .2 | 0.091735 | Х _ | 286.36 | =_ | 26.27 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1006 - WEBBERS FALLS

- If school district's total area in square miles <u>89.348020</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>286.36</u> divided by district's total area in square mile <u>89.348020</u> = District's Areal В Density <u>3.20</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|-----------|---------|----------------|---|-----------|-------------------|
| | | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | : | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y disti | rict's Raw ADM | | 286.36 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>89.348020</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>286.36</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.27</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 307 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | ΔD | М |
|-------|--------------|-----|
| 1\avv | $\Delta \nu$ | IVI |

| 529 - | 701.17 | = | 0.000000 | x .2 | 0.000000 | х | 701.17 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1008 - OKTAHA

- A. If school district's total area in square miles <u>67.711700</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>701.17</u> divided by district's total area in square mile <u>67.711700</u> = District's Areal Density <u>10.36</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---|----------|---------|----------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | re | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | e | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 67.711700 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 701.17 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 308 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 5,674.47 | = | 0.000000 | x .2 | 0.000000 | Х | 5,674.47 | = | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: I020 - MUSKOGEE

- A. If school district's total area in square miles <u>133.595810</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>5,674.47</u> divided by district's total area in square mile <u>133.595810</u> = District's Areal Density <u>42.47</u>.

If school district's areal density is less than $\underline{2.49}$, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of $\underline{2.49}$, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
|----|--------------------------------|----------|---------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by di | strict's Raw ADM | 5,674.47 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>133.595810</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 5.674.47 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 309 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,818.91 | = | 0.000000 | x .2 | 0.000000 | Х _ | 1,818.91 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1029 - HILLDALE

- If school district's total area in square miles 27.340780 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,818.91 divided by district's total area in square mile 27.340780 = District's Areal В Density <u>66.53</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0 | .00 = | 0.00 |
|----|--------------------------------|----------|----------------|-----------------|---------|-------|-------------------|
| | | _ | | | EC-5 AI | MC | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0 | .00 = | 0.00 |
| | | | | | 6-8 AI | MC | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x0 | .00 = | 0.00 |
| | | | | | 9-OHP A | M | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | 1,818 | .91 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>27.340780</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.818.91 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 310 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 145.46 | = | 0.725028 | x .2 | 0.145006 | Х | 145.46 | = | 21.09 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1046 - BRAGGS

- If school district's total area in square miles __77.226770_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>145.46</u> divided by district's total area in square mile <u>77.226770</u> = District's Areal В Density <u>1.88</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|-------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | | 0.00 | divided by di | istrict's Raw ADM | | 145.46 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>77.226770</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 145.46 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.09

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 311 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | | |
|-----|---|---|----|--|
| ĸaw | Α | U | IV | |

| 529 - | 841.21 | = | 0.000000 | x .2 | 0.000000 | х | 841.21 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1074 - WARNER

- If school district's total area in square miles <u>84.171710</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>841.21</u> divided by district's total area in square mile <u>84.171710</u> = District's Areal В Density <u>9.99</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | X | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|------------------|----------------|----------|--------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | _ | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | Х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by "Cc" from above | 3) |
| 0.00 | 0.00 = | Х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 841.21 | | strict's Raw ADM | divided by dis | 0.00 | Sum 1 + 2 + 3 from above | 4) |

divided by district's Raw ADM

- 1.00 = District Cost Factor

841.21

0.00 5) (District's Square Miles <u>84.171710</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 841.21 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 312 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 460.91 | <u> </u> | 0.128715 | x .2 | 0.025743 | х | 460.91 | = | 11.87 |
|-------|--------|----------|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1088 - PORUM

- A. If school district's total area in square miles <u>101.106180</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>460.91</u> divided by district's total area in square mile <u>101.106180</u> = District's Areal Density <u>4.56</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | 2 | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | • | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

460.91

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 101.106180 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{460.91}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __11.87_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 313 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,104.72 | = | 0.000000 | x .2 | 0.000000 | X | 1,104.72 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| · | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 52 - NOBLE **District: I001 - PERRY**

- If school district's total area in square miles 199.233100 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,104.72 divided by district's total area in square mile 199.233100 = District's Areal В Density <u>5.54</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|------------------|----------------|-----------|-------------------|
| | | | · | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distr | rict's Raw ADM | 1,104.72 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>199.233100</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,104.72}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 314 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 68.98 | = | 0.869603 | x .2 | 0.173921 | х | 68.98 | =_ | 12.00 |
|-------|-------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 52 - NOBLE District: 1002 - BILLINGS

- A. If school district's total area in square miles <u>183.465060</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>68.98</u> divided by district's total area in square mile <u>183.465060</u> = District's Areal Density <u>0.38</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 29.86 | + | 23 = | 52.86 | (Ca) |
|--------|------------|-------|---|-------|--------|------|
| Grades | 6th - 8th | 13.00 | + | 133 = | 146.00 | (Cb) |
| Grades | PK3,9 -OHP | 26.12 | + | 128 = | 154.12 | (Cc) |
| | | 68.98 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 52.86 = | = 1.3999 |)24 + .8 | 5 = | 2.249924 | Χ | 29.86 = | 67.18 |
|----|---------------------------------------|----------|-----------------|------------------|----------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | | | |
| | 146.00 = | = 0.8356 | <u>516</u> + .8 | 5 = | 1.685616 | x | 13.00 = | 21.91 |
| | _ | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 154.12 = | = 1.8946 | 528 + .7 | ′8 = | 2.674628 | х | 26.12 = | 69.86 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 158 | .95 divid | ed by district's | Raw ADM | | 68.98 | |

- 1.00 = District Cost Factor

1.30

5) (District's Square Miles <u>183.465060</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.34</u>

2.30

- 6) Multiply District Cost Factor (Line 4 above) 1.30 by lessor of the Area Factor (Line 5 above) 0.34 or 1.00 = Isolation Factor 0.44
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{68.98}$ = Isolation Weight $\underline{30.49}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 30.49

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 315 of 541

Privacy Level: Public

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 365.29 | = | 0.309471 | x .2 | 0.061894 | х | 365.29 | _ = _ | 22.61 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 52 - NOBLE District: 1004 - FRONTIER

- A. If school district's total area in square miles <u>261.738460</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>365.29</u> divided by district's total area in square mile <u>261.738460</u> = District's Areal Density <u>1.40</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 175.64 | + | 23 = | 198.64 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 84.10 | + | 133 = | 217.10 | (Cb) |
| Grades | PK3,9 -OHP | 105.55 | + | 128 = | 233.55 | (Cc) |
| | | 365.29 | | | _ | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 198.64 = | 0.372533 | + .85 = | 1.222533 | x 175.64 = | 214.73 |
|----|--------------------------------|----------|----------------|-----------------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 217.10 = | 0.561953 | + .85 = | 1.411953 | x84.10 = | 118.75 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 233.55 = | 1.250268 | + .78 = | 2.030268 | x 105.55 = | 214.29 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 547.77 | divided by dis | trict's Raw ADM | 365.29 | |

- 1.00 = District Cost Factor

0.50

5) (District's Square Miles <u>261.738460</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.91</u>

1.50

- 6) Multiply District Cost Factor (Line 4 above) 0.50 by lessor of the Area Factor (Line 5 above) 0.91 or 1.00 = Isolation Factor 0.46
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 365.29 = Isolation Weight 166.21
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __166.21_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 316 of 541

Privacy Level: Public

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 598.62 | = _ | 0.000000 | x .2 | 0.000000 | Х | 598.62 | = | 0.00 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 52 - NOBLE **District: I006 - MORRISON**

- If school district's total area in square miles 146.879400 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>598.62</u> divided by district's total area in square mile <u>146.879400</u> = District's Areal В Density 4.08 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

598.62

0.00 5) (District's Square Miles <u>146.879400</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 598.62 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 317 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | ٨ | | ١./ |
|-----|---|---|-----|
| Raw | А | ט | IV |

| 529 - | 642.05 | = | 0.000000 | x .2 | 0.000000 | Х _ | 642.05 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 53 - NOWATA District: 1003 - OKLAHOMA UNION

- A. If school district's total area in square miles <u>307.759370</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>642.05</u> divided by district's total area in square mile <u>307.759370</u> = District's Areal Density <u>2.09</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 317.79 | + | 23 = | 340.79 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 124.98 | + | 133 = | 257.98 | (Cb) |
| Grades | PK3,9 -OHP | 199.28 | + | 128 = | 327.28 | (Cc) |
| | | 642.05 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 340.79 = | 0.217143 | + .85 = | 1.067143 x | 317.79 = | 339.13 |
|----|--------------------------------|----------|-----------------|----------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 257.98 = | 0.472905 | + .85 = | 1.322905 x | 124.98 = | 165.34 |
| | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 327.28 = | 0.892202 | + .78 = | 1.672202 x | 199.28 = | 333.24 |
| | | _ | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 837.71 | divided by dist | rict's Raw ADM | 642.05 | |

- 1.00 = District Cost Factor

0.30

5) (District's Square Miles <u>307.759370</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.25</u>

1.30

- 6) Multiply District Cost Factor (Line 4 above) 0.30 by lessor of the Area Factor (Line 5 above) 1.25 or 1.00 = Isolation Factor 0.30
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 642.05 = Isolation Weight 192.62
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <a href="https://example.com/en/more-rep-en/more-re

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 318 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 790.22 | = | 0.000000 | x .2 | 0.000000 | х _ | 790.22 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 53 - NOWATA District: I040 - NOWATA

- A. If school district's total area in square miles <u>197.574220</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>790.22</u> divided by district's total area in square mile <u>197.574220</u> = District's Areal Density <u>4.00</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | · · | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

790.22

5) (District's Square Miles <u>197.574220</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 790.22 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 319 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 216.66 | = | 0.590435 | x .2 | 0.118087 | Х | 216.66 | = | 25.58 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 53 - NOWATA **District: I051 - SOUTH COFFEYVILLE**

- If school district's total area in square miles <u>59.386560</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>216.66</u> divided by district's total area in square mile <u>59.386560</u> = District's Areal В Density <u>3.65</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---|----------|---------|----------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | re | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | e | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

216.66

0.00 5) (District's Square Miles <u>59.386560</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 216.66 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.58

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 320 of 541

Privacy Level: Public

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 144.61 | = | 0.726635 | x .2 | 0.145327 | Х _ | 144.61 | =_ | 21.02 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: C029 - BEARDEN

- If school district's total area in square miles __71.829140__ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>144.61</u> divided by district's total area in square mile <u>71.829140</u> = District's Areal В Density <u>2.01</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|------------|--------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | | | |
| | 0.00 = | | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ve | | | | | | |
| | 0.00 = | | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | district's Raw ADM | | 144.61 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

144.61

0.00 5) (District's Square Miles <u>71.829140</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 144.61 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.02

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 321 of 541

Privacy Level: Public

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 262.20 | = _ | 0.504348 | x .2 | 0.100870 | Х | 262.20 | = | 26.45 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: 1002 - MASON

- If school district's total area in square miles 112.527660 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>262.20</u> divided by district's total area in square mile <u>112.527660</u> = District's Areal В Density <u>2.33</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--|----------|-----------------|----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | /e | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | ve . | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dist | rict's Raw ADM | 262.20 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

262.20

5) (District's Square Miles <u>112.527660</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>262.20</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.45</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 322 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 247.82 | = _ | 0.531531 | x .2 | 0.106306 | Х | 247.82 | = | 26.34 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: I014 - PADEN

- A. If school district's total area in square miles <u>102.816760</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>247.82</u> divided by district's total area in square mile <u>102.816760</u> = District's Areal Density <u>2.41</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|-----------|---------|----------------|---|-----------|-------------------|
| | | _ | _ | | • | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | : | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y distr | rict's Raw ADM | | 247.82 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>102.816760</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 247.82 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.34_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 323 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| n | | | |
|------|---|---|----|
| Raw. | Α | U | IV |

| 529 - | 798.09 | _ = | 0.000000 | x .2 | 0.000000 | Х _ | 798.09 | =_ | 0.00 |
|-------|--------|-----|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: 1026 - OKEMAH

- If school district's total area in square miles 164.910900 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>798.09</u> divided by district's total area in square mile <u>164.910900</u> = District's Areal В Density <u>4.84</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.00 | 0.00 |
|----|--|----------|---------|----------|-----------|--------------------|
| | | | | | EC-5 ADN | M EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | /e | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 | 0.00 |
| | | | | | 6-8 ADN | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | re e | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x0.00 | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>164.910900</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>798.09</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 324 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 436.27 | = _ | 0.175293 | x .2 | 0.035059 | Х | 436.27 | = | 15.30 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: I031 - WELEETKA

- A. If school district's total area in square miles <u>147.179990</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>436.27</u> divided by district's total area in square mile <u>147.179990</u> = District's Areal Density <u>2.96</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
|----|---------------------------------------|----------|----------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ve | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | strict's Raw ADM | 436.27 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>147.17990</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 436.27 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __15.30_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 325 of 541

Privacy Level: Public

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 178.12 | = | 0.663289 | x .2 | 0.132658 | Х | 178.12 | =_ | 23.63 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: 1054 - GRAHAM-DUSTIN

- If school district's total area in square miles 137.440820 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>178.12</u> divided by district's total area in square mile <u>137.440820</u> = District's Areal В Density <u>1.30</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 81.69 | + | 23 = | 104.69 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 32.40 | + | 133 = | 165.40 | (Cb) |
| Grades | PK3,9 -OHP | 64.03 | + | 128 = | 192.03 | (Cc) |
| | | 178.12 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 104.69 = | 0.706849 | + .85 = | 1.556849 | x 81.69 | 9 = 127.18 |
|----|---|----------|---------------|------------------|-----------|--------------------|
| | | | | | EC-5 ADN | 1 EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | e | | | | |
| | 165.40 = | 0.737606 | + .85 = | 1.587606 | x 32.40 | 0 = 51.44 |
| | | | | | 6-8 ADN | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | 9 | | | | |
| | 192.03 = | 1.520596 | + .78 = | 2.300596 | x 64.03 | 3 = 147.31 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | 325.93 | divided by di | strict's Raw ADM | 178.12 | 2 |

- 1.00 = District Cost Factor

0.83

- 1.83 5) (District's Square Miles <u>137.440820</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.00</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.83 by lessor of the Area Factor (Line 5 above) 0.00 or 1.00 = Isolation Factor 0.00
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 178.12 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.63

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 326 of 541

Privacy Level: Public

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | ADI | M |
|-----|-----|---|
|-----|-----|---|

| 529 - | 650.94 | = | 0.000000 | x .2 | 0.000000 | Х | 650.94 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: C029 - OAKDALE

- If school district's total area in square miles <u>8.965300</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 650.94 divided by district's total area in square mile 8.965300 = District's Areal В Density <u>72.61</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .8! | 5 = | 0.850000 | Х | 0.00 = | | 0.00 |
|----|--------------------------------------|-----|----------|--------|--------|--------------------|---|-----------|---|------------------|
| | | | | | | | - | EC-5 ADM | | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .8! | 5 = | 0.850000 | х | 0.00 = | | 0.00 |
| | | | | | | | | 6-8 ADM | | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .7 | 8 = | 0.780000 | х | 0.00 = | | 0.00 |
| | | | | | | | | 9-OHP ADM | S | OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divide | d by d | listrict's Raw ADM | | 650.94 | | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>8.965300</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 650.94 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 327 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 302.28 | = | 0.428582 | x .2 | 0.085716 | Х | 302.28 | = | 25.91 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: C074 - CRUTCHO

- If school district's total area in square miles <u>5.552790</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 302.28 divided by district's total area in square mile 5.552790 = District's Areal В Density <u>54.44</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|-----------------|-----------------|----------|---|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | Х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | |
| | | | | | | 292 divided by " <u>Cc</u> " from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | |
| | 302.28 | | trict's Raw ADM | divided by dist | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>5.552790</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 302.28 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.91

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 328 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 320.20 | = | 0.394707 | x .2 | 0.078941 | Х | 320.20 | = | 25.28 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E001 - OKC CHARTER: INDEPENDENCE MS

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>320.20</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than $\underline{2.49}$, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of $\underline{2.49}$, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|---------|----------|----------|------------------|
| 2) | 122 divided by "Cb" from above | е | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | 2 | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x 0.00 = | 0.00 |

9-OHP ADM

9-OHP Cost Factor

+ .85 =

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 320.20

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.0000) divided by 137.0000 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 320.20 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 322.20 | = | 0.390926 | x .2 | 0.078185 | х _ | 322.20 | _ = _ | 25.19 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E002 - OKC CHARTER: SEEWORTH ACADEMY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 322.20 divided by district's total area in square mile 0 = District's Areal Density 0. В

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|---------|------------|----------|------------------|
| 2) | 122 divided by "Cb" from abov | re | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | e | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 322.20 0.00 - 1.00 = District Cost Factor

- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 322.20 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 330 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 329.78 | = | 0.376597 | x .2 | 0.075319 | Х _ | 329.78 | _ = _ | 24.84 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E003 - OKC CHARTER: HUPFELD/W VILLAGE

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>329.78</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|---------|----------|-----------|-------------------|
| 2) | 122 divided by "Cb" from above | 2 | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x = | 0.00 |
| | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

0.850000 x

+ .85 =

0.00 =

0.00

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 329.78

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 329.78 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 331 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 430.65 | = | 0.185917 | x .2 | 0.037183 | Х | 430.65 | =_ | 16.01 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E008 - OKC CHARTER: HARDING CHARTER

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>430.65</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

| | | | | | EC-3 ADIVI | EC-3 COSt Factor |
|----|---|----------|---------|------------|------------|------------------|
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |

+ .85 =

0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00

9-OHP ADM

9-OHP Cost Factor

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 430.65

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{430.65}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 364.42 | = | 0.311115 | x .2 | 0.062223 | Х _ | 364.42 | _ = _ | 22.68 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E010 - OKC CHARTER: HARDING FINE ARTS

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>364.42</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|------------------|
| 2) | 122 divided by " <u>Cb</u> " from above | | |
| | 0.00 = 0.000000 + .85 = 0.850000 x | 0.00 = | 0.00 |
| | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | |

+ .85 =

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 364.42

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{364.42}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 452.87 | = | 0.143913 | x .2 | 0.028783 | х _ | 452.87 | _ = _ | 13.03 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E012 - OKC CHARTER: KIPP REACH COLL.

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>452.87</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|---------|------------|----------|------------------|
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + 78 = | 0.780000 x | 0.00 = | 0.00 |

0.850000 x

+ .85 =

0.00 =

0.00

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 452.87

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{452.87}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 334 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 3,242.05 | = | 0.000000 | x .2 | 0.000000 | Х | 3,242.05 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E021 - OKC CHARTER SANTA FE SOUTH

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,242.05</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

3,242.05

5) (District's Square Miles <u>0</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.242.05 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 335 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,063.83 | = | 0.000000 | x .2 | 0.000000 | х | 1,063.83 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E024 - OKC CHARTER: DOVE SCIENCE ACAD

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,063.83 divided by district's total area in square mile 0 = District's Areal Density 0 В

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
|----|--------------------------------|----------|---------|------------|----------|------------------|
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |

0.850000 x

0.00 =

9-OHP ADM

0.00

9-OHP Cost Factor

0.00 = 0.000000 0.780000 x + .78 =

+ .85 =

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,063.83 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles 0 137.0000) divided by 137.0000 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.063.83 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 336 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 963.31 | = | 0.000000 | x .2 | 0.000000 | Х | 963.31 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: G004 - ASTEC CHARTERS

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>963.31</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|---------|------------|----------|------------------|
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 | | | . = | | |

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00

 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 963.31

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{963.31}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 591.19 | = | 0.000000 | x .2 | 0.000000 | Х | 591.19 | = | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: G007 - JOHN W REX CHARTER ELEMENTARY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>591.19</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|---------|------------|-----------|-------------------|
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | _ | | | 9-OHP ADM | 9-OHP Cost Factor |

0.850000 x

+ .85 =

0.00 =

0.00

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 591.19

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 591.19 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 338 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 7,558.77 | = | 0.000000 | x .2 | 0.000000 | Х | 7,558.77 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|-----------|----------|----|-----------------|
| | 529 | | | | | Same Year | | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: G008 - EPIC BLENDED LEARNING CHARTER

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>7,558.77</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

| | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|------------------|
| | | | |
| 2) | 122 divided by " <u>Cb</u> " from above | | |
| | 0.00 = 0.000000 + .85 = 0.850 | 0.00 x | = 0.00 |
| | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | |
| | | | |

0.850000 x

0.00 =

0.00

+ .85 =

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 7,558.77 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles $\underline{0}$ $\underline{137.00000}$) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 7.558.77 = Isolation Weight 0.00

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 0.00 | = <u></u> | 1.000000 | x .2 | 0.200000 | Х | 0.00 | =_ | 0.00 |
|-------|------|-----------|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: G010 - (OPEN 22-23)WK JACKSON LEAD AC

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM $\underline{0.00}$ divided by district's total area in square mile $\underline{0}$ = District's Areal Density $\underline{0}$.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|---------|------------|-----------|-------------------|
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | _ | | | 9-OHP ADM | 9-OHP Cost Factor |

0.850000 x

+ .85 =

0.00 =

0.00

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 0.00 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Δ | \Box | М |
|-----|---|--------|---|
| | | | |

| 529 - | 19,325.42 | _ = | 0.000000 | x .2 | 0.000000 | Х _ | 19,325.42 | _ = _ | 0.00 |
|-------|-----------|-----|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1001 - PUTNAM CITY

- If school district's total area in square miles <u>42.784870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 19,325,42 divided by district's total area in square mile 42,784870 = District's Areal В Density 451.69.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 19,325.42 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>42.784870</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 19.325.42 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 341 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 808.48 | = | 0.000000 | x .2 | 0.000000 | Х | 808.48 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1003 - LUTHER

- If school district's total area in square miles 132.723790 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>808.48</u> divided by district's total area in square mile <u>132.723790</u> = District's Areal В Density <u>6.09</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|-------------------|--------------|-----------|-------------------|
| | | _ | _ | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distri | ct's Raw ADM | 808.48 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

808.48

5) (District's Square Miles <u>132.723790</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 808.48 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 342 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 | 5,692.92 | = | 0.000000 | x .2 | 0.000000 | Х | 5,692.92 | _ = | 0.00 |
|-----|----------|---|----------|------|----------|---|-----------|-----|-----------------|
| _ | 529 | _ | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1004 - CHOCTAW-NICOMA PARK

- If school district's total area in square miles <u>57.987860</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>5,692.92</u> divided by district's total area in square mile <u>57.987860</u> = District's Areal В Density <u>98.17</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | | |
|-------------------|-----------|---|-----------------|----------------|----------|------------------------|---------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | | |
| | | | | | | <u>Cb</u> " from above | 2) 122 divided by " <u>Cb</u> " | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | | |
| | | | | | | <u>Cc</u> " from above | 3) 292 divided by " <u>Cc</u> " | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | | |
| | 5.692.92 | | trict's Raw ADM | divided by dis | 0.00 | rom above | 4) Sum 1 + 2 + 3 from | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>57.987860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 5.692.92 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 343 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 | 6,622.02 | _ = | 0.000000 | x .2 | 0.000000 | Х | 6,622.02 | = | 0.00 |
|-----|----------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | _ | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1006 - DEER CREEK

- A. If school district's total area in square miles __71.388240_ is greater than the state average area in square miles __137.00000, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>6,622.02</u> divided by district's total area in square mile <u>71.388240</u> = District's Areal В Density <u>92.76</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | | | | | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

6,622.02

0.00 5) (District's Square Miles <u>71.388240</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 6.622.02 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 344 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,246.64 | = _ | 0.000000 | x .2 | 0.000000 | Х | 2,246.64 | =_ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1007 - HARRAH

- If school district's total area in square miles <u>64.549770</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,246.64 divided by district's total area in square mile 64.549770 = District's Areal В

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|------------------------------|-----|----------|----------------|-----------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by dis | trict's Raw ADM | | 2 246 64 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>64.549770</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{2.246.64}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 345 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,115.30 | = | 0.000000 | x .2 | 0.000000 | х | 1,115.30 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1009 - JONES

- If school district's total area in square miles _51.597490_ is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,115.30 divided by district's total area in square mile 51.597490 = District's Areal В Density 21.62 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|------------|----------------------|---|-----------|-------------------|
| | | | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | _ | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | / district's Raw ADM | | 1,115.30 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>51.597490</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.115.30 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 346 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 25,173.23 | = | 0.000000 | x .2 | 0.000000 | Х | 25,173.23 | = | 0.00 |
|-------|-----------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: I012 - EDMOND

- If school district's total area in square miles 128.842520 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>25,173.23</u> divided by district's total area in square mile <u>128.842520</u> = District's Areal В Density 195.38.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|------------------|---------------|-----------|-------------------|
| _ | | _ | • | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| _ | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distr | ict's Raw ADM | 25,173.23 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>128.842520</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>25,173.23</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 347 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Α | D | М |
|-----|---|---|---|
| | | | |

| 529 - | 981.10 | _ = | 0.000000 | x .2 | 0.000000 | Х | 981.10 | =_ | 0.00 |
|-------|--------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | _ | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1037 - MILLWOOD

- If school district's total area in square miles <u>9.079680</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>981.10</u> divided by district's total area in square mile <u>9.079680</u> = District's Areal В Density 108.05.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------|----------|----------------|-----------------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | - | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | | 981.10 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>9.079680</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>981.10</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 348 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 3,337.15 | _ = | 0.000000 | X | .2 | 0.000000 | Х | 3,337.15 | = | 0.00 |
|-------|----------|-----|----------|---|----|----------|---|-----------|---|-----------------|
| | 529 | | | | | | | Same Year | | Small School |
| | | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1041 - WESTERN HEIGHTS

- If school district's total area in square miles <u>25.785320</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,337.15 divided by district's total area in square mile 25.785320 = District's Areal В Density 129.42 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|-----------------|----------------|----------|--------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | _ | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | |
| | | | | | | 292 divided by "Cc" from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | |
| | 3 337 15 | | trict's Raw ADM | divided by dis | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>25.785320</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.337.15 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 349 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N A | |
|-----|---|--------|-----|--|
| Kaw | А | ט | IVI | |

| 529 - | 14,037.17 | = | 0.000000 | x .2 | 0.000000 | Χ | 14,037.17 | _ = _ | 0.00 |
|-------|-----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1052 - MIDWEST CITY-DEL CITY

- If school district's total area in square miles _70.375760_ is greater than the state average area in square miles _137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 14,037.17 divided by district's total area in square mile 70.375760 = District's Areal В

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|---|----------|----------------|------------------|---|-----------|-------------------|
| | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ve | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | ve | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | strict's Raw ADM | | 14,037.17 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>70.375760</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 14,037.17 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 350 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Δ | \Box | М |
|-----|---|--------|---|
| | | | |

| 529 - | 1,183.57 | = | 0.000000 | x .2 | 0.000000 | Х | 1,183.57 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1053 - CROOKED OAK

- If school district's total area in square miles <u>4.418570</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,183.57 divided by district's total area in square mile 4.418570 = District's Areal В Density <u>267.86</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|-----------|--------|----------------|---|-----------|-------------------|
| | | _ | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y dist | rict's Raw ADM | | 1,183.57 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>4.418570</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,183.57}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 351 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,701.56 | = | 0.000000 | x .2 | 0.000000 | Х | 1,701.56 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | · | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1088 - BETHANY

- If school district's total area in square miles <u>0.713490</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,701.56 divided by district's total area in square mile 0.713490 = District's Areal В Density 2384.84 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|------------------|----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by disti | rict's Raw ADM | 1,701.56 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>0.713490</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,701.56}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 352 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 36,979.12 | = _ | 0.000000 | x .2 | 0.000000 | Х | 36,979.12 | _ = _ | 0.00 |
|-------|-----------|-----|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1089 - OKLAHOMA CITY

- A. If school district's total area in square miles <u>134.215150</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>36,979.12</u> divided by district's total area in square mile <u>134.215150</u> = District's Areal Density <u>275.52</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | X | 0.00 = | 0.00 |
|----|--|----------|----------------|------------------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abou | ve | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | /e | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | strict's Raw ADM | | 36 979 12 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>134.215150</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 36.979.12 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 353 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 117.36 | =_ | 0.778147 | x .2 | 0.155629 | Х | 117.36 | =_ | 18.26 |
|-------|--------|----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: J001 - OKLAHOMA YOUTH ACADEMY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>117.36</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|---------|------------|-----------|-------------------|
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | · · | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

0.850000 x

+ .85 =

0.00 =

0.00

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 117.36

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{117.36}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 354 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 30.88 | = | 0.941626 | x .2 | 0.188325 | Х | 30.88 | = | 5.82 |
|-------|-------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: J002 - ACADEMY OF SEMINOLE CHARTER

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 30.88 divided by district's total area in square mile 0 = District's Areal Density 0. В

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | : | 0.000000 | + .85 | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|----------|----------|---------|---------|-----------------|---|-----------|-------------------|
| | | <u> </u> | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 = | = | 0.000000 | + .85 | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 = | = | 0.000000 | + .78 | = | 0.780000 | х | 0.00 = | 0.00 |
| | | | _ | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided | by dist | trict's Raw ADM | | 30.88 | |

- 1.00 = District Cost Factor

5) (District's Square Miles 0 - 137.00000) divided by 137.00000 =Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 30.88 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 127.72 | = | 0.758563 | x .2 | 0.151713 | Х | 127.72 | =_ | 19.38 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: J003 - LE MONDE INTERNATIONAL SCHOOL

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>127.72</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than $\underline{2.49}$, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of $\underline{2.49}$, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|---------|------------|----------|------------------|
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 | 0.000000 | . 70 | 0.700000 | 0.00 | 0.00 |

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00

 9-OHP ADM 9-OHP Cost Factor
- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 127.72 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{127.72}{1}$ = Isolation Weight $\frac{0.00}{1}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 356 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: Z001 - EPIC ONE ON ONE CHARTER SCHOOL

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>13,159.32</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = | 0.000000 | + .85 | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|---------|--------|------------------|---|-----------|-------------------|
| | | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 | = | 0.000000 | + .85 | = | 0.850000 | х | 0.00 = | 0.00 |
| | _ | | _ | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 | = | 0.000000 | + .78 | = | 0.780000 | х | 0.00 = | 0.00 |
| | _ | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided | by dis | strict's Raw ADM | | 13,159.32 | |

- 1.00 = District Cost Factor

0

5) (District's Square Miles 0 - 137.00000) divided by 137.00000 =Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 13,159.32 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 357 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,639.07 | = | 0.000000 | x .2 | 0.000000 | Х | 2,639.07 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: Z002 - OKLAHOMA VIRTUAL CHARTER ACAD

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,639.07 divided by district's total area in square mile 0 = District's Areal Density 0 В

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|----------|------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,639.07 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.639.07 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,226.26 | = | 0.000000 | x .2 | 0.000000 | Х | 1,226.26 | = | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: Z003 - OKLAHOMA CONNECTIONS ACADEMY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 1,226.26 divided by district's total area in square mile 0 = District's Areal Density 0

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|---------|------------|----------|------------------|
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + 78 = | 0.780000 x | 0.00 = | 0.00 |

0.850000 x

+ .85 =

0.00 =

0.00

- 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,226.26

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles $\underline{0}$ $\underline{137.00000}$) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1,226.26 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 359 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 614.95 | = | 0.000000 | x .2 | 0.000000 | х | 614.95 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: Z004 - INSIGHT SCHOOL OF OKLAHOMA

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>614.95</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|--------------|---------|------------|-----------|-------------------|
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | _ | . | | _ | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | · | | 9-OHP ADM | 9-OHP Cost Factor |

0.850000 x

+ .85 =

0.00 =

0.00

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 614.95

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{614.95}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 360 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 317.89 | = | 0.399074 | x .2 | 0.079815 | Х | 317.89 | _ = _ | 25.37 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: C011 - TWIN HILLS

- If school district's total area in square miles <u>94.254360</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>317.89</u> divided by district's total area in square mile <u>94.254360</u> = District's Areal В Density <u>3.37</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 | = 0.00 |
|----|---|----------|---------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ve | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.00 | = 0.00 |
| | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | ve | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x 0.00 | = 0.00 |
| | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by di | strict's Raw ADM | 317.89 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>94.254360</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 317.89 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.37

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 361 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,263.08 | = | 0.000000 | Х | .2 | 0.000000 | Х | 1,263.08 | = | 0.00 |
|-------|----------|---|----------|---|----|--------------|---|-----------|---|-----------------|
| | 529 | | | | | | | Same Year | | Small School |
| | | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

- If school district's total area in square miles __77.053190_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,263.08 divided by district's total area in square mile 77.053190 = District's Areal В Density 16.39.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
|----|--------------------------------|----------|---------|----------|---------|--------|-------------------|
| | | _ | | | EC-5 A | .DM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | 6-8 A | .DM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | 9-OHP A | DM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,263.08

0.00 5) (District's Square Miles <u>77.053190</u> - <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1,263.08}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 362 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,196.49 | = | 0.000000 | x .2 | 0.000000 | Х | 1,196.49 | = | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1002 - HENRYETTA

- A. If school district's total area in square miles <u>48.260170</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 1,196.49 divided by district's total area in square mile 48.260170 = District's Areal Density 24.79.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--|----------|---------|----------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | ve . | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | /e | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | Х | 0.00 = | 0.00 |
| | _ | | | | | 9-OHP ADM | 9-OHP Cost Factor |

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,196.49

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 48.260170 137.00000) divided by 137.00000 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,196.49}{1.196.49}$ = Isolation Weight $\frac{0.00}{1.196.49}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 363 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N A | |
|-----|---|--------|-----|--|
| Kaw | А | ט | IVI | |

| 529 - | 998.61 | = | 0.000000 | x .2 | 0.000000 | х _ | 998.61 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1003 - MORRIS

- If school district's total area in square miles 138.495540 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 998.61 divided by district's total area in square mile 138.495540 = District's Areal В Density <u>7.21</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>138.495540</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 998.61 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 364 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Δ | \Box | М |
|-----|---|--------|---|
| | | | |

| 529 - | 1,053.42 | = | 0.000000 | x .2 | 0.000000 | Х | 1,053.42 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1004 - BEGGS

- If school district's total area in square miles 170.447950 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,053.42 divided by district's total area in square mile 170.447950 = District's Areal В Density <u>6.18</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,053.42

- 0.00 5) (District's Square Miles <u>170.447950</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.053.42 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 365 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | | |
|-----|---|---|----|--|
| Kaw | Α | U | IV | |

| 529 - | 550.54 | = | 0.000000 | x .2 | 0.000000 | Х | 550.54 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1005 - PRESTON

- If school district's total area in square miles 39.127690 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>550.54</u> divided by district's total area in square mile <u>39.127690</u> = District's Areal В Density 14.07.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|---------------|------------------|---|-----------|-------------------|
| | - | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | | 0.00 | divided by di | strict's Raw ADM | | 550.54 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>39.127690</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>550.54</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 366 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 138.75 | = | 0.737713 | x .2 | 0.147543 | Х | 138.75 | = | 20.47 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1006 - SCHULTER

- If school district's total area in square miles <u>26.434790</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>138.75</u> divided by district's total area in square mile <u>26.434790</u> = District's Areal В Density <u>5.25</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | _ | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | | 0.00 | divided by di | strict's Raw ADM | | 138.75 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>26.434790</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 138.75 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.47

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 367 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 237.92 | = | 0.550246 | x .2 | 0.110049 | Х | 237.92 | = | 26.18 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1007 - WILSON

- If school district's total area in square miles <u>36.577990</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>237.92</u> divided by district's total area in square mile <u>36.577990</u> = District's Areal В Density <u>6.50</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|------------------------------|-----|----------|----------------|-----------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by dis | trict's Raw ADM | | 237 92 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>36.577990</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 237.92 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.18

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 368 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 437.37 | = | 0.173214 | x .2 | 0.034643 | Х | 437.37 | =_ | 15.15 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1008 - DEWAR

- If school district's total area in square miles 33.975510 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>437.37</u> divided by district's total area in square mile <u>33.975510</u> = District's Areal В Density 12.87.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---|----------|---------|----------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | e | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | e | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | · · · · · · · · · · · · · · · · · · · | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

437.37

0.00 5) (District's Square Miles <u>33.975510</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 437.37 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 15.15

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 369 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 170.32 | = _ | 0.678034 | x .2 | 0.135607 | Х | 170.32 | _ = _ | 23.10 |
|-------|--------|-----|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: C003 - OSAGE HILLS**

- If school district's total area in square miles 23.621330 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>170.32</u> divided by district's total area in square mile <u>23.621330</u> = District's Areal В

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | x | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 170.32 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>23.621330</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 170.32 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.10

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 370 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N A | |
|-----|---|--------|-----|--|
| Kaw | А | ט | IVI | |

| 529 - | 64.06 | = | 0.878904 | x .2 | 0.175781 | Х | 64.06 | =_ | 11.26 |
|-------|-------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE District: C007 - BOWRING

- A. If school district's total area in square miles <u>278.764150</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>64.06</u> divided by district's total area in square mile <u>278.764150</u> = District's Areal Density <u>0.23</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 40.69 | + | 23 = | 63.69 | (Ca) |
|--------|------------|-------|---|-------|--------|------|
| Grades | 6th - 8th | 23.37 | + | 133 = | 156.37 | (Cb) |
| Grades | PK3,9 -OHP | 0.00 | + | 128 = | 0.00 | (Cc) |
| | | 64.06 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 63.69 | = _ | 1.161878 | + .85 = | 2.011878 | Χ | 40.69 = | 81.86 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 156.37 | = _ | 0.780201 | + .85 = | 1.630201 | х | 23.37 = | 38.10 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.000000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 119.96 | divided by di | strict's Raw ADM | | 64.06 | |

- 1.00 = District Cost Factor

0.87

5) (District's Square Miles <u>278.764150</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.03</u>

1.87

- 6) Multiply District Cost Factor (Line 4 above) 0.87 by lessor of the Area Factor (Line 5 above) 1.03 or 1.00 = Isolation Factor 0.87
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{64.06}$ = Isolation Weight $\underline{55.73}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __55.73_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 371 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 89.12 | = | 0.831531 | x .2 | 0.166306 | Х | 89.12 | = | 14.82 |
|-------|-------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: C035 - AVANT**

- If school district's total area in square miles __71.307990_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 89.12 divided by district's total area in square mile 71.307990 = District's Areal В Density <u>1.25</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|-------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | | 0.00 | divided by di | istrict's Raw ADM | | 89.12 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>71.307990</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 89.12 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.82

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 372 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N A | |
|-----|---|--------|-----|--|
| Kaw | А | ט | IVI | |

| 529 - | 324.26 | = | 0.387032 | x .2 | 0.077406 | Х | 324.26 | _ = _ | 25.10 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: C052 - ANDERSON**

- If school district's total area in square miles 31.400850 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>324.26</u> divided by district's total area in square mile <u>31.400850</u> = District's Areal В Density 10.33.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------|----------|----------------|------------------|---|-----------|-------------------|
| | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | strict's Raw ADM | | 324.26 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>31.400850</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 324.26 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.10</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 373 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| n | | | |
|-----|---|---|----|
| ĸaw | Α | U | IV |

| 529 - | 328.31 | = | 0.379376 | x .2 | 0.075875 | Х | 328.31 | =_ | 24.91 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: C077 - MCCORD**

- If school district's total area in square miles <u>14.846950</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>328.31</u> divided by district's total area in square mile <u>14.846950</u> = District's Areal В Density 22.11.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|------------------------------|-----|----------|--------------|-------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by d | istrict's Raw ADM | | 328.31 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>14.846950</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 328.31 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.91

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 374 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 681.78 | _ = _ | 0.000000 | x .2 | 0.000000 | x | 681.78 | _ = _ | 0.00 |
|-------|--------|-------|----------|------|----------|---|-----------|-------|-----------------|
| • | 529 | | | · | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE District: 1002 - PAWHUSKA

- A. If school district's total area in square miles <u>328.814840</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>681.78</u> divided by district's total area in square mile <u>328.814840</u> = District's Areal Density <u>2.07</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 326.82 | + | 23 = | 349.82 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 171.39 | + | 133 = | 304.39 | (Cb) |
| Grades | PK3,9 -OHP | 183.57 | + | 128 = | 311.57 | (Cc) |
| | | 681.78 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 349.82 | = | 0.211537 | + .85 = | 1.061537 | Х | 326.82 = | 346.93 |
|----|---------------------------------------|-----|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | |
| | 304.39 | = _ | 0.400802 | + .85 = | 1.250802 | х | 171.39 = | 214.37 |
| | - | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 311.57 | = _ | 0.937189 | + .78 = | 1.717189 | х | 183.57 = | 315.22 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 876.52 | divided by c | listrict's Raw ADM | | 681.78 | |

- 1.00 = District Cost Factor

0.29

5) (District's Square Miles <u>328.814840</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.40</u>

1.29

- 6) Multiply District Cost Factor (Line 4 above) 0.29 by lessor of the Area Factor (Line 5 above) 1.40 or 1.00 = Isolation Factor 0.29
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 681.78 = Isolation Weight 197.72
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __197.72_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 375 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | |
|-----|---|---|----|
| ĸaw | Α | U | IV |

| 529 - | 232.71 | = | 0.560095 | x .2 | 0.112019 | x | 232.71 | _ = _ | 26.07 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE District: I011 - SHIDLER

- A. If school district's total area in square miles <u>409.729200</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>232.71</u> divided by district's total area in square mile <u>409.729200</u> = District's Areal Density <u>0.57</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 111.37 | + | 23 = | 134.37 | (Ca) |
|--------|------------|--------|---|-------|--------------|------|
| Grades | 6th - 8th | 55.70 | + | 133 = | 188.70 | (Cb) |
| Grades | PK3,9 -OHP | 65.64 | + | 128 = | 193.64 | (Cc) |
| | | 232.71 | | | - | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 134.37 = | 0.550718 | + .85 = | 1.400718 | x 111.37 = | 156.00 |
|----|---|----------|----------------|------------------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | e | | | | |
| | 188.70 = | 0.646529 | + .85 = | 1.496529 | x 55.70 = | 83.36 |
| | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | 2 | | | | |
| | 193.64 = | 1.507953 | + .78 = | 2.287953 | x 65.64 = | 150.18 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | 389.54 | divided by dis | strict's Raw ADM | 232.71 | |

- 1.00 = District Cost Factor

0.67

5) (District's Square Miles <u>409.729200</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.99</u>

1.67

- 6) Multiply District Cost Factor (Line 4 above) 0.67 by lessor of the Area Factor (Line 5 above) 1.99 or 1.00 = Isolation Factor 0.67
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 232.71 = Isolation Weight 155.92
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __155.92_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 376 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 421.60 | = | 0.203025 | x .2 | 0.040605 | Х | 421.60 | _ = _ | 17.12 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: I029 - BARNSDALL**

- If school district's total area in square miles <u>149.146970</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>421.60</u> divided by district's total area in square mile <u>149.146970</u> = District's Areal В Density <u>2.83</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------|----------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | _ | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

- 0.00 divided by district's Raw ADM 421.60 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>149.146970</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{421.60}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.12

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | ٨ | | ١./ |
|-----|---|---|-----|
| Raw | А | ט | IV |

| 529 - | 107.05 | = | 0.797637 | x .2 | 0.159527 | Х | 107.05 | _ = _ | 17.08 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: I030 - WYNONA**

- If school district's total area in square miles <u>92.780870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 107.05 divided by district's total area in square mile 92.780870 = District's Areal В Density <u>1.15</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | oove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 107.05 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>92.780870</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 107.05 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.08

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 378 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N A | |
|-----|---|--------|-----|--|
| Kaw | А | ט | IVI | |

| 529 - | 570.64 | = | 0.000000 | x .2 | 0.000000 | Х _ | 570.64 | = | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|---|-----------------|
| _ | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: I038 - HOMINY**

- If school district's total area in square miles 227.598000 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>570.64</u> divided by district's total area in square mile <u>227.598000</u> = District's Areal В Density <u>2.51</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 | 0.00 |
|----|--------------------------------|----------|----------------|-----------------|-----------|--------------------|
| | | | | | EC-5 ADN | 1 EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 | 0.00 |
| | | | | | 6-8 ADN | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x0.00 | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | 570.64 | 1 |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>227.598000</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 570.64 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 379 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 295.23 | = _ | 0.441909 | x .2 | 0.088382 | Х | 295.23 | = | 26.09 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE District: 1050 - PRUE

- A. If school district's total area in square miles <u>111.428030</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>295.23</u> divided by district's total area in square mile <u>111.428030</u> = District's Areal Density <u>2.65</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|------------------|---------------|-----------|-------------------|
| | | _ | - | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | _ | _ | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distr | ict's Raw ADM | 295.23 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>111.428030</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 295.23 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.09_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 380 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 429.38 | = | 0.188318 | x .2 | 0.037664 | х _ | 429.38 | =_ | 16.17 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE District: 1090 - WOODLAND

- A. If school district's total area in square miles <u>350.392350</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>429.38</u> divided by district's total area in square mile <u>350.392350</u> = District's Areal Density <u>1.23</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 224.53 | + | 23 = | 247.53 | (Ca) |
|--------|------------|--------|---|-------|--------------|------|
| Grades | 6th - 8th | 98.49 | + | 133 = | 231.49 | (Cb) |
| Grades | PK3,9 -OHP | 106.36 | + | 128 = | 234.36 | (Cc) |
| | | 429.38 | | | - | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 247.53 = | 0.298954 | + .85 = | 1.148954 | x 224.5 | 3 = | 257.97 |
|----|---|----------|----------------|-----------------|-----------|----------|-------------------|
| | | | | | EC-5 ADI | М | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | | |
| | 231.49 = | 0.527021 | + .85 = | 1.377021 | x 98.4 | 19 = | 135.62 |
| | | | | | 6-8 ADI | М | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | | |
| | 234.36 = | 1.245946 | + .78 = | 2.025946 | x 106.3 | <u> </u> | 215.48 |
| | | | | | 9-OHP ADI | M | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 609.07 | divided by dis | trict's Raw ADM | 429.3 | 88 | |

- 1.00 = District Cost Factor

0.42

5) (District's Square Miles <u>350.392350</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.56</u>

1.42

- 6) Multiply District Cost Factor (Line 4 above) 0.42 by lessor of the Area Factor (Line 5 above) 1.56 or 1.00 = Isolation Factor 0.42
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{429.38}{1000}$ = Isolation Weight $\frac{180.34}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __180.34_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 381 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 110.66 | = | 0.790813 | x .2 | 0.158163 | Х | 110.66 | = | 17.50 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA **District: C010 - TURKEY FORD**

- If school district's total area in square miles 36.260710 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>110.66</u> divided by district's total area in square mile <u>36.260710</u> = District's Areal В Density <u>3.05</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|--------------|-------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | · | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | · | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by d | istrict's Raw ADM | | 110.66 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>36.260710</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{110.66}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.50

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 382 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 807.34 | = | 0.000000 | x .2 | 0.000000 | Х | 807.34 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA District: I001 - WYANDOTTE

- A. If school district's total area in square miles <u>111.721680</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>807.34</u> divided by district's total area in square mile <u>111.721680</u> = District's Areal Density <u>7.23</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .8. | 5 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|--------|---------|--------------------|---|-----------|-------------------|
| | | | | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .8: | 5 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .7 | 8 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divide | ed by d | listrict's Raw ADM | | 807.34 | |

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>111.721680</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 807.34 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 383 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 600.09 | = | 0.000000 | x .2 | 0.000000 | Х | 600.09 | = | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | _ | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA District: I014 - QUAPAW

- A. If school district's total area in square miles <u>76.814900</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 600.09 divided by district's total area in square mile 76.814900 = District's Areal Density 7.81.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

600.09

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 76.814900 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 600.09 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 384 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 888.31 | = _ | 0.000000 | x .2 | 0.000000 | Х | 888.31 | = | 0.00 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA **District: I018 - COMMERCE**

- If school district's total area in square miles <u>57.010700</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>888.31</u> divided by district's total area in square mile <u>57.010700</u> = District's Areal В Density 15.58.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|-----------|--------|----------------|---|-----------|-------------------|
| | | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | : | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y dist | rict's Raw ADM | | 888.31 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>57.010700</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 888.31 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 385 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,236.61 | = | 0.000000 | x .2 | 0.000000 | Х | 2,236.61 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA District: I023 - MIAMI

- If school district's total area in square miles <u>78.080620</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,236.61 divided by district's total area in square mile 78.080620 = District's Areal В Density <u>28.64</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---|----------|---------|----------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | e | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | _ | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | е | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,236.61

0.00 5) (District's Square Miles <u>78.080620</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2,236.61</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 386 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 508.04 | = | 0.039622 | x .2 | 0.007924 | x | 508.04 | =_ | 4.03 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA District: I026 - AFTON

- A. If school district's total area in square miles <u>105.864280</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>508.04</u> divided by district's total area in square mile <u>105.864280</u> = District's Areal Density <u>4.80</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------|----------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | _ | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 508.04

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>105.864280</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 508.04 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 4.03

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 387 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 645.22 | = | 0.000000 | x .2 | 0.000000 | Х | 645.22 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA District: I031 - FAIRLAND

- If school district's total area in square miles <u>72.745990</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 645.22 divided by district's total area in square mile 72.745990 = District's Areal В Density <u>8.87</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|-----------------|-----------------|----------|---|----|
| EC-5 Cost Factor | EC-5 ADM | | | | _ | | |
| | | | | | | 122 divided by " <u>Cb</u> " from above | 2) |
| 0.00 | 0.00 = | X | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | |
| | | | | | | 292 divided by " <u>Cc</u> " from above | 3) |
| 0.00 | 0.00 = | Х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 645.22 | | trict's Raw ADM | divided by dist | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>72.745990</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 645.22 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 388 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 209.52 | = | 0.603932 | x .2 | 0.120786 | Х _ | 209.52 | =_ | 25.31 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 59 - PAWNEE District: C002 - JENNINGS

- If school district's total area in square miles <u>26.071300</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>209.52</u> divided by district's total area in square mile <u>26.071300</u> = District's Areal В Density <u>8.04</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 00 = | 0.00 | |
|-------------------|-----------|---|-----------------|----------------|----------|---------|-------------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | | |
| | | | | | | m above | 122 divided by " <u>Cb</u> " from a | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 00 = | 0.00 | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | | |
| | | | | | | m above | 292 divided by " <u>Cc</u> " from a | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 00 = | 0.00 | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | | |
| | 209.52 | | trict's Raw ADM | divided by dis | 0.00 | ove | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>26.071300</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 209.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.31

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 389 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw ADN | | |
|---------|--|--|
| | | |
| | | |

| 529 - | 671.18 | = | 0.000000 | x .2 | 0.000000 | _ x | 671.18 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 59 - PAWNEE District: I001 - PAWNEE

- A. If school district's total area in square miles <u>291.478540</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 671.18 divided by district's total area in square mile 291.478540 = District's Areal Density 2.30.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 339.63 | + | 23 = | 362.63 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 148.63 | + | 133 = | 281.63 | (Cb) |
| Grades | PK3,9 -OHP | 182.92 | + | 128 = | 310.92 | (Cc) |
| | | 671.18 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 362.63 = | 0.204065 | + .85 = | 1.054065 | x 339.63 = | = 357.99 |
|----|---|----------|----------------|------------------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | е | | | | |
| | 281.63 = | 0.433192 | + .85 = | 1.283192 | x148.63 = | = 190.72 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | 9 | | | | |
| | 310.92 = | 0.939148 | + .78 = | 1.719148 | x182.92 = | 314.47 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 863.18 | divided by dis | strict's Raw ADM | 671.18 | |

- 1.00 = District Cost Factor

0.29

5) (District's Square Miles <u>291.478540</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.13</u>

1.29

- 6) Multiply District Cost Factor (Line 4 above) 0.29 by lessor of the Area Factor (Line 5 above) 1.13 or 1.00 = Isolation Factor 0.29
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 671.18 = Isolation Weight 194.64
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <a href="https://example.com/en/more-rep-en/more-re

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 390 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,647.17 | = | 0.000000 | Х | .2 | 0.000000 | Х | 1,647.17 | = | 0.00 |
|-------|----------|---|----------|---|----|----------|---|-----------|---|-----------------|
| | 529 | _ | _ | | | | | Same Year | | Small School |
| | | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 59 - PAWNEE District: I006 - CLEVELAND

- If school district's total area in square miles 182.067710 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,647.17 divided by district's total area in square mile 182.067710 = District's Areal В Density <u>9.05</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | | | | | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,647.17

0.00 5) (District's Square Miles <u>182.067710</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.647.17}{1.000}$ = Isolation Weight $\frac{0.00}{1.000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 391 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 169.25 | = | 0.680057 | x .2 | 0.136011 | Х | 169.25 | = | 23.02 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE **District: C104 - OAK GROVE**

- If school district's total area in square miles 12.551830 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>169.25</u> divided by district's total area in square mile <u>12.551830</u> = District's Areal В Density 13.48.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by o | district's Raw ADM | | 169.25 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>12.551830</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{169.25}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.02

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 392 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 454.79 | = | 0.140284 | x .2 | 0.028057 | Х | 454.79 | = | 12.76 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE **District: 1003 - RIPLEY**

- If school district's total area in square miles <u>84.197350</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>454.79</u> divided by district's total area in square mile <u>84.197350</u> = District's Areal В Density <u>5.40</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | X | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|---------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 151 79 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>84.197350</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{454.79}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 12.76

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 393 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | ΔD | М |
|-------|--------------|-----|
| 1\avv | $\Delta \nu$ | IVI |

| 529 - | 6,320.75 | = _ | 0.000000 | x .2 | 0.000000 | х | 6,320.75 | =_ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE District: I016 - STILLWATER

- A. If school district's total area in square miles <u>123.505370</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>6,320.75</u> divided by district's total area in square mile <u>123.505370</u> = District's Areal Density <u>51.18</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | | | | | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

6,320.75

5) (District's Square Miles <u>123.505370</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{6.320.75}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 394 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw ADN | | |
|---------|--|--|
| | | |
| | | |

| 529 | 1,535.86 | = | 0.000000 | x .2 | 0.000000 | Х | 1,535.86 | =_ | 0.00 |
|-----|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE District: I056 - PERKINS-TRYON

- A. If school district's total area in square miles <u>186.323240</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,535.86</u> divided by district's total area in square mile <u>186.323240</u> = District's Areal Density <u>8.24</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = |).850000 x | 0. | + .85 = | 000000 | | 0.00 = | |
|-------------------|-----------|------------|-------------------|--------------|--------|---|---|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | | |
| | | | | | | е | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = |).850000 x | 0. | + .85 = | 000000 | | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | | |
| | | | | | | e | 292 divided by " <u>Cc</u> " from above | 3) |
| 0.00 | 0.00 = |).780000 x | 0. | + .78 = | 000000 | | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | | |
| | 1,535.86 | ADM | district's Raw Al | divided by o | 0.00 | | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>186.323240</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1.535.86}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 395 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,815.62 | = _ | 0.000000 | x .2 | 0.000000 | Х | 1,815.62 | = | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE **District: 1067 - CUSHING**

- If school district's total area in square miles <u>84.394390</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,815.62 divided by district's total area in square mile 84.394390 = District's Areal В Density 21.51.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | = 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---------------------------------------|------------|---------|------------|-----------|-------------------|
| | <u> </u> | - | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | bove | | | | |
| | 0.00 = | = 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | pove | | | | |
| | 0.00 = | = 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,815.62

0.00 5) (District's Square Miles <u>84.394390</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.815.62 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 396 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 358.63 | = | 0.322060 | Х | .2 | 0.064412 | X | 358.63 | = | 23.10 |
|-------|--------|---|----------|---|----|----------|---|-----------|---|-----------------|
| | 529 | | | | | | | Same Year | | Small School |
| | | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE **District: I101 - GLENCOE**

- If school district's total area in square miles <u>89.371830</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>358.63</u> divided by district's total area in square mile <u>89.371830</u> = District's Areal В Density <u>4.01</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | = 0.000000 | - 28. + | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|------------|-----------|----------|---|-----------|-------------------|
| | _ | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | oove | | | | | |
| | 0.00 = | = 0.000000 |) + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | oove | | | | | |
| | 0.00 = | = 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | _ | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

358.63

0.00 - 1.00 = District Cost Factor 5) (District's Square Miles <u>89.371830</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>358.63</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.10

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 397 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 417.21 | = | 0.211323 | x .2 | 0.042265 | х _ | 417.21 | _ = _ | 17.63 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE District: I103 - YALE

- If school district's total area in square miles 130.722660 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>417.21</u> divided by district's total area in square mile <u>130.722660</u> = District's Areal В Density <u>3.19</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|----------|------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abov | e | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | е | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 417.21 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>130.722660</u> <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 417.21 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.63

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 398 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 439.87 | = | 0.168488 | x .2 | 0.033698 | Χ | 439.87 | _ = _ | 14.82 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: C009 - KREBS

- If school district's total area in square miles 12.883300 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>439.87</u> divided by district's total area in square mile <u>12.883300</u> = District's Areal В Density 34.14.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|----------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | |
| | 0.00 = | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 0.00 = | = _ | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by dis | strict's Raw ADM | | /139.87 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>12.883300</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 439.87 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.82

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 399 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 426.56 | = | 0.193648 | x .2 | 0.038730 | Х | 426.56 | = | 16.52 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: C029 - FRINK-CHAMBERS

- If school district's total area in square miles <u>25.418940</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>426.56</u> divided by district's total area in square mile <u>25.418940</u> = District's Areal В Density 16.78.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = _ | 0.000000 | + .8 | 5 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|--------|-------|--------------------|---|-----------|-------------------|
| | | | _ | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 = | · _ | 0.000000 | + .8 | 5 = | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 = | · _ | 0.000000 | + .7 | 8 = | 0.780000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divide | ed by | district's Raw ADM | | 426.56 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

426.56

0.00 5) (District's Square Miles <u>25.418940</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{426.56}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.52

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 400 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 147.72 | = | 0.720756 | x .2 | 0.144151 | X | 147.72 | = | 21.29 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: C056 - TANNEHILL

- A. If school district's total area in square miles <u>59.305970</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>147.72</u> divided by district's total area in square mile <u>59.305970</u> = District's Areal Density <u>2.49</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| 0.00 | 0.00 | 0.000000 // | 00 | 0.00000 | 0.00 | |
|-------------------|-----------|-------------|---------|----------|---|----|
| EC-5 Cost Factor | EC-5 ADM | | _ | | | |
| | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | 0.850000 x | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | |
| | | | | | 292 divided by " <u>Cc</u> " from above | 3) |
| 0.00 | 0.00 = | 0.780000 x | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | |

divided by district's Raw ADM

0.850000 x

0.00 =

147.72

0.00

+ .85 =

= 0.00 - 1.00 = District Cost Factor

0.00

5) (District's Square Miles <u>59.305970</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{147.72}{1}$ = Isolation Weight $\frac{0.00}{1}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __21.29_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 401 of 541 Privacy Level: Public

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | ДΓ | ٦M | ı |
|-----|----|----|---|
| | | | |

| 529 - | 120.46 | = _ | 0.772287 | x .2 | 0.154457 | Х | 120.46 | = | 18.61 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | _ | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: C088 - HAYWOOD

- If school district's total area in square miles __95.201330_ is greater than the state average area in square miles _137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>120.46</u> divided by district's total area in square mile <u>95.201330</u> = District's Areal В Density <u>1.27</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | · _ | 0.000000 | + .85 | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|--------|------|--------------------|---|-----------|-------------------|
| | | | _ | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 = | _ | 0.000000 | + .85 | = | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 = | _ | 0.000000 | + .78 | 3 = | 0.780000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divide | d by | district's Raw ADM | | 120.46 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

120.46

0.00 5) (District's Square Miles <u>95.201330</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 120.46 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>18.61</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 402 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 67.52 | <u> </u> | 0.872363 | x .2 | 0.174473 | Х | 67.52 | _ = _ | 11.78 |
|-------|-------|----------|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: E020 - CARLTON LANDING ACADEMY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>67.52</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|---------------|----------|-----------|-------------------|
| 2) | 122 divided by " <u>Cb</u> " from above | | | | |
| | 0.00 = 0.00 | 0000 + .85 = | 0.850000 | x0.00 | = 0.00 |
| | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | |
| | 0.00 = 0.00 | 00000 + .78 = | 0.780000 | x 0.00 | = 0.00 |
| | | | | 9-OHP ADM | 9-OHP Cost Factor |

+ .85 =

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 67.52

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.0000) divided by 137.0000 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{67.52}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 403 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 765.84 | = | 0.000000 | x .2 | 0.000000 | Х | 765.84 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: 1001 - HARTSHORNE

- If school district's total area in square miles 128.916330 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>765.84</u> divided by district's total area in square mile <u>128.916330</u> = District's Areal В Density <u>5.94</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

765.84

0.00 5) (District's Square Miles <u>128.916330</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{765.84}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 404 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 404.28 | = | 0.235766 | x .2 | 0.047153 | Х | 404.28 | = | 19.06 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | _ | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: 1002 - CANADIAN

- If school district's total area in square miles 101.717050 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 404.28 divided by district's total area in square mile 101.717050 = District's Areal В Density <u>3.97</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|------------------|---------------|----------|---|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | x | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by " <u>Cc</u> " from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 404.28 | | strict's Raw ADM | divided by di | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>101.717050</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 404.28 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.06

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 405 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 316.50 | = | 0.401701 | x .2 | 0.080340 | Х | 316.50 | _ = _ | 25.43 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: I011 - HAILEYVILLE

- A. If school district's total area in square miles <u>185.278780</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>316.50</u> divided by district's total area in square mile <u>185.278780</u> = District's Areal Density <u>1.71</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 154.07 | + | 23 = | 177.07 | (Ca) |
|--------|------------|--------|---|-------|--------------|------|
| Grades | 6th - 8th | 61.50 | + | 133 = | 194.50 | (Cb) |
| Grades | PK3,9 -OHP | 100.93 | + | 128 = | 228.93 | (Cc) |
| | | 316.50 | | | - | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 177.07 | = | 0.417914 | + .85 = | 1.267914 | Χ | 154.07 = | 195.35 |
|----|--------------------------------------|-----|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | |
| | 194.50 | = | 0.627249 | + .85 = | 1.477249 | х | 61.50 = | 90.85 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 228.93 | = | 1.275499 | + .78 = | 2.055499 | x | 100.93 = | 207.46 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 493.66 | divided by di | strict's Raw ADM | | 316.50 | |

- 1.00 = District Cost Factor

0.56

5) (District's Square Miles <u>185.278780</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.35</u>

1.56

- 6) Multiply District Cost Factor (Line 4 above) 0.56 by lessor of the Area Factor (Line 5 above) 0.35 or 1.00 = Isolation Factor 0.20
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 316.50 = Isolation Weight 62.03
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 62.03

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 406 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 304.78 | = | 0.423856 | x .2 | 0.084771 | Х | 304.78 | _ = _ | 25.84 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: I014 - KIOWA

- A. If school district's total area in square miles <u>255.922740</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>304.78</u> divided by district's total area in square mile <u>255.922740</u> = District's Areal Density <u>1.19</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 150.69 | + | 23 = | 173.69 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 71.75 | + | 133 = | 204.75 | (Cb) |
| Grades | PK3,9 -OHP | 82.34 | + | 128 = | 210.34 | (Cc) |
| | | 304.78 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 173.69 = | 0.426046 | + .85 = | 1.276046 x | 150.69 = | 192.29 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 204.75 = | 0.595849 | + .85 = | 1.445849 x | 71.75 = | 103.74 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 210.34 = | 1.388229 | + .78 = | 2.168229 x | 82.34 = | 178.53 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

304.78

0.56

5) (District's Square Miles <u>255.922740</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.87</u>

474.56

1.56

- 6) Multiply District Cost Factor (Line 4 above) 0.56 by lessor of the Area Factor (Line 5 above) 0.87 or 1.00 = Isolation Factor 0.49
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 304.78 = Isolation Weight 148.49
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 148.49

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 407 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 425.73 | = | 0.195217 | x .2 | 0.039043 | Х | 425.73 | = | 16.62 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: I017 - QUINTON

- If school district's total area in square miles 151.566320 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>425.73</u> divided by district's total area in square mile <u>151.566320</u> = District's Areal В Density <u>2.81</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

425.73

0.00 5) (District's Square Miles <u>151.566320</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 425.73 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.62

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 408 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 271.33 | = | 0.487089 | x .2 | 0.097418 | _ x | 271.33 | =_ | 26.43 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: I025 - INDIANOLA

- A. If school district's total area in square miles <u>134.347100</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>271.33</u> divided by district's total area in square mile <u>134.347100</u> = District's Areal Density <u>2.02</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | _ | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|------------|----------------------|---|-----------|-------------------|
| | | _ | _ | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | / district's Raw ADM | | 271.33 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>134.347100</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 271.33 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.43_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 409 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Δ | \Box | М |
|-----|--------|----------------------------|-----|
| | \sim | $\boldsymbol{\mathcal{L}}$ | IVI |

| 529 - | 391.09 | = | 0.260699 | x .2 | 0.052140 | Х | 391.09 | _ = _ | 20.39 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: 1028 - CROWDER

- A. If school district's total area in square miles <u>165.788920</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>391.09</u> divided by district's total area in square mile <u>165.788920</u> = District's Areal Density <u>2.36</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 188.04 | + | 23 = | 211.04 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 72.90 | + | 133 = | 205.90 | (Cb) |
| Grades | PK3,9 -OHP | 130.15 | + | 128 = | 258.15 | (Cc) |
| | | 391.09 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 211.04 = | 0.350644 | + .85 = | 1.200644 | x188.04 : | = 225.77 |
|----|---|----------|----------------|-----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 205.90 = | 0.592521 | + .85 = | 1.442521 | x 72.90 | = 105.16 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 258.15 = | 1.131125 | + .78 = | 1.911125 | x 130.15 | = 248.73 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 579.66 | divided by dis | trict's Raw ADM | 391.09 | |

- 1.00 = District Cost Factor

0.48

5) (District's Square Miles <u>165.788920</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.21</u>

1.48

- 6) Multiply District Cost Factor (Line 4 above) 0.48 by lessor of the Area Factor (Line 5 above) 0.21 or 1.00 = Isolation Factor 0.10
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 391.09 = Isolation Weight 39.42
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 39.42

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 410 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 398.53 | = | 0.246635 | x .2 | 0.049327 | Х | 398.53 | = | 19.66 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: I030 - SAVANNA

- If school district's total area in square miles __71.153660_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>398.53</u> divided by district's total area in square mile <u>71.153660</u> = District's Areal В Density <u>5.60</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = _ | 0.000000 | + .8 | 35 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|-------|--------|--------------------|---|-----------|-------------------|
| | | | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 = | = _ | 0.000000 | + .8 | 35 = | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 = | = _ | 0.000000 | + . | 78 = | 0.780000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divid | led by | district's Raw ADM | | 398.53 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

398.53

0.00 5) (District's Square Miles <u>71.153660</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 398.53 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.66

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 411 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 139.48 | _ = | 0.736333 | x .2 | 0.147267 | Х | 139.48 | = | 20.54 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: 1063 - PITTSBURG

- If school district's total area in square miles 121.147900 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>139.48</u> divided by district's total area in square mile <u>121.147900</u> = District's Areal В Density <u>1.15</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

139.48

0.00 5) (District's Square Miles <u>121.147900</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 139.48 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.54

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 412 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 3,028.79 | = _ | 0.000000 | x .2 | 0.000000 | Х | 3,028.79 | =_ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: 1080 - MCALESTER

- If school district's total area in square miles 31.694920 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,028.79 divided by district's total area in square mile 31.694920 = District's Areal В Density <u>95.56</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

3,028.79

0.00 5) (District's Square Miles <u>31.694920</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.028.79 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 413 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 528.47 | = | 0.001002 | x .2 | 0.000200 | Х | 528.47 | = | 0.11 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: 1001 - ALLEN

- A. If school district's total area in square miles <u>157.800140</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>528.47</u> divided by district's total area in square mile <u>157.800140</u> = District's Areal Density <u>3.35</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|-----------------------------|------|----------|------------|--------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | district's Raw ADM | | 528.47 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>157.800140</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>528.47</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>0.11</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 414 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 572.76 | = | 0.000000 | x .2 | 0.000000 | X | 572.76 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: 1009 - VANOSS

- If school district's total area in square miles 145.574450 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>572.76</u> divided by district's total area in square mile <u>145.574450</u> = District's Areal В Density 3.93.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | | 0.000000 | + .85 = | = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|-----------|-------|-----------------|---|-----------|-------------------|
| | | | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 = | | 0.000000 | + .85 = | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ve | | | | | | | |
| | 0.00 = | | 0.000000 | + .78 = | : | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | v dis | trict's Raw ADM | | 572.76 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

572.76

0.00 5) (District's Square Miles <u>145.574450</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 572.76 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 415 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 1,821.95 | = _ | 0.000000 | x .2 | 0.000000 | Х | 1,821.95 | =_ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: I016 - BYNG

- A. If school district's total area in square miles <u>117.442990</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,821.95</u> divided by district's total area in square mile <u>117.442990</u> = District's Areal Density <u>15.51</u>.

If school district's areal density is less than $\underline{2.49}$, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of $\underline{2.49}$, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---|----------|----------------|-----------------|---|-----------|-------------------|
| | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | ! | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | | 1,821.95 | |

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>117.442990</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.821.95}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 416 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,537.53 | _ = | 0.000000 | x .2 | 0.000000 | Х | 2,537.53 | =_ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | _ | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: I019 - ADA

- If school district's total area in square miles 13.716930 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,537.53 divided by district's total area in square mile 13.716930 = District's Areal В Density <u>184.99</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abov | /e | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | re | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,537.53

0.00 5) (District's Square Miles <u>13.716930</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.537.53 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 417 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 931.16 | = | 0.000000 | x .2 | 0.000000 | Х | 931.16 | =_ | 0.00 |
|-------|--------|---|----------|----------|----------|-----------|---------|--------------|-----------------|
| | 529 | | | Same Yea | | Same Year | _ | Small School | |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: 1024 - LATTA

- If school district's total area in square miles 50.644690 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>931.16</u> divided by district's total area in square mile <u>50.644690</u> = District's Areal В Density 18.39 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.00 | 0.00 |
|----|--|----------|---------|----------|-----------|--------------------|
| | | | | | EC-5 ADN | A EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | /e | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 | 0.00 |
| | | | | | 6-8 ADN | A 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | re e | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x0.00 | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

931.16

0.00 5) (District's Square Miles <u>50.644690</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>931.16</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 418 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Dave | ٨ | | N A | |
|------|---|---|-----|--|
| Raw | А | ט | IVI | |

| 529 - | 440.27 | = | 0.167732 | x .2 | 0.033546 | Х | 440.27 | = | 14.77 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: 1030 - STONEWALL

- A. If school district's total area in square miles <u>201.649460</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>440.27</u> divided by district's total area in square mile <u>201.649460</u> = District's Areal Density <u>2.18</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 210.20 | + | 23 = | 233.20 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 105.87 | + | 133 = | 238.87 | (Cb) |
| Grades | PK3,9 -OHP | 124.20 | + | 128 = | 252.20 | (Cc) |
| | | 440.27 | | | _ | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 233.20 = | 0.317324 | + .85 = | 1.167324 | x 210.20 = | 245.37 |
|----|---|----------|---------|----------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 238.87 = | 0.510738 | + .85 = | 1.360738 | x 105.87 = | 144.06 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 252.20 = | 1.157811 | + .78 = | 1.937811 | 124.20 = | 240.68 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

440.27

0.43

5) (District's Square Miles <u>201.649460</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.47</u>

630.11

1.43

- 6) Multiply District Cost Factor (Line 4 above) 0.43 by lessor of the Area Factor (Line 5 above) 0.47 or 1.00 = Isolation Factor 0.20
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 440.27 = Isolation Weight 88.98
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>88.98</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 419 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 317.46 | = | 0.399887 | x .2 | 0.079977 | х | 317.46 | _ = _ | 25.39 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: 1037 - ROFF

- A. If school district's total area in square miles <u>159.530770</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>317.46</u> divided by district's total area in square mile <u>159.530770</u> = District's Areal Density <u>1.99</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 155.88 | + | 23 = | 178.88 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 64.93 | + | 133 = | 197.93 | (Cb) |
| Grades | PK3,9 -OHP | 96.65 | + | 128 = | 224.65 | (Cc) |
| | | 317.46 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 178.88 = | 0.413685 | + .85 = | 1.263685 > | x 155.88 = | 196.98 |
|----|--------------------------------|----------|----------------|------------------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 197.93 = | 0.616380 | + .85 = | 1.466380 × | 64.93 = | 95.21 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 224.65 = | 1.299800 | + .78 = | 2.079800 × | 96.65 = | 201.01 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 493.20 | divided by dis | strict's Raw ADM | 317.46 | |

- 1.00 = District Cost Factor

0.55

5) (District's Square Miles <u>159.530770</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.16</u>

1.55

- 6) Multiply District Cost Factor (Line 4 above) 0.55 by lessor of the Area Factor (Line 5 above) 0.16 or 1.00 = Isolation Factor 0.09
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>317.46</u> = Isolation Weight <u>27.94</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __27.94_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 420 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 506.73 | = _ | 0.042098 | x .2 | 0.008420 | Х | 506.73 | =_ | 4.27 |
|-------|--------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: C027 - GROVE

- A. If school district's total area in square miles <u>12.026670</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>506.73</u> divided by district's total area in square mile <u>12.026670</u> = District's Areal Density <u>42.13</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---|----------|---------|----------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | re | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | e | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

506.73

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 12.026670 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 506.73 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 4.27

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 421 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw ADN | | |
|---------|--|--|
| | | |
| | | |

| 529 - | 229.21 | = | 0.566711 | x .2 | 0.113342 | Х | 229.21 | _ = _ | 25.98 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: C029 - PLEASANT GROVE

- If school district's total area in square miles 1.811230 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>229.21</u> divided by district's total area in square mile <u>1.811230</u> = District's Areal В Density 126.55.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 229.21 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>1.811230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 229.21 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.98</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 422 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 412.87 | _ = | 0.219527 | x .2 | 0.043905 | Х | 412.87 | = | 18.13 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: C032 - SOUTH ROCK CREEK

- If school district's total area in square miles <u>18.788360</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>412.87</u> divided by district's total area in square mile <u>18.788360</u> = District's Areal В Density 21.97.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

412.87

0.00 5) (District's Square Miles <u>18.788360</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 412.87 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.13

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 423 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 1,776.16 | = | 0.000000 | x .2 | 0.000000 | Х | 1,776.16 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1001 - MCLOUD

- If school district's total area in square miles <u>73.751520</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,776.16 divided by district's total area in square mile 73.751520 = District's Areal В Density 24.08.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|-------------------|--------------|-----------|-------------------|
| | | _ | _ | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distri | ct's Raw ADM | 1.776.16 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,776.16

0.00 5) (District's Square Miles <u>73.751520</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,776.16}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 424 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 796.65 | = | 0.000000 | x .2 | 0.000000 | Х | 796.65 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1002 - DALE

- If school district's total area in square miles 41.946010 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>796.65</u> divided by district's total area in square mile <u>41.946010</u> = District's Areal В Density 18.99 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | X | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 796.65 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>41.946010</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 796.65 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 425 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 1,219.63 | _ = | 0.000000 | x .2 | 0.000000 | Х _ | 1,219.63 | _ = _ | 0.00 |
|-------|----------|-----|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | _ | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1003 - BETHEL

- If school district's total area in square miles <u>55.219370</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,219.63 divided by district's total area in square mile 55.219370 = District's Areal В Density 22.09 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 1,219.63 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>55.219370</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.219.63 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 426 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 277.35 | _ = | 0.475709 | x .2 | 0.095142 | Х | 277.35 | = | 26.39 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| _ | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1004 - MACOMB

- If school district's total area in square miles <u>83.549300</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>277.35</u> divided by district's total area in square mile <u>83.549300</u> = District's Areal В

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 277.35 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>83.549300</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 277.35 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.39</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 427 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 281.85 | = | 0.467202 | x .2 | 0.093440 | Х | 281.85 | = | 26.34 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1005 - EARLSBORO

- If school district's total area in square miles 31.394470 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>281.85</u> divided by district's total area in square mile <u>31.394470</u> = District's Areal В Density <u>8.98</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

281.85

0.00 5) (District's Square Miles <u>31.394470</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>281.85</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.34</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 428 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N A | |
|-----|---|--------|-----|--|
| Kaw | А | ט | IVI | |

| 529 - | 736.73 | _ = | 0.000000 | x .2 | 0.000000 | Х | 736.73 | = | 0.00 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: I010 - NORTH ROCK CREEK

- If school district's total area in square miles 37.559800 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>736.73</u> divided by district's total area in square mile <u>37.559800</u> = District's Areal В Density 19.61.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--|----------|-----------------|----------------|-----------|-------------------|
| | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ve | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | ve | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dist | rict's Raw ADM | 736.73 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>37.559800</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>736.73</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 429 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,094.02 | = | 0.000000 | X | .2 | 0.000000 | Х | 2,094.02 | = | 0.00 |
|-------|----------|---|----------|---|----|----------|---|-----------|---|-----------------|
| | 529 | | | | | | | Same Year | | Small School |
| | | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1092 - TECUMSEH

- If school district's total area in square miles <u>85.776740</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,094.02 divided by district's total area in square mile 85.776740 = District's Areal В Density 24.41 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|-----------------|----------------|----------|---|----|
| EC-5 Cost Factor | EC-5 ADM | | | | _ | | |
| | | | | | | 122 divided by " <u>Cb</u> " from above | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | |
| | | | | | | 292 divided by " <u>Cc</u> " from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | |
| | 2 094 02 | | trict's Raw ADM | divided by dis | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>85.776740</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.094.02 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 430 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 3,808.15 | _ = | 0.000000 | x .2 | 0.000000 | Х | 3,808.15 | = | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1093 - SHAWNEE

- If school district's total area in square miles <u>25.433730</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,808.15 divided by district's total area in square mile 25.433730 = District's Areal В Density <u>149.73</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.00 | 0.00 |
|----|--|----------|---------|----------|-----------|--------------------|
| | | | | | EC-5 ADN | A EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | /e | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 | 0.00 |
| | | | | | 6-8 ADN | A 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | re e | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x0.00 | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

3,808.15

0.00 5) (District's Square Miles <u>25.433730</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.808.15 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 431 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 287.31 | = | 0.456881 | x .2 | 0.091376 | Х _ | 287.31 | _ = _ | 26.25 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: I112 - ASHER

- A. If school district's total area in square miles <u>65.293430</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>287.31</u> divided by district's total area in square mile <u>65.293430</u> = District's Areal Density <u>4.40</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--|----------|---------|----------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | /e | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | re | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

287.31

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 65.293430 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>287.31</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.25_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 432 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 152.80 | = | 0.711153 | x .2 | 0.142231 | Х | 152.80 | = | 21.73 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: I115 - WANETTE

- If school district's total area in square miles 133.095930 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>152.80</u> divided by district's total area in square mile <u>133.095930</u> = District's Areal В Density <u>1.15</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|------------------------------|------------|----------|----------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 = | - <u> </u> | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by div | strict's Raw ADM | | 152.80 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>133.095930</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 152.80 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.73

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 433 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 275.90 | = | 0.478450 | x .2 | 0.095690 | Х | 275.90 | _ = _ | 26.40 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: I117 - MAUD

- A. If school district's total area in square miles <u>75.785470</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>275.90</u> divided by district's total area in square mile <u>75.785470</u> = District's Areal Density <u>3.64</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|---|----------|----------------|-----------------|---|-----------|-------------------|
| | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | 2 | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | 2 | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | 0.00 | divided by dis | trict's Raw ADM | | 275.90 | |

- 1.00 = District Cost Factor

5) (District's Square Miles $\underline{75.785470}$ - $\underline{137.00000}$) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{275.90}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.40_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 434 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | ADM |
|-------|------------|
| 1\avv | |

| 529 - | 50.41 | = | 0.904707 | x .2 | 0.180941 | Х | 50.41 | =_ | 9.12 |
|-------|-------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: C002 - ALBION

- If school district's total area in square miles 100.413810 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>50.41</u> divided by district's total area in square mile <u>100.413810</u> = District's Areal В Density <u>0.50</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|------------------|---------------|----------|--------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | · | | | | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | Х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by "Cc" from above | 3) |
| 0.00 | 0.00 = | Х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 50.41 | | strict's Raw ADM | divided by di | 0.00 | Sum 1 + 2 + 3 from above | 4) |

divided by district's Raw ADM

- 1.00 = District Cost Factor

50.41

5) (District's Square Miles <u>100.413810</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 50.41 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 9.12

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 435 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 86.69 | = | 0.836125 | x .2 | 0.167225 | Χ | 86.69 | =_ | 14.50 |
|-------|-------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | _ | | | _ | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: C004 - TUSKAHOMA

- If school district's total area in square miles __77.710540_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>86.69</u> divided by district's total area in square mile <u>77.710540</u> = District's Areal В Density <u>1.12</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|-----------|--------|----------------|---|-----------|-------------------|
| | | _ | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 : | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y dist | rict's Raw ADM | | 86.69 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>77.710540</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 86.69 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.50

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 436 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 46.83 | = | 0.911474 | x .2 | 0.182295 | х | 46.83 | =_ | 8.54 |
|-------|-------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: C015 - NASHOBA

- A. If school district's total area in square miles <u>170.678580</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>46.83</u> divided by district's total area in square mile <u>170.678580</u> = District's Areal Density <u>0.27</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 33.66 | + | 23 = | 56.66 | (Ca) |
|--------|------------|-------|---|-------|--------|------|
| Grades | 6th - 8th | 11.00 | + | 133 = | 144.00 | (Cb) |
| Grades | PK3,9 -OHP | 2.17 | + | 128 = | 130.17 | (Cc) |
| | | 46.83 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 56.66 | = | 1.306036 | + .85 = | 2.156036 | Х | 33.66 = | 72.57 |
|----|--------------------------------------|-----|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 144.00 | = | 0.847222 | + .85 = | 1.697222 | x | 11.00 = | 18.67 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 130.17 | = | 2.243220 | + .78 = | 3.023220 | x | 2.17 = | 6.56 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 97.80 | divided by di | strict's Raw ADM | | 46.83 | |

- 1.00 = District Cost Factor

1.09

5) (District's Square Miles <u>170.678580</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.25</u>

2.09

- 6) Multiply District Cost Factor (Line 4 above) 1.09 by lessor of the Area Factor (Line 5 above) 0.25 or 1.00 = Isolation Factor 0.27
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{46.83}{12.76}$ = Isolation Weight $\frac{12.76}{12.76}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 12.76

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 437 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 514.30 | = | 0.027788 | x .2 | 0.005558 | х | 514.30 | _ = _ | 2.86 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: I001 - RATTAN

- A. If school district's total area in square miles <u>260.032410</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>514.30</u> divided by district's total area in square mile <u>260.032410</u> = District's Areal Density <u>1.98</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 243.76 | + | 23 = | 266.76 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 125.63 | + | 133 = | 258.63 | (Cb) |
| Grades | PK3,9 -OHP | 144.91 | + | 128 = | 272.91 | (Cc) |
| | | 514.30 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 266.76 = | 0.277403 | + .85 = | 1.127403 x | 243.76 = | 274.82 |
|----|--------------------------------|----------|--------------------|-------------|-----------|-------------------|
| | | | _ | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 258.63 = | 0.471716 | + .85 = | 1.321716 x | 125.63 = | 166.05 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 272.91 = | 1.069950 | + .78 = | 1.849950 x | 144.91 = | 268.08 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 708.95 | divided by distric | t's Raw ADM | 514.30 | |

- 1.00 = District Cost Factor

0.38

5) (District's Square Miles <u>260.032410</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.90</u>

1.38

- 6) Multiply District Cost Factor (Line 4 above) 0.38 by lessor of the Area Factor (Line 5 above) 0.90 or 1.00 = Isolation Factor 0.34
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>514.30</u> = Isolation Weight <u>175.89</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __175.89_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 438 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 306.97 | = | 0.419716 | x .2 | 0.083943 | Х | 306.97 | = | 25.77 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: I010 - CLAYTON

- A. If school district's total area in square miles <u>295.322210</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>306.97</u> divided by district's total area in square mile <u>295.322210</u> = District's Areal Density <u>1.04</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 131.92 | + | 23 = | 154.92 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 65.76 | + | 133 = | 198.76 | (Cb) |
| Grades | PK3,9 -OHP | 109.29 | + | 128 = | 237.29 | (Cc) |
| | | 306.97 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 154.92 = | 0.477666 | + .85 = | 1.327666 x | 131.92 = | 175.15 |
|----|---|----------|-----------------|----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 198.76 = | 0.613806 | + .85 = | 1.463806 x | 65.76 = | 96.26 |
| | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 237.29 = | 1.230562 | + .78 = | 2.010562 x | 109.29 = | 219.73 |
| | | _ | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 491.14 | divided by dist | rict's Raw ADM | 306.97 | |

- 1.00 = District Cost Factor

0.60

5) (District's Square Miles <u>295.322210</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.16</u>

1.60

- 6) Multiply District Cost Factor (Line 4 above) 0.60 by lessor of the Area Factor (Line 5 above) 1.16 or 1.00 = Isolation Factor 0.60
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 306.97 = Isolation Weight 184.18
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __184.18_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 439 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | ΔD | М |
|-------|--------------|-----|
| 1\avv | $\Delta \nu$ | IVI |

| 529 - | 1,002.74 | = | 0.000000 | x .2 | 0.000000 | х | 1,002.74 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: I013 - ANTLERS

- If school district's total area in square miles 325.041980 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,002.74 divided by district's total area in square mile 325.041980 = District's Areal В Density 3.08.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.0 | 0.00 |
|----|---|----------|----------------|-----------------|----------|---------------------|
| | | | | | EC-5 AD | M EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ve | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.0 | 0.00 |
| | | | | | 6-8 AD | M 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | ve | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x0.0 | 0.00 |
| | | | | | 9-OHP AD | M 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | 1,002.7 | 74 |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>325.041980</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.002.74 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 440 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | | |
|-----|---|---|----|--|
| Kaw | Α | U | IV | |

| 529 - | 171.96 | = | 0.674934 | x .2 | 0.134987 | х | 171.96 | =_ | 23.21 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: 1022 - MOYERS

- A. If school district's total area in square miles <u>160.980930</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>171.96</u> divided by district's total area in square mile <u>160.980930</u> = District's Areal Density <u>1.07</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 80.67 | + | 23 = | 103.67 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 37.00 | + | 133 = | 170.00 | (Cb) |
| Grades | PK3,9 -OHP | 54.29 | + | 128 = | 182.29 | (Cc) |
| | | 171.96 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 103.67 = | 0.713803 | + .85 = | 1.563803 | Х | 80.67 = | 126.15 |
|----|---|----------|---------------|------------------|------|---------|-------------------|
| | | | | | EC- | -5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 170.00 = | 0.717647 | + .85 = | 1.567647 | x | 37.00 = | 58.00 |
| | | | | | 6- | -8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | | |
| | 182.29 = | 1.601843 | + .78 = | 2.381843 | х | 54.29 = | 129.31 |
| | _ | | | | 9-OH | P ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 313.46 | divided by di | strict's Raw ADM | | 171.96 | |

- 1.00 = District Cost Factor

0.82

5) (District's Square Miles <u>160.980930</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.18</u>

1.82

- 6) Multiply District Cost Factor (Line 4 above) 0.82 by lessor of the Area Factor (Line 5 above) 0.18 or 1.00 = Isolation Factor 0.15
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 171.96 = Isolation Weight 25.38
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.38_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 441 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 235.90 | = | 0.554064 | x .2 | 0.110813 | Х | 235.90 | _ = _ | 26.14 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLS District: 1003 - LEEDEY

- A. If school district's total area in square miles <u>319.217720</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>235.90</u> divided by district's total area in square mile <u>319.217720</u> = District's Areal Density <u>0.74</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 122.51 | + | 23 = | 145.51 | (Ca) |
|--------|------------|--------|---|-------|--------------|------|
| Grades | 6th - 8th | 44.50 | + | 133 = | 177.50 | (Cb) |
| Grades | PK3,9 -OHP | 68.89 | + | 128 = | 196.89 | (Cc) |
| | | 235.90 | | | - | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 145.51 = | 0.508556 | + .85 = | 1.358556 | x 122.51 = | 166.44 |
|----|---|----------|----------------|------------------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 177.50 = | 0.687324 | + .85 = | 1.537324 | x 44.50 = | 68.41 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 196.89 = | 1.483062 | + .78 = | 2.263062 | x 68.89 = | 155.90 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 390.75 | divided by dis | strict's Raw ADM | 235.90 | |

- 1.00 = District Cost Factor

0.66

5) (District's Square Miles <u>319.217720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.33</u>

1.66

- 6) Multiply District Cost Factor (Line 4 above) 0.66 by lessor of the Area Factor (Line 5 above) 1.33 or 1.00 = Isolation Factor 0.66
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 235.90 = Isolation Weight 155.69
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __155.69_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 442 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | | |
|-----|---|---|----|--|
| Kaw | Α | U | IV | |

| 529 - | 115.91 | = | 0.780888 | x .2 | 0.156178 | Х | 115.91 | _ = _ | 18.10 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLS District: 1006 - REYDON

- A. If school district's total area in square miles <u>248.153670</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>115.91</u> divided by district's total area in square mile <u>248.153670</u> = District's Areal Density <u>0.47</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 67.80 | + | 23 = | 90.80 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 23.58 | + | 133 = | 156.58 | (Cb) |
| Grades | PK3,9 -OHP | 24.53 | + | 128 = | 152.53 | (Cc) |
| | | 115.91 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 90.80 = | 0.814978 | + .85 = | 1.664978 x | 67.80 = | 112.89 |
|----|---|----------|------------------|----------------|-----------|-------------------|
| | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 156.58 = | 0.779154 | + .85 = | 1.629154 x | 23.58 = | 38.42 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 152.53 = | 1.914377 | + .78 = | 2.694377 x | 24.53 = | 66.09 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 217.40 | divided by distr | rict's Raw ADM | 115.91 | |

- 1.00 = District Cost Factor

0.88

5) (District's Square Miles <u>248.153670</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.81</u>

1.88

- 6) Multiply District Cost Factor (Line 4 above) 0.88 by lessor of the Area Factor (Line 5 above) 0.81 or 1.00 = Isolation Factor 0.71
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 115.91 = Isolation Weight 82.62
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 82.62

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 443 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 341.42 | =_ | 0.354594 | x .2 | 0.070919 | х _ | 341.42 | _ = _ | 24.21 |
|-------|--------|----|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLS District: 1007 - CHEYENNE

- A. If school district's total area in square miles <u>446.806290</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>341.42</u> divided by district's total area in square mile <u>446.806290</u> = District's Areal Density <u>0.76</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 169.94 | + | 23 = | 192.94 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 78.35 | + | 133 = | 211.35 | (Cb) |
| Grades | PK3,9 -OHP | 93.13 | + | 128 = | 221.13 | (Cc) |
| | | 341.42 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 192.94 = | 0.383539 | + .85 = | 1.233539 | x 169.94 = | = 209.63 |
|----|--------------------------------|----------|---------------|------------------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 211.35 = | 0.577242 | + .85 = | 1.427242 | x 78.35 = | = 111.82 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 221.13 = | 1.320490 | + .78 = | 2.100490 | x 93.13 | = 195.62 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 517.07 | divided by di | strict's Raw ADM | 341.42 | |

- 1.00 = District Cost Factor

0.51

5) (District's Square Miles <u>446.806290</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.26</u>

1.51

- 6) Multiply District Cost Factor (Line 4 above) 0.51 by lessor of the Area Factor (Line 5 above) 2.26 or 1.00 = Isolation Factor 0.51
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 341.42 = Isolation Weight 174.12
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 174.12

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 444 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | Λ | | | |
|-----|---|---|-----|--|
| Kaw | А | U | IVI | |

| 529 - | 117.08 | = | 0.778677 | x .2 | 0.155735 | Х | 117.08 | =_ | 18.23 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | · | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLS District: I015 - SWEETWATER

- If school district's total area in square miles 192.436980 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>117.08</u> divided by district's total area in square mile <u>192.436980</u> = District's Areal В Density <u>0.61</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 55.52 | + | 23 = | 78.52 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 33.21 | + | 133 = | 166.21 | (Cb) |
| Grades | PK3,9 -OHP | 28.35 | + | 128 = | 156.35 | (Cc) |
| | | 117.08 | | | _ | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 78.52 | = _ | 0.942435 | + .85 = | 1.792435 | X | 55.52 = | 99.52 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | oove | | | | | | |
| | 166.21 | = | 0.734011 | + .85 = | 1.584011 | х | 33.21 = | 52.61 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 156.35 | = | 1.867605 | + .78 = | 2.647605 | х | 28.35 = | 75.06 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 227 19 | divided by di | strict's Raw ADM | | 117.08 | |

- 1.00 = District Cost Factor

0.94

- 1.94 5) (District's Square Miles <u>192.436980</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.40</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.94 by lessor of the Area Factor (Line 5 above) 0.40 or 1.00 = Isolation Factor 0.38
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 117.08 = Isolation Weight 44.02
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 44.02

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 445 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 241.13 | = | 0.544178 | x .2 | 0.108836 | х _ | 241.13 | =_ | 26.24 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLS District: 1066 - HAMMON

- If school district's total area in square miles 249.026050 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>241.13</u> divided by district's total area in square mile <u>1249.026050</u> = District's Areal В Density <u>0.97</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 126.11 | + | 23 = | 149.11 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 62.75 | + | 133 = | 195.75 | (Cb) |
| Grades | PK3,9 -OHP | 52.27 | + | 128 = | 180.27 | (Cc) |
| | | 241.13 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 149.11 = | 0.496278 | + .85 = | 1.346278 | x 126.11 | = 169.78 |
|----|---------------------------------------|----------|----------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | |
| | 195.75 = | 0.623244 | + .85 = | 1.473244 | x62.75 | = 92.45 |
| | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ve | | | | |
| | 180.27 = | 1.619793 | + .78 = | 2.399793 | x52.27 | = 125.44 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 387.67 | divided by dis | strict's Raw ADM | 241.13 | |

- 1.00 = District Cost Factor

0.61

- 1.61 5) (District's Square Miles <u>249.026050</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.82</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.61 by lessor of the Area Factor (Line 5 above) 0.82 or 1.00 = Isolation Factor 0.50
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 241.13 = Isolation Weight 120.61
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 120.61

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 446 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 513.84 | = | 0.028658 | x .2 | 0.005732 | _ x | 513.84 | =_ | 2.95 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS **District: C009 - JUSTUS-TIAWAH**

- If school district's total area in square miles 33.589600 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>513.84</u> divided by district's total area in square mile <u>33.589600</u> = District's Areal В Density 15.30 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|------------------------------|-----|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by d | listrict's Raw ADM | | 513.84 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>33.589600</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>513.84</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 2.95

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 447 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 3,783.93 | = _ | 0.000000 | x .2 | 0.000000 | Х | 3,783.93 | = | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: I001 - CLAREMORE

- If school district's total area in square miles 33.672980 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,783.93 divided by district's total area in square mile 33.672980 = District's Areal В Density 112.37.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|------------|----------------------|---|-----------|-------------------|
| | | _ | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by | / district's Raw ADM | | 3,783.93 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>33.672980</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.783.93 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 448 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| n | | | |
|-----|---|---|----|
| ĸaw | Α | U | IV |

| 529 - | 1,931.29 | = | 0.000000 | x .2 | 0.000000 | Х | 1,931.29 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1002 - CATOOSA

- If school district's total area in square miles <u>81.811400</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,931.29 divided by district's total area in square mile 81.811400 = District's Areal В Density 23.61.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | oove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 1,931.29 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>81.811400</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.931.29 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 449 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 812.82 | = | 0.000000 | x .2 | 0.000000 | Х | 812.82 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1003 - CHELSEA

- If school district's total area in square miles 180.885320 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>812.82</u> divided by district's total area in square mile <u>180.885320</u> = District's Areal В Density <u>4.49</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|------------------|---------------|----------|--------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | |
| | | | | | | 292 divided by "Cc" from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 812.82 | | strict's Raw ADM | divided by di | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>180.885320</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 812.82 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 450 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,750.59 | = | 0.000000 | x .2 | 0.000000 | Х | 1,750.59 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1004 - OOLOGAH-TALALA

- A. If school district's total area in square miles <u>176.894080</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,750.59</u> divided by district's total area in square mile <u>176.894080</u> = District's Areal Density <u>9.90</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by di | strict's Raw ADM | | 1,750.59 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>176.894080</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,750.59}{2}$ = Isolation Weight $\frac{0.00}{2}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 451 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,272.82 | = _ | 0.000000 | x .2 | 0.000000 | Х | 1,272.82 | = | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1005 - INOLA

- A. If school district's total area in square miles <u>101.268600</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,272.82</u> divided by district's total area in square mile <u>101.268600</u> = District's Areal Density <u>12.57</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,272.82

5) (District's Square Miles <u>101.268600</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1,272.82}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 452 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 1,303.03 | = | 0.000000 | x .2 | 0.000000 | Х | 1,303.03 | _ = _ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: I006 - SEQUOYAH

- If school district's total area in square miles <u>64.331180</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,303.03 divided by district's total area in square mile 64.331180 = District's Areal В Density 20.26 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = _ | 0.000000 | + .8 | 5 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|--------|-------|--------------------|---|-----------|-------------------|
| | | _ | _ | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 = | = _ | 0.000000 | + .8 | 5 = | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 = | = _ | 0.000000 | + .7 | '8 = | 0.780000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divide | ed by | district's Raw ADM | | 1.303.03 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,303.03

0.00 5) (District's Square Miles <u>64.331180</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.303.03 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 453 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 474.53 | = | 0.102968 | x .2 | 0.020594 | Х | 474.53 | _ = _ | 9.77 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1007 - FOYIL

- If school district's total area in square miles 37.507630 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>474.53</u> divided by district's total area in square mile <u>37.507630</u> = District's Areal В Density 12.65.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 474.53 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>37.507630</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{474.53}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 9.77

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 454 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,415.36 | = | 0.000000 | x .2 | 0.000000 | Х | 1,415.36 | _ = | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|-----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1008 - VERDIGRIS

- If school district's total area in square miles <u>24.239720</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,415.36 divided by district's total area in square mile 24.239720 = District's Areal В Density <u>58.39</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|-------------------|--------------|-----------|-------------------|
| | | _ | _ | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distri | ct's Raw ADM | 1,415.36 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>24.239720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.415.36 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 455 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 186.52 | = | 0.647410 | x .2 | 0.129482 | Х | 186.52 | =_ | 24.15 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: C054 - JUSTICE

- If school district's total area in square miles <u>14.358060</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>186.52</u> divided by district's total area in square mile <u>14.358060</u> = District's Areal В Density 12.99 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | · | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 186.52 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>14.358060</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 186.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.15

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 456 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,642.67 | = | 0.000000 | x .2 | 0.000000 | Х | 1,642.67 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1001 - SEMINOLE

- If school district's total area in square miles <u>58.024460</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,642.67 divided by district's total area in square mile 58.024460 = District's Areal В Density <u>28.31</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | | | | | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,642.67

0.00 5) (District's Square Miles <u>58.024460</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.642.67 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 457 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 625.95 | = _ | 0.000000 | x .2 | 0.000000 | Х | 625.95 | = | 0.00 |
|-------|--------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1002 - WEWOKA

- If school district's total area in square miles 35.109690 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>625.95</u> divided by district's total area in square mile <u>35.109690</u> = District's Areal В Density <u>17.83</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|-----------------------------|------|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by o | district's Raw ADM | | 625.95 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>35.109690</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 625.95 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 458 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 246.20 | = | 0.534594 | x .2 | 0.106919 | Х | 246.20 | = | 26.32 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1003 - BOWLEGS

- If school district's total area in square miles <u>55.896190</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>246.20</u> divided by district's total area in square mile <u>55.896190</u> = District's Areal В Density <u>4.40</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|-----------|--------|----------------|---|-----------|-------------------|
| | | _ | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y dist | rict's Raw ADM | | 246.20 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>55.896190</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 246.20 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.32</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 459 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N A | |
|-----|---|--------|-----|--|
| Kaw | А | ט | IVI | |

| 529 - | 630.44 | = | 0.000000 | x .2 | 0.000000 | Х | 630.44 | = | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1004 - KONAWA

- A. If school district's total area in square miles <u>162.137400</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>630.44</u> divided by district's total area in square mile <u>162.137400</u> = District's Areal Density <u>3.89</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.0 | 0.00 |
|----|--------------------------------|----------|---------------|------------------|-----------|---------------------|
| | | | | | EC-5 ADI | M EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.0 | 0.00 |
| | | | | | 6-8 ADI | M 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x0.0 | 0.00 |
| | | | | | 9-OHP ADI | M 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by di | strict's Raw ADM | 630.4 | 4 |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>162.137400</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 630.44 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 460 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 299.15 | _ = | 0.434499 | x .2 | 0.086900 | Х | 299.15 | =_ | 26.00 |
|-------|--------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1006 - NEW LIMA

- If school district's total area in square miles <u>54.618060</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>299.15</u> divided by district's total area in square mile <u>54.618060</u> = District's Areal В Density <u>5.48</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = | 0.000000 | + .85 | = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|---------|---------|------------------|---|-----------|-------------------|
| | | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 | = | 0.000000 | + .85 | = | 0.850000 | x | 0.00 = | 0.00 |
| | _ | | _ | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 | = | 0.000000 | + .78 | = | 0.780000 | х | 0.00 = | 0.00 |
| | _ | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided | l by di | strict's Raw ADM | | 299.15 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>54.618060</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 299.15 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.00</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 461 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 303.92 | = | 0.425482 | x .2 | 0.085096 | Х | 303.92 | _ = _ | 25.86 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | _ | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1007 - VARNUM

- A. If school district's total area in square miles <u>28.420150</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>303.92</u> divided by district's total area in square mile <u>28.420150</u> = District's Areal Density <u>10.69</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 303.92

 = 0.00 1.00 = District Cost Factor
- 5) (District's Square Miles <u>28.420150</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 303.92 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.86_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 462 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 204.30 | = | 0.613800 | x .2 | 0.122760 | Х | 204.30 | = | 25.08 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: I010 - SASAKWA

- If school district's total area in square miles <u>83.566090</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>204.30</u> divided by district's total area in square mile <u>83.566090</u> = District's Areal В Density <u>2.44</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|-----------------|-----------------|----------|---|----|
| EC-5 Cost Factor | EC-5 ADM | | | | _ | | |
| | | | | | | 122 divided by "Cb" from above | 2) |
| 0.00 | 0.00 = | Х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | |
| | | | | | | 292 divided by " <u>Cc</u> " from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | |
| | 204 30 | | trict's Raw ADM | divided by dist | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>83.566090</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 204.30 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.08</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 463 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 433.10 | = | 0.181285 | x .2 | 0.036257 | Х | 433.10 | = | 15.70 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: I014 - STROTHER

- A. If school district's total area in square miles <u>108.807230</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>433.10</u> divided by district's total area in square mile <u>108.807230</u> = District's Areal Density <u>3.98</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

433.10

5) (District's Square Miles <u>108.807230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{433.10}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __15.70_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 464 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 238.39 | = | 0.549357 | x .2 | 0.109871 | Х | 238.39 | =_ | 26.19 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1015 - BUTNER

- A. If school district's total area in square miles <u>114.870000</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>238.39</u> divided by district's total area in square mile <u>114.870000</u> = District's Areal Density <u>2.08</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|-----------------|----------------|----------|---|----|
| EC-5 Cost Factor | EC-5 ADM | | | | _ | | _ |
| | | | | | | 122 divided by " <u>Cb</u> " from above | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | _ |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | _ |
| | | | | | | 292 divided by " <u>Cc</u> " from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | _ |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | |
| | 238 39 | | trict's Raw ADM | divided by dis | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>114.870000</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 238.39 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.19_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 465 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 307.00 | = | 0.419660 | x .2 | 0.083932 | х | 307.00 | =_ | 25.77 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: C001 - LIBERTY

- If school district's total area in square miles 32.725260 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>307.00</u> divided by district's total area in square mile <u>32.725260</u> = District's Areal В Density <u>9.38</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|------------------------------|------------|----------|---------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | - <u> </u> | 0.000000 | + .78 = | 0.780000 | x | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 307.00 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>32.725260</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 307.00 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.77

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 466 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 93.27 | = | 0.823686 | x .2 | 0.164737 | х _ | 93.27 | _ = _ | 15.37 |
|-------|-------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: C035 - MARBLE CITY

- If school district's total area in square miles 31.049270 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 93.27 divided by district's total area in square mile 31.049270 = District's Areal В Density 3.00 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---|----------|---------|----------|---|-----------|-------------------|
| | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | e | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | e | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

93.27

0.00 5) (District's Square Miles <u>31.049270</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 93.27 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 15.37

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 467 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 398.22 | = | 0.247221 | x .2 | 0.049444 | | 398.22 | =_ | 19.69 |
|-------|--------|---|----------|------|----------|--|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: C036 - BRUSHY

- If school district's total area in square miles 46.530590 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>398.22</u> divided by district's total area in square mile <u>46.530590</u> = District's Areal В Density <u>8.56</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | X | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 398.22 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>46.530590</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 398.22 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.69

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 468 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | | |
|-----|---|---|----|--|
| ĸaw | Α | U | IV | |

| 529 - | 168.31 | = | 0.681834 | x .2 | 0.136367 | х | 168.31 | =_ | 22.95 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: C050 - BELFONTE

- If school district's total area in square miles __75.623500_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>168.31</u> divided by district's total area in square mile <u>75.623500</u> = District's Areal В Density <u>2.23</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|--------------|-------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | _ | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by d | istrict's Raw ADM | | 168.31 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>75.623500</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 168.31 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.95

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 469 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 340.78 | = | 0.355803 | x .2 | 0.071161 | Х | 340.78 | =_ | 24.25 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: C068 - MOFFETT

- If school district's total area in square miles <u>6.506510</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>340.78</u> divided by district's total area in square mile <u>6.506510</u> = District's Areal В Density <u>52.38</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------|----------|----------------|-----------------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | | 340.78 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>6.506510</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>340.78</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.25

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 470 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,931.03 | _ = | 0.000000 | x .2 | 0.000000 | Х | 1,931.03 | = | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: I001 - SALLISAW

- A. If school district's total area in square miles <u>137.294800</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,931.03</u> divided by district's total area in square mile <u>137.294800</u> = District's Areal Density <u>14.06</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from abo | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by o | district's Raw ADM | | 1,931.03 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>137.294800</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.931.03 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 471 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 891.55 | = | 0.000000 | x .2 | 0.000000 | х _ | 891.55 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1002 - VIAN

- If school district's total area in square miles 135.360580 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>891.55</u> divided by district's total area in square mile <u>135.360580</u> = District's Areal В Density <u>6.59</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--|-------------------|---------|------------|-----------|-------------------|
| | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | |
| | 0.00 = | = 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | 0.00 = 292 divided by " <u>Cc</u> " from abo | = 0.000000 ove | | | 6-8 ADM | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

891.55

0.00 5) (District's Square Miles <u>135.360580</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 891.55 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 472 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,394.37 | = | 0.000000 | Х | .2 | 0.000000 | Х | 1,394.37 | = | 0.00 |
|-------|----------|---|----------|---|----|--------------|---|-----------|---|-----------------|
| | 529 | | | | | | | Same Year | | Small School |
| | | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1003 - MULDROW

- If school district's total area in square miles <u>81.589020</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,394.37 divided by district's total area in square mile 81.589020 = District's Areal В Density <u>17.09</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|-----------|---------|----------------|---|-----------|-------------------|
| | | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | : | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y disti | rict's Raw ADM | | 1,394.37 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>81.589020</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.394.37 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 473 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 | 405.45 | = | 0.233554 | x .2 | 0.046711 | Х | 405.45 | _ = | 18.94 |
|-----|--------|---|----------|------|----------|---|-----------|-----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1004 - GANS

- If school district's total area in square miles <u>51.332950</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 405.45 divided by district's total area in square mile 51.332950 = District's Areal В Density <u>7.90</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|-------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | | 0.00 | divided by di | istrict's Raw ADM | | 405.45 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>51.332950</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{405.45}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.94

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 474 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 911.85 | = | 0.000000 | x .2 | 0.000000 | х _ | 911.85 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1005 - ROLAND

- If school district's total area in square miles 40.747100 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 911.85 divided by district's total area in square mile 40.747100 = District's Areal В Density 22.38 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|-----------|---------|---------------|---|-----------|-------------------|
| | | | | | - | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 = | = | 0.000000 | + .85 = | : | 0.850000 | x | 0.00 = | 0.00 |
| | _ | | _ | | - | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 = | = | 0.000000 | + .78 = | | 0.780000 | x | 0.00 = | 0.00 |
| | _ | | _ | | - | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y distr | ict's Raw ADM | | 911.85 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>40.747100</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 911.85 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 475 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 492.95 | = | 0.068147 | x .2 | 0.013629 | Х _ | 492.95 | =_ | 6.72 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1006 - GORE

- If school district's total area in square miles _70.336890_ is greater than the state average area in square miles _137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>492.95</u> divided by district's total area in square mile <u>70.336890</u> = District's Areal В Density <u>7.01</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|---|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by di | strict's Raw ADM | | 492.95 | |

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>70.336890</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 492.95 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 6.72

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 476 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 486.46 | = | 0.080416 | x .2 | 0.016083 | Х | 486.46 | = | 7.82 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1007 - CENTRAL

- If school district's total area in square miles 47.725200 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>486.46</u> divided by district's total area in square mile <u>47.725200</u> = District's Areal В Density 10.19.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

486.46

0.00 5) (District's Square Miles <u>47.725200</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 486.46 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 7.82

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 477 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | ٨ | | ١./ |
|-----|---|---|-----|
| Raw | А | ט | IV |

| 529 - | 132.09 | = | 0.750302 | x .2 | 0.150060 | Х | 132.09 | =_ | 19.82 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| · | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: C082 - GRANDVIEW

- If school district's total area in square miles 45.567380 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>132.09</u> divided by district's total area in square mile <u>45.567380</u> = District's Areal В Density <u>2.90</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|-----------------|----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dist | rict's Raw ADM | 132.09 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>45.567380</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 132.09 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.82

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 478 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 3,438.62 | = | 0.000000 | x .2 | 0.000000 | Х | 3,438.62 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1001 - DUNCAN

- If school district's total area in square miles 67.215980 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,438.62 divided by district's total area in square mile 67.215980 = District's Areal В Density <u>51.16</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = _ | 0.000000 | 3. + | 35 = | 0.850000 | X | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|-------|-------|--------------------|---|-----------|-------------------|
| | | | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 = | | 0.000000 | 3. + | 35 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 = | | 0.000000 | + | 78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divid | ed bv | district's Raw ADM | | 3.438.62 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

3,438.62

0.00 5) (District's Square Miles <u>67.215980</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.438.62 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 479 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | | |
|-----|---|---|----|--|
| ĸaw | Α | U | IV | |

| 529 - | 952.27 | = | 0.000000 | x .2 | 0.000000 | Х | 952.27 | =_ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1002 - COMANCHE

- If school district's total area in square miles 158.287370 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>952.27</u> divided by district's total area in square mile <u>158.287370</u> = District's Areal В Density <u>6.02</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | bove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 952.27 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>158.287370</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>952.27</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 480 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,441.84 | _ = | 0.000000 | x .2 | 0.000000 | Х | 1,441.84 | _ = | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|-----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1003 - MARLOW

- A. If school district's total area in square miles <u>63.599530</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 1,441.84 divided by district's total area in square mile 63.599530 = District's Areal Density 22.67.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|---------|----------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

1,441.84

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 63.599530 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1.441.84}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 481 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 470.22 | = _ | 0.111115 | x .2 | 0.022223 | × | 470.22 | _ = _ | 10.45 |
|-------|--------|-----|----------|------|----------|---|-----------|-------|-----------------|
| _ | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: I015 - VELMA-ALMA

- A. If school district's total area in square miles <u>229.319470</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>470.22</u> divided by district's total area in square mile <u>229.319470</u> = District's Areal Density <u>2.05</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 238.16 | + | 23 = | 261.16 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 108.78 | + | 133 = | 241.78 | (Cb) |
| Grades | PK3,9 -OHP | 123.28 | + | 128 = | 251.28 | (Cc) |
| | | 470.22 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 261.16 = | 0.283351 | + .85 = | 1.133351 | Χ | 238.16 = | 269.92 |
|----|---|----------|----------------|-----------------|---|-----------|-------------------|
| | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 241.78 = | 0.504591 | + .85 = | 1.354591 | x | 108.78 = | 147.35 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | | |
| | 251.28 = | 1.162050 | + .78 = | 1.942050 | х | 123.28 = | 239.42 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 656.69 | divided by dis | trict's Raw ADM | | 470.22 | |

- 1.00 = District Cost Factor

0.40

5) (District's Square Miles $\underline{229.319470}$ - $\underline{137.00000}$) divided by $\underline{137.00000}$ = Area Factor $\underline{0.67}$

1.40

- 6) Multiply District Cost Factor (Line 4 above) 0.40 by lessor of the Area Factor (Line 5 above) 0.67 or 1.00 = Isolation Factor 0.27
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{470.22}{126.02}$ = Isolation Weight $\frac{126.02}{126.02}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __126.02_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 482 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 527.52 | = | 0.002798 | x .2 | 0.000560 | Х | 527.52 | =_ | 0.30 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1021 - EMPIRE

- If school district's total area in square miles 105.034510 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>527.52</u> divided by district's total area in square mile <u>105.034510</u> = District's Areal В Density <u>5.02</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | ve | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | ve | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

527.52

0.00 5) (District's Square Miles <u>105.034510</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 527.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.30

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 483 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 419.24 | = | 0.207486 | x .2 | 0.041497 | Х _ | 419.24 | _ = _ | 17.40 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1034 - CENTRAL HIGH

- If school district's total area in square miles <u>96.577500</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>419.24</u> divided by district's total area in square mile <u>96.577500</u> = District's Areal В Density <u>4.34</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | 0. | |
|-------------------|-----------|---|-----------------|----------------|----------|------------|--------------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | | |
| | | | | | | from above | 2) 122 divided by " <u>Cb</u> " fro | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | 0. | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | | |
| | | | | | | from above | 3) 292 divided by " <u>Cc</u> " from | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | 0. | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | | |
| | 419.24 | | trict's Raw ADM | divided by dis | 0.00 | n above | 4) Sum 1 + 2 + 3 from ab | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>96.577500</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 419.24 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.40

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 484 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Α | D١ | Л |
|-----|---|----|---|
|-----|---|----|---|

| 529 - | 296.43 | _ = | 0.439641 | x .2 | 0.087928 | X | 296.43 | =_ | 26.06 |
|-------|--------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1042 - BRAY-DOYLE

- A. If school district's total area in square miles <u>235.831840</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>296.43</u> divided by district's total area in square mile <u>235.831840</u> = District's Areal Density <u>1.26</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 133.70 | + | 23 = | 156.70 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 58.93 | + | 133 = | 191.93 | (Cb) |
| Grades | PK3,9 -OHP | 103.80 | + | 128 = | 231.80 | (Cc) |
| | | 296.43 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 156.70 = | 0.472240 | + .85 = | 1.322240 | x 133.70 | = 176.78 |
|----|---|----------|---------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 191.93 = | 0.635648 | + .85 = | 1.485648 | x58.93 | = 87.55 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 231.80 = | 1.259707 | + .78 = | 2.039707 | x103.80 | = 211.72 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 476.05 | divided by di | strict's Raw ADM | 296.43 | |

- 1.00 = District Cost Factor

0.61

5) (District's Square Miles <u>235.831840</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.72</u>

1.61

- 6) Multiply District Cost Factor (Line 4 above) 0.61 by lessor of the Area Factor (Line 5 above) 0.72 or 1.00 = Isolation Factor 0.44
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 296.43 = Isolation Weight 130.19
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __130.19_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 485 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 52.14 | _ = | 0.901437 | x .2 | 0.180287 | Х | 52.14 | =_ | 9.40 |
|-------|-------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | _ | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS **District: C009 - OPTIMA**

- If school district's total area in square miles <u>59.012600</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>52.14</u> divided by district's total area in square mile <u>59.012600</u> = District's Areal В Density <u>0.88</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.0 | 0.00 |
|----|---------------------------------------|----------|----------------|------------------|-----------|---------------------|
| | · | | | | EC-5 ADI | M EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.0 | 0.00 |
| | | | | | 6-8 ADI | M 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ve | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x0.0 | 0.00 |
| | | | | | 9-OHP ADI | M 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | strict's Raw ADM | 52.1 | 4 |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>59.012600</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 52.14 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 9.40

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 486 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Δ | \Box | М |
|-----|--------|----------------------------|-----|
| | \sim | $\boldsymbol{\mathcal{L}}$ | IVI |

| 529 - | 36.00 | = | 0.931947 | x .2 | 0.186389 | x | 36.00 | _ = _ | 6.71 |
|-------|-------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | _ | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: C080 - STRAIGHT

- A. If school district's total area in square miles <u>150.330660</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>36.00</u> divided by district's total area in square mile <u>150.330660</u> = District's Areal Density <u>0.24</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 32.00 | + | 23 = | 55.00 | (Ca) |
|--------|------------|-------|---|-------|--------|------|
| Grades | 6th - 8th | 4.00 | + | 133 = | 137.00 | (Cb) |
| Grades | PK3,9 -OHP | 0.00 | + | 128 = | 0.00 | (Cc) |
| | | 36.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 55.00 = | 1.345455 | + .85 = | 2.195455 x | 32.00 = | 70.25 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 137.00 = | 0.890511 | + .85 = | 1.740511 x | 4.00 = | 6.96 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.000000 x | 0.00 = | 0.00 |
| | | _ | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

36.00

= 2.14 - 1.00 = District Cost Factor 1.14

77.21

- 5) (District's Square Miles <u>150.330660</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.10</u>
- 6) Multiply District Cost Factor (Line 4 above) 1.14 by lessor of the Area Factor (Line 5 above) 0.10 or 1.00 = Isolation Factor 0.11
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{36.00}$ = Isolation Weight $\underline{4.10}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 6.71

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 487 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 102.30 | = | 0.806616 | x .2 | 0.161323 | Х | 102.30 | = | 16.50 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: I001 - YARBROUGH

- A. If school district's total area in square miles <u>375.985090</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>102.30</u> divided by district's total area in square mile <u>375.985090</u> = District's Areal Density <u>0.27</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 51.78 | + | 23 = | 74.78 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 20.76 | + | 133 = | 153.76 | (Cb) |
| Grades | PK3,9 -OHP | 29.76 | + | 128 = | 157.76 | (Cc) |
| | | 102.30 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 74.78 = | 0.989569 | + .85 = | 1.839569 x | 51.78 = | 95.25 |
|----|--------------------------------|----------|----------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 153.76 = | 0.793444 | + .85 = | 1.643444 x | 20.76 = | 34.12 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 157.76 = | 1.850913 | + .78 = | 2.630913 x | 29.76 = | 78.30 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 207.67 | divided by dis | strict's Raw ADM | 102.30 | |

- 1.00 = District Cost Factor

1.03

5) (District's Square Miles <u>375.985090</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.74</u>

2.03

- 6) Multiply District Cost Factor (Line 4 above) 1.03 by lessor of the Area Factor (Line 5 above) 1.74 or 1.00 = Isolation Factor 1.03
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 102.30 = Isolation Weight 105.37
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __105.37_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 488 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 3,073.86 | = | 0.000000 | x .2 | 0.000000 | х | 3,073.86 | = | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: I008 - GUYMON

- A. If school district's total area in square miles <u>360.722180</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,073.86</u> divided by district's total area in square mile <u>360.722180</u> = District's Areal Density <u>8.52</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|-----------------|----------------|----------|---|----|
| EC-5 Cost Factor | EC-5 ADM | | | | _ | | |
| | | | | | | 122 divided by " <u>Cb</u> " from above | 2) |
| 0.00 | 0.00 = | Х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | |
| | | | | | | 292 divided by " <u>Cc</u> " from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | |
| | 3 073 86 | | trict's Raw ADM | divided by dis | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>360.722180</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.073.86 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 489 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 76.58 | = | 0.855236 | x .2 | 0.171047 | Х _ | 76.58 | = | 13.10 |
|-------|-------|---|----------|------|----------|-----|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: I015 - HARDESTY

- A. If school district's total area in square miles <u>250.182820</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>76.58</u> divided by district's total area in square mile <u>250.182820</u> = District's Areal Density <u>0.31</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 39.43 | + | 23 = | 62.43 | (Ca) |
|--------|------------|-------|---|-------|--------|------|
| Grades | 6th - 8th | 18.00 | + | 133 = | 151.00 | (Cb) |
| Grades | PK3,9 -OHP | 19.15 | + | 128 = | 147.15 | (Cc) |
| | | 76.58 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 62.43 = | 1.185328 | + .85 = | 2.035328 | x3 | 9.43 = | 80.25 |
|----|---|----------|----------------|-----------------|---------|--------|-------------------|
| | | _ | | | EC-5 A | ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | 2 | | | | | |
| | 151.00 = | 0.807947 | + .85 = | 1.657947 | x1 | 8.00 = | 29.84 |
| | | | | | 6-8 A | 4DM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | 2 | | | | | |
| | 147.15 = | 1.984370 | + .78 = | 2.764370 | x1 | 9.15 = | 52.94 |
| | | | | | 9-OHP A | ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 163.03 | divided by dis | trict's Raw ADM | 7 | 6.58 | |

- 1.00 = District Cost Factor

1.13

5) (District's Square Miles <u>250.182820</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.83</u>

2.13

- 6) Multiply District Cost Factor (Line 4 above) 1.13 by lessor of the Area Factor (Line 5 above) 0.83 or 1.00 = Isolation Factor 0.94
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{76.58}{}$ = Isolation Weight $\frac{71.82}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __71.82_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 490 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | N A | |
|--------|---|---|-----|--|
| Raw | А | ט | IVI | |

| 529 - | 647.71 | = | 0.000000 | x .2 | 0.000000 | Х | 647.71 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: I023 - HOOKER

- A. If school district's total area in square miles <u>303.631560</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 647.71 divided by district's total area in square mile 303.631560 = District's Areal Density 2.13.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 316.05 | + | 23 = | 339.05 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 142.83 | + | 133 = | 275.83 | (Cb) |
| Grades | PK3,9 -OHP | 188.83 | + | 128 = | 316.83 | (Cc) |
| | | 647.71 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 339.05 = | 0.218257 | + .85 = | 1.068257 | x 316.05 | = 337.62 |
|----|--------------------------------|----------|----------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 275.83 = | 0.442301 | + .85 = | 1.292301 | x 142.83 | = 184.58 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 316.83 = | 0.921630 | + .78 = | 1.701630 | x 188.83 | = 321.32 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 843.52 | divided by dis | strict's Raw ADM | 647.71 | |

- 1.00 = District Cost Factor

0.30

5) (District's Square Miles <u>303.631560</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.22</u>

1.30

- 6) Multiply District Cost Factor (Line 4 above) 0.30 by lessor of the Area Factor (Line 5 above) 1.22 or 1.00 = Isolation Factor 0.30
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 647.71 = Isolation Weight 194.31
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __194.31_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 491 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 198.62 | = | 0.624537 | x .2 | 0.124907 | Х | 198.62 | = | 24.81 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS **District: I053 - TYRONE**

- If school district's total area in square miles 66.952280 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 198.62 divided by district's total area in square mile 66.952280 = District's Areal В Density <u>2.97</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| 0.00 | 0.00 = | 0.850000 x | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|------------|---------|----------|---|----|
| EC-5 Cost Factor | EC-5 ADM | | _ | _ | | |
| | | | | |) 122 divided by " <u>Cb</u> " from above | 2) |
| 0.00 | 0.00 = | 0.850000 x | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | |
| | | | | |) 292 divided by " <u>Cc</u> " from above | 3) |
| 0.00 | 0.00 = | 0.780000 x | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

198.62

0.00 5) (District's Square Miles <u>66.952280</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 198.62 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.81

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 492 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 246.68 | = | 0.533686 | x .2 | 0.106737 | х | 246.68 | = | 26.33 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: 1060 - GOODWELL

- A. If school district's total area in square miles <u>186.633890</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>246.68</u> divided by district's total area in square mile <u>186.633890</u> = District's Areal Density <u>1.32</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 128.02 | + | 23 = | 151.02 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 58.24 | + | 133 = | 191.24 | (Cb) |
| Grades | PK3,9 -OHP | 60.42 | + | 128 = | 188.42 | (Cc) |
| | | 246.68 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 151.02 = | 0.490001 | + .85 = | 1.340001 | x 128.02 | = 171.55 |
|----|--------------------------------|----------|---------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 191.24 = | 0.637942 | + .85 = | 1.487942 | x58.24 | = 86.66 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 188.42 = | 1.549729 | + .78 = | 2.329729 | x 60.42 | = 140.76 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 398.97 | divided by di | strict's Raw ADM | 246.68 | |

- 1.00 = District Cost Factor

0.62

5) (District's Square Miles <u>186.633890</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.36</u>

1.62

- 6) Multiply District Cost Factor (Line 4 above) 0.62 by lessor of the Area Factor (Line 5 above) 0.36 or 1.00 = Isolation Factor 0.22
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 246.68 = Isolation Weight _55.06
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __55.06_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 493 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 245.53 | =_ | 0.535860 | x .2 | 0.107172 | x | 245.53 | _ = _ | 26.31 |
|-------|--------|----|----------|------|----------|---|-----------|-------|-----------------|
| • | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: I061 - TEXHOMA

- A. If school district's total area in square miles <u>252.762280</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>245.53</u> divided by district's total area in square mile <u>252.762280</u> = District's Areal Density <u>0.97</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 106.00 | + | 23 = | 129.00 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 53.00 | + | 133 = | 186.00 | (Cb) |
| Grades | PK3,9 -OHP | 86.53 | + | 128 = | 214.53 | (Cc) |
| | | 245.53 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 129.00 = | 0.573643 | + .85 = | 1.423643 x | 106.00 = | 150.91 |
|----|---|----------|------------------|----------------|-----------|-------------------|
| | | | | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | e | | | | |
| | 186.00 = | 0.655914 | + .85 = | 1.505914 x | 53.00 = | 79.81 |
| | | | | _ | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | е | | | | |
| | 214.53 = | 1.361115 | + .78 = | 2.141115 x | 86.53 = | 185.27 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 415.99 | divided by distr | rict's Raw ADM | 245.53 | |

- 1.00 = District Cost Factor

0.69

5) (District's Square Miles <u>252.762280</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.84</u>

1.69

- 6) Multiply District Cost Factor (Line 4 above) 0.69 by lessor of the Area Factor (Line 5 above) 0.84 or 1.00 = Isolation Factor 0.58
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 245.53 = Isolation Weight 142.31
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 142.31

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 494 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 35.36 | _ = | 0.933157 | x .2 | 0.186631 | Х | 35.36 | = _ | 6.60 |
|-------|-------|-----|----------|------|----------|---|-----------|-----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 71 - TILLMAN District: C009 - DAVIDSON

- A. If school district's total area in square miles <u>127.774210</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>35.36</u> divided by district's total area in square mile <u>127.774210</u> = District's Areal Density <u>0.28</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|-----------|---------|----------------|---|-----------|-------------------|
| | | | _ | | • | _ | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y distr | rict's Raw ADM | | 35.36 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>127.774210</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 35.36 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 6.60

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 495 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 280.23 | = | 0.470265 | x .2 | 0.094053 | х _ | 280.23 | =_ | 26.36 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 71 - TILLMAN District: 1008 - TIPTON

- A. If school district's total area in square miles <u>170.242540</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>280.23</u> divided by district's total area in square mile <u>170.242540</u> = District's Areal Density <u>1.65</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 124.17 | + | 23 = | 147.17 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 64.76 | + | 133 = | 197.76 | (Cb) |
| Grades | PK3,9 -OHP | 91.30 | + | 128 = | 219.30 | (Cc) |
| | | 280.23 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 147.17 = | 0.502820 | + .85 = | 1.352820 | 124.17 = | 167.98 |
|----|---|----------|---------|----------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 197.76 = | 0.616909 | + .85 = | 1.466909 | 64.76 = | 95.00 |
| | | _ | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 219.30 = | 1.331509 | + .78 = | 2.111509 | 91.30 = | 192.78 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

280.23

0.63

= 1.63 - 1.00 = District Cost Factor

5) (District's Square Miles <u>170.242540</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.24</u>

455.76

- 6) Multiply District Cost Factor (Line 4 above) 0.63 by lessor of the Area Factor (Line 5 above) 0.24 or 1.00 = Isolation Factor 0.15
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 280.23 = Isolation Weight 42.37
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 42.37

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 496 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 868.19 | = | 0.000000 | x .2 | 0.000000 | х _ | 868.19 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 71 - TILLMAN District: I158 - FREDERICK

- If school district's total area in square miles 206.958390 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>868.19</u> divided by district's total area in square mile <u>206.958390</u> = District's Areal В Density <u>4.19</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|---------|----------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

868.19

0.00 5) (District's Square Miles <u>206.958390</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 868.19 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 497 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N A | |
|-----|---|--------|-----|--|
| Kaw | А | ט | IVI | |

| 529 - | 210.14 | = | 0.602760 | x .2 | 0.120552 | Х | 210.14 | = | 25.33 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 71 - TILLMAN District: I249 - GRANDFIELD

- A. If school district's total area in square miles <u>175.721740</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>210.14</u> divided by district's total area in square mile <u>175.721740</u> = District's Areal Density <u>1.20</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 99.03 | + | 23 = | 122.03 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 55.73 | + | 133 = | 188.73 | (Cb) |
| Grades | PK3,9 -OHP | 55.38 | + | 128 = | 183.38 | (Cc) |
| | | 210.14 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 122.03 = | 0.606408 | + .85 = | 1.456408 | y 99.03 = | 144.23 |
|----|---|----------|----------------|------------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from above | e | | | | |
| | 188.73 = | 0.646426 | + .85 = | 1.496426 | x 55.73 = | 83.40 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | е | | | | |
| | 183.38 = | 1.592322 | + .78 = | 2.372322 | x 55.38 = | 131.38 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 359.01 | divided by dis | strict's Raw ADM | 210.14 | |

- 1.00 = District Cost Factor

0.71

5) (District's Square Miles <u>175.721740</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.28</u>

1.71

- 6) Multiply District Cost Factor (Line 4 above) 0.71 by lessor of the Area Factor (Line 5 above) 0.28 or 1.00 = Isolation Factor 0.20
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>210.14</u> = Isolation Weight <u>41.78</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 41.78

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 498 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 320.96 | = | 0.393270 | x .2 | 0.078654 | х _ | 320.96 | =_ | 25.24 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: C015 - KEYSTONE**

- If school district's total area in square miles 45.319250 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>320.96</u> divided by district's total area in square mile <u>45.319250</u> = District's Areal В Density <u>7.08</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

320.96

0.00 5) (District's Square Miles <u>45.319250</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>320.96</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.24

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 499 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 444.32 | = | 0.160076 | x .2 | 0.032015 | Х | 444.32 | _ = _ | 14.22 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: E004 - TULSA CHARTER: SCHL ARTS/SCI.

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>444.32</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|---------|----------|----------|------------------|
| 2) | 122 divided by " <u>Cb</u> " from above | 9 | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x 0.00 = | 0.00 |

0.850000 x

+ .85 =

0.00 =

9-OHP ADM

0.00

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 444.32
- = 0.00 1.00 = District Cost Factor
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 444.32 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 500 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 439.54 | = | 0.169112 | x .2 | 0.033822 | Х _ | 439.54 | =_ | 14.87 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: E005 - TULSA CHARTER: KIPP TULSA

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>439.54</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|---------|------------|-----------|-------------------|
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

0.850000 x

+ .85 =

0.00 =

0.00

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 439.54

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{439.54}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 501 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 603.28 | = | 0.000000 | x .2 | 0.000000 | Х | 603.28 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: E006 - TULSA LEGACY CHARTER SCHL INC

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>603.28</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|---------|------------|----------|------------------|
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 | 0.000000 | . 70 | 0.700000 | 0.00 | 0.00 |

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 603.28

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{603.28}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 502 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 380.53 | = | 0.280662 | x .2 | 0.056132 | Х _ | 380.53 | _ = _ | 21.36 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: E017 - TULSA CHARTER: COLLEGE BOUND

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>380.53</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|---------|----------|----------|------------------|
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x 0.00 = | 0.00 |

0.850000 x

+ .85 =

0.00 =

9-OHP ADM

0.00

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 380.53

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{380.53}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 503 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 412.67 | = | 0.219905 | x .2 | 0.043981 | Х | 412.67 | _ = _ | 18.15 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: E018 - TULSA CHARTER: HONOR ACADEMY

A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.

an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

B. Compute areal density: School District's Raw ADM <u>412.67</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

| | | | - | | EC-5 ADM | EC-5 Cost Factor |
|----|--------------------------------|----------|-------------------------------|------------|-----------|-------------------|
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | _ | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by district's Raw ADM | | 412.67 | |

- 1.00 = District Cost Factor

+ .85 =

0.850000 x

0.00 =

0.00

5) (District's Square Miles 0 - 137.00000) divided by 137.00000 =Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{412.67}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 504 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 247.78 | = | 0.531607 | x .2 | 0.106321 | х | 247.78 | =_ | 26.34 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: E019 - TULSA CHARTER: COLLEGIATE HALL**

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>247.78</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>. В

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|---------|------------|----------|------------------|
| 2) | 122 divided by " <u>Cb</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 | 0.000000 | . 70 | 0.700000 | 0.00 | 0.00 |

0.850000 x

+ .85 =

0.00 =

0.00

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 247.78 0.00 - 1.00 = District Cost Factor

- 5) (District's Square Miles <u>0</u> <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 247.78 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 505 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 239.47 | = | 0.547316 | x .2 | 0.109463 | Х | 239.47 | = | 26.21 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: G001 - DEBORAH BROWN (CHARTER)

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>239.47</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|----------|---------|------------|-----------|-------------------|
| 2) | 122 divided by " <u>Cb</u> " from above | 2 | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | _ | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

0.850000 x

+ .85 =

0.00 =

239.47

0.00

= 0.00 - 1.00 = District Cost Factor

0.00

- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>239.47</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 506 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,039.00 | = | 0.000000 | x .2 | 0.000000 | Х | 1,039.00 | = | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: G003 - DOVE SCHOOLS OF TULSA**

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,039.00 divided by district's total area in square mile 0 = District's Areal Density 0 В

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|-----|----------|---------|----------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

1,039.00

0.00 - 1.00 = District Cost Factor 5) (District's Square Miles 0 - 137.0000) divided by 137.0000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.039.00 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 507 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 106.36 | = | 0.798941 | x .2 | 0.159788 | х | 106.36 | _ = _ | 17.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: G004 - SANKOFA MIDDLE SCHL (CHARTER)

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>106.36</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
|----|--------------------------------------|------|----------|---------|----------|---|-----------|-------------------|
| 2) | 122 divided by "Cb" from a | bove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | Х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

0.850000 x

+ .85 =

0.00 =

0.00

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 106.36

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{106.36}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 508 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 154.69 | = | 0.707580 | x .2 | 0.141516 | Х _ | 154.69 | =_ | 21.89 |
|-------|--------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: G005 - LANGSTON HUGHES ACAD ARTS-TECH

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>154.69</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | | | | EC-5 ADM | EC-5 Cost Factor |
|----|---|--------------|----------|-----------|-------------------|
| 2) | 122 divided by "Cb" from above | | | | |
| | 0.00 = 0.00 | 0000 + .85 = | 0.850000 | x0.00 | = 0.00 |
| | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | |
| | 0.00 = 0.00 | 0000 + .78 = | 0.780000 | x0.00 | = 0.00 |
| | | | | 9-OHP ADM | 9-OHP Cost Factor |

0.850000 x

+ .85 =

0.00 =

0.00

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 154.69

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{154.69}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Α | D | М |
|-----|---|---|---|
| | | | |

| 529 - | 36,203.38 | _ = | 0.000000 | x .2 | 0.000000 | Х | 36,203.38 | =_ | 0.00 |
|-------|-----------|-----|----------|------|----------|---|-----------|----|-----------------|
| | 529 | _ | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: I001 - TULSA

- A. If school district's total area in square miles <u>177.409410</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>36,203.38</u> divided by district's total area in square mile <u>177.409410</u> = District's Areal Density <u>204.07</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------|----------|----------------|-----------------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | | 36,203.38 | |

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>177.409410</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 36,203.38 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 510 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 5,051.23 | _ = | 0.000000 | x .2 | 0.000000 | Х | 5,051.23 | = | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | _ | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: 1002 - SAND SPRINGS**

- If school district's total area in square miles <u>75.164050</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>5,051.23</u> divided by district's total area in square mile <u>75.164050</u> = District's Areal В Density <u>67.20</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|-----------|-------|-----------------|---|-----------|-------------------|
| | | | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | bove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 : | = | 0.850000 | х | 0.00 = | 0.00 |
| | · | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y dis | trict's Raw ADM | | 5,051.23 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>75.164050</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 5.051.23 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 511 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 19,046.97 | = | 0.000000 | x .2 | 0.000000 | х | 19,046.97 | _ = _ | 0.00 |
|-------|-----------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: I003 - BROKEN ARROW

- A. If school district's total area in square miles <u>104.696790</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>19,046.97</u> divided by district's total area in square mile <u>104.696790</u> = District's Areal Density <u>181.93</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

19,046.97

5) (District's Square Miles <u>104.696790</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 19.046.97 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 512 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 6,663.55 | = | 0.000000 | x .2 | 0.000000 | Х | 6,663.55 | = | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: I004 - BIXBY

- If school district's total area in square miles <u>75.116750</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>6,663.55</u> divided by district's total area in square mile <u>75.116750</u> = District's Areal В Density <u>88.71</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--|----------|---------|------------|-----------|-------------------|
| | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abov | e | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | e | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| | | | | | | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

6,663.55

0.00 5) (District's Square Miles <u>75.116750</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 6.663.55 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 513 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 12,440.04 | _ = | 0.000000 | x .2 | 0.000000 | Х | 12,440.04 | = | 0.00 |
|-------|-----------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | _ | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I005 - JENKS**

- If school district's total area in square miles 39.810430 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 12,440.04 divided by district's total area in square mile 39.810430 = District's Areal В Density 312.48.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|-----------------------------|------|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by d | listrict's Raw ADM | | 12,440.04 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>39.810430</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 12,440.04 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 514 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ | | N A |
|-----|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 2,818.15 | = | 0.000000 | x .2 | 0.000000 | Х | 2,818.15 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I006 - COLLINSVILLE**

- If school district's total area in square miles 63.843230 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,818.15 divided by district's total area in square mile 63.843230 = District's Areal В Density 44.14 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|--------------|--------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by d | listrict's Raw ADM | | 2,818.15 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>63.843230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.818.15 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 515 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,426.01 | = | 0.000000 | x .2 | 0.000000 | х | 2,426.01 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: 1007 - SKIATOOK**

- If school district's total area in square miles <u>89.638390</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,426.01 divided by district's total area in square mile 89.638390 = District's Areal В Density <u>27.06</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | 0.00 = | 0.00 |
|----|--|----------|----------------|-----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ve | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | ve | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | 2.426.01 | |

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,426.01

0.00 5) (District's Square Miles <u>89.638390</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.426.01</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 516 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,073.55 | = | 0.000000 | x .2 | 0.000000 | Х _ | 1,073.55 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|-----|-----------|----|-----------------|
| | 529 | | | | | _ | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: 1008 - SPERRY

- A. If school district's total area in square miles <u>57.002560</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 1,073.55 divided by district's total area in square mile 57.002560 = District's Areal Density 18.83.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--|----------|---------|----------|---|-----------|-------------------|
| | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | ve | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | ve | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

1,073.55

= 0.00 - 1.00 = District Cost Factor

0.00

5) (District's Square Miles <u>57.002560</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.073.55 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 517 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 15,703.11 | = _ | 0.000000 | x .2 | 0.000000 | Х | 15,703.11 | = | 0.00 |
|-------|-----------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I009 - UNION**

- If school district's total area in square miles 27.361700 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 15,703.11 divided by district's total area in square mile 27.361700 = District's Areal В Density <u>573.91</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---|----------|----------------|-----------------|-------|--------|-------------------|
| | | _ | | | EC- | 5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | 6-8 | 8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | 9-OHI | P ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | 15, | 703.11 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>27.361700</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 15,703.11 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 518 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | Α | D | М |
|-----|---|---|---|
| | | | |

| 529 - | 1,218.49 | = | 0.000000 | x .2 | 0.000000 | Х | 1,218.49 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I010 - BERRYHILL**

- If school district's total area in square miles <u>9.381130</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,218.49 divided by district's total area in square mile 9.381130 = District's Areal В Density 129.89 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|-----------------------------|-----|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from ab | ove | | | | | | |
| | 0.00 | = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided by di | strict's Raw ADM | | 1,218.49 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>9.381130</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.218.49 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 519 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 | 9,618.66 | = | 0.000000 | x .2 | 0.000000 | Х | 9,618.66 | _ = | 0.00 |
|-----|----------|---|----------|------|----------|---|-----------|-----|-----------------|
| | 529 | _ | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I011 - OWASSO**

- If school district's total area in square miles <u>72.429480</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>9,618.66</u> divided by district's total area in square mile <u>72.429480</u> = District's Areal В Density <u>132.80</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|--------------------------------------|------|----------|-----------|---------|---------------|---|-----------|-------------------|
| | | _ | | | • | _ | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from a | bove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .85 = | = | 0.850000 | Х | 0.00 = | 0.00 |
| | | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from al | oove | | | | | | | |
| | 0.00 | = _ | 0.000000 | + .78 = | : . | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided b | y distr | ict's Raw ADM | | 9,618.66 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>72.429480</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 9.618.66 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 520 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,785.05 | = | 0.000000 | x .2 | 0.000000 | Х | 2,785.05 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I013 - GLENPOOL**

- If school district's total area in square miles <u>18.069170</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,785.05 divided by district's total area in square mile 18.069170 = District's Areal В Density <u>154.13</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|---|----------|---------|----------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | è | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,785.05

0.00 5) (District's Square Miles <u>18.069170</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.785.05 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 521 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 513.64 | = | 0.029036 | x .2 | 0.005807 | Х | 513.64 | = | 2.98 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I014 - LIBERTY**

- If school district's total area in square miles 47.585500 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>513.64</u> divided by district's total area in square mile <u>47.585500</u> = District's Areal В Density 10.79.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | .850000 x | 0.850 | 35 = | + .8 | 0.000000 | 0.00 = | |
|-------------------|-----------|-----------|-------------------|---------|--------|----------|-------------------------------------|-------------|
| EC-5 Cost Factor | EC-5 ADM | | | | | _ | _ | |
| | | | | | | | livided by " <u>Cb</u> " from above | 2) 122 divi |
| 0.00 | 0.00 = | .850000 x | 0.850 | 35 = | + .8 | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | | | | |
| | | | | | | | livided by " <u>Cc</u> " from above | 3) 292 divi |
| 0.00 | 0.00 = | .780000 x | 0.780 | 78 = | + .7 | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | | | | |
| | 513.64 | DM | istrict's Raw ADM | ed by d | divide | 0.00 | 1 + 2 + 3 from above | 4) Sum 1 + |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>47.585500</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>513.64</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 2.98

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 522 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N A | |
|-----|---|--------|-----|--|
| Kaw | А | ט | IVI | |

| 529 - | 366.93 | = | 0.306371 | x .2 | 0.061274 | х | 366.93 | =_ | 22.48 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 73 - WAGONER District: 1001 - OKAY

- If school district's total area in square miles 48.977250 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>366.93</u> divided by district's total area in square mile <u>48.977250</u> = District's Areal В Density <u>7.49</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0 = | 0.00 | |
|-------------------|-----------|---|-----------------|-----------------|----------|---------|--------------------------------------|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | | |
| | | | | | | n above | 122 divided by "Cb" from a | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0 = | 0.00 | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | | |
| | | | | | | above | 292 divided by " <u>Cc</u> " from al | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0 = | 0.00 | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | _ | | |
| | 366.93 | | trict's Raw ADM | divided by dist | 0.00 | ve | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>48.977250</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 366.93 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.48

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 523 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 3,340.87 | = _ | 0.000000 | x .2 | 0.000000 | Х | 3,340.87 | =_ | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|-------------|-----------------|
| _ | 529 | | | | | | Same Year | e Year Smal | |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 73 - WAGONER District: I017 - COWETA

- If school district's total area in square miles 116.713440 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,340.87 divided by district's total area in square mile 116.713440 = District's Areal В Density <u>28.62</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|---|----------|---------|------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

3,340.87

0.00 5) (District's Square Miles <u>116.713440</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.340.87 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 524 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | ДΓ | ٦M | ı |
|-----|----|----|---|
| | | | |

| 529 - | 2,330.38 | = | 0.000000 | x .2 | 0.000000 | Х | 2,330.38 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 73 - WAGONER District: I019 - WAGONER

- A. If school district's total area in square miles <u>144.204360</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,330.38</u> divided by district's total area in square mile <u>144.204360</u> = District's Areal Density <u>16.16</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | Χ | 0.00 = | 0.00 |
|----|--------------------------------|----------|-----------------|----------------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | - | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dist | rict's Raw ADM | | 2,330.38 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>144.204360</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.330.38 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 525 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 529.66 | = | 0.000000 | x .2 | 0.000000 | Х | 529.66 | = | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 73 - WAGONER District: 1365 - PORTER CONSOLIDATED

- A. If school district's total area in square miles <u>119.014140</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>529.66</u> divided by district's total area in square mile <u>119.014140</u> = District's Areal Density <u>4.45</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|-----------------|-----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dist | trict's Raw ADM | 529.66 | |

- 1.00 = District Cost Factor

5) (District's Square Miles <u>119.014140</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>529.66</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 526 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 223.64 | = | 0.577240 | x .2 | 0.115448 | х _ | 223.64 | = | 25.82 |
|-------|--------|---|----------|------|----------|-----|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 74 - WASHINGTON District: 1004 - COPAN

- If school district's total area in square miles __95.688670_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>223.64</u> divided by district's total area in square mile <u>95.688670</u> = District's Areal В Density <u>2.34</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| 0.00 | 0.00 = | Χ | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
|-------------------|-----------|---|-----------------|----------------|----------|---|----|
| EC-5 Cost Factor | EC-5 ADM | | | | | | |
| | | | | | | 122 divided by " <u>Cb</u> " from above | 2) |
| 0.00 | 0.00 = | х | 0.850000 | + .85 = | 0.000000 | 0.00 = | |
| 6-8 Cost Factor | 6-8 ADM | | | | _ | | |
| | | | | | | 292 divided by " <u>Cc</u> " from above | 3) |
| 0.00 | 0.00 = | х | 0.780000 | + .78 = | 0.000000 | 0.00 = | |
| 9-OHP Cost Factor | 9-OHP ADM | | | | _ | | |
| | 223 64 | | trict's Raw ADM | divided by dis | 0.00 | Sum 1 + 2 + 3 from above | 4) |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>95.688670</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 223.64 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.82</u>

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 527 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 1,240.98 | _ = | 0.000000 | x .2 | 0.000000 | Х | 1,240.98 | = | 0.00 |
|-------|----------|-----|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 74 - WASHINGTON District: 1007 - DEWEY

- If school district's total area in square miles <u>86.206030</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,240.98 divided by district's total area in square mile 86.206030 = District's Areal В Density 14.40 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
|----|--------------------------------|----------|------------------|---------------|-----------|-------------------|
| | | _ | · | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 x | 0.00 = | 0.00 |
| | | | _ | _ | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 x | 0.00 = | 0.00 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by distr | ict's Raw ADM | 1,240.98 | |

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>86.206030</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1,240.98}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 528 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 825.82 | = | 0.000000 | x .2 | 0.000000 | Х | 825.82 | = | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 74 - WASHINGTON District: I018 - CANEY VALLEY

- If school district's total area in square miles 190.245520 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>825.82</u> divided by district's total area in square mile <u>190.245520</u> = District's Areal В Density <u>4.34</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x 0.00 | 0.00 |
|----|---------------------------------------|----------|---------------|------------------|-----------|--------------------|
| | | | | | EC-5 ADN | 1 EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from abo | ove | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | x0.00 | 0.00 |
| | | | | | 6-8 ADN | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ve | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | x0.00 | 0.00 |
| | | | | | 9-OHP ADN | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by di | strict's Raw ADM | 825.8 | 2 |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles 190.245520 - 137.00000) divided by 137.00000 =Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 825.82 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 529 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Raw | ΔD | М |
|-------|--------------|-----|
| 1\avv | $\Delta \nu$ | IVI |

| 529 - | 5,971.99 | = | 0.000000 | x .2 | 0.000000 | Х | 5,971.99 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 74 - WASHINGTON District: 1030 - BARTLESVILLE

- If school district's total area in square miles <u>97.494490</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>5,971.99</u> divided by district's total area in square mile <u>97.494490</u> = District's Areal В Density 61.25.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--------------------------------|----------|----------------|-----------------|------|----------|-------------------|
| | | | | | EC | -5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | 6 | -8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | 9-OF | HP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 0.00 | divided by dis | trict's Raw ADM | | 5,971.99 | |

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>97.494490</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>5.971.99</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 530 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 323.51 | = | 0.388450 | x .2 | 0.077690 | Х _ | 323.51 | _ = _ | 25.13 |
|-------|--------|---|----------|------|----------|-----|-----------|-------|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 75 - WASHITA District: 1001 - SENTINEL

- A. If school district's total area in square miles <u>256.304160</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>323.51</u> divided by district's total area in square mile <u>256.304160</u> = District's Areal Density <u>1.26</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 160.01 | + | 23 = | 183.01 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 74.95 | + | 133 = | 207.95 | (Cb) |
| Grades | PK3,9 -OHP | 88.55 | + | 128 = | 216.55 | (Cc) |
| | | 323.51 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 183.01 = | 0.404349 | + .85 = | 1.254349 x | x 160.01 = | 200.71 |
|----|--------------------------------|----------|----------------|-----------------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 207.95 = | 0.586679 | + .85 = | 1.436679 x | 74.95 = | 107.68 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | |
| | 216.55 = | 1.348418 | + .78 = | 2.128418 x | x 88.55 = | 188.47 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 496.86 | divided by dis | trict's Raw ADM | 323.51 | |

- 1.00 = District Cost Factor

0.54

5) (District's Square Miles <u>256.304160</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.87</u>

1.54

- 6) Multiply District Cost Factor (Line 4 above) 0.54 by lessor of the Area Factor (Line 5 above) 0.87 or 1.00 = Isolation Factor 0.47
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 323.51 = Isolation Weight 151.98
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __151.98_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 531 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Dave | Λ | N |
|------|---|---|
| | | |

| 529 - | 576.68 | = | 0.000000 | x .2 | 0.000000 | х | 576.68 | _ = _ | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 75 - WASHITA District: I010 - BURNS FLAT-DILL CITY

- If school district's total area in square miles 131.994930 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>576.68</u> divided by district's total area in square mile <u>131.994930</u> = District's Areal В Density <u>4.37</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
|----|--|----------|---------|----------|---|-----------|-------------------|
| | _ | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | ve | | | | | |
| | 0.00 = | 0.000000 | + .85 = | 0.850000 | х | 0.00 = | 0.00 |
| | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abov | ve | | | | | |
| | 0.00 = | 0.000000 | + .78 = | 0.780000 | х | 0.00 = | 0.00 |
| | | | | | | 9-OHP ADM | 9-OHP Cost Factor |

divided by district's Raw ADM

- 1.00 = District Cost Factor

576.68

0.00 5) (District's Square Miles <u>131.994930</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 576.68 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 532 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D ~ | Λ. | \Box | NΛ |
|-----|----|--------|----|
| Kaw | А | 1) | M |
| | | | |

| 529 - | 373.17 | =_ | 0.294575 | x .2 | 0.058915 | Х | 373.17 | _ = _ | 21.99 |
|-------|--------|----|----------|------|----------|----------|---------|-------|-----------------|
| _ | 529 | | | | | Same Yea | | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 75 - WASHITA District: I011 - CANUTE

- A. If school district's total area in square miles <u>156.179290</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>373.17</u> divided by district's total area in square mile <u>156.179290</u> = District's Areal Density <u>2.39</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 175.68 | + | 23 = | 198.68 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 73.43 | + | 133 = | 206.43 | (Cb) |
| Grades | PK3,9 -OHP | 124.06 | + | 128 = | 252.06 | (Cc) |
| | | 373.17 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 198.68 | = | 0.372458 | + .85 = | 1.222458 | Х | 175.68 = | 214.76 |
|----|--------------------------------------|------|----------|--------------|-------------------|---|-----------|-------------------|
| | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by " <u>Cb</u> " from al | bove | | | | | | |
| | 206.43 | = _ | 0.590999 | + .85 = | 1.440999 | x | 73.43 = | 105.81 |
| | | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from ab | oove | | | | | | |
| | 252.06 | = _ | 1.158454 | + .78 = | 1.938454 | x | 124.06 = | 240.48 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 561.05 | divided by d | istrict's Raw ADM | | 373.17 | |

- 1.00 = District Cost Factor

0.50

5) (District's Square Miles <u>156.179290</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.14</u>

1.50

- 6) Multiply District Cost Factor (Line 4 above) 0.50 by lessor of the Area Factor (Line 5 above) 0.14 or 1.00 = Isolation Factor 0.07
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 373.17 = Isolation Weight 26.12
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.12_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 533 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N A | |
|-----|---|--------|-----|--|
| Kaw | А | ט | IVI | |

| 529 - | 674.89 | = | 0.000000 | x .2 | 0.000000 | X | 674.89 | = | 0.00 |
|-------|--------|---|----------|------|----------|---|-----------|---|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 75 - WASHITA District: 1078 - CORDELL

- A. If school district's total area in square miles <u>349.602480</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>674.89</u> divided by district's total area in square mile <u>349.602480</u> = District's Areal Density <u>1.93</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 358.74 | + | 23 = | 381.74 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 140.15 | + | 133 = | 273.15 | (Cb) |
| Grades | PK3,9 -OHP | 176.00 | + | 128 = | 304.00 | (Cc) |
| | | 674.89 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 381.74 = | 0.193849 | + .85 = | 1.043849 | x 358.74 = | 374.47 |
|----|---------------------------------------|----------|----------------|-----------------|------------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | |
| | 273.15 = | 0.446641 | + .85 = | 1.296641 | x 140.15 = | 181.72 |
| | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | |
| | 304.00 = | 0.960526 | + .78 = | 1.740526 | x 176.00 = | 306.33 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 862.52 | divided by dis | trict's Raw ADM | 674.89 | |

- 1.00 = District Cost Factor

0.28

5) (District's Square Miles <u>349.602480</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.55</u>

1.28

- 6) Multiply District Cost Factor (Line 4 above) 0.28 by lessor of the Area Factor (Line 5 above) 1.55 or 1.00 = Isolation Factor 0.28
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 674.89 = Isolation Weight 188.97
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __188.97_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 534 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | |
|-----|---|---|----|
| ĸaw | Α | U | IV |

| 529 - | 1,044.22 | = | 0.000000 | x .2 | 0.000000 | Х | 1,044.22 | =_ | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 76 - WOODS District: I001 - ALVA

- A. If school district's total area in square miles <u>633.569130</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,044.22</u> divided by district's total area in square mile <u>633.569130</u> = District's Areal Density <u>1.65</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 561.54 | + | 23 = | 584.54 | (Ca) |
|--------|------------|----------|---|-------|--------|------|
| Grades | 6th - 8th | 209.08 | + | 133 = | 342.08 | (Cb) |
| Grades | PK3,9 -OHP | 273.60 | + | 128 = | 401.60 | (Cc) |
| | | 1,044.22 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 584.54 | = _ | 0.126595 | + .85 = | 0.976595 | х | 561.54 = | 548.40 |
|----|--------------------------------------|------|----------|----------------|------------------|---|-----------|-------------------|
| | | | _ | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from ab | oove | | | | | | |
| | 342.08 | = _ | 0.356642 | + .85 = | 1.206642 | x | 209.08 = | 252.28 |
| | | | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from ab | ove | | | | | | |
| | 401.60 | = | 0.727092 | + .78 = | 1.507092 | х | 273.60 = | 412.34 |
| | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | _ | 1,213.02 | divided by dis | strict's Raw ADM | | 1,044.22 | |

- 1.00 = District Cost Factor

0.16

5) (District's Square Miles <u>633.569130</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>3.62</u>

1.16

- 6) Multiply District Cost Factor (Line 4 above) 0.16 by lessor of the Area Factor (Line 5 above) 3.62 or 1.00 = Isolation Factor 0.16
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1,044.22}$ = Isolation Weight $\underline{167.08}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 167.08

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 535 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D | | | | |
|-----|---|---|----|--|
| ĸaw | Α | U | IV | |

| 529 - | 221.92 | = | 0.580491 | x .2 | 0.116098 | х | 221.92 | _ = _ | 25.76 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| _ | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 76 - WOODS District: I003 - WAYNOKA

- A. If school district's total area in square miles <u>488.365560</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>221.92</u> divided by district's total area in square mile <u>488.365560</u> = District's Areal Density <u>0.45</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 109.16 | + | 23 = | 132.16 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 53.62 | + | 133 = | 186.62 | (Cb) |
| Grades | PK3,9 -OHP | 59.14 | + | 128 = | 187.14 | (Cc) |
| | | 221.92 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 132.16 = | 0.559927 | + .85 = | 1.409927 x | 109.16 = | 153.91 |
|----|---|----------|-----------------|----------------|-----------|-------------------|
| | | _ | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | è | | | | |
| | 186.62 = | 0.653735 | + .85 = | 1.503735 x | 53.62 = | 80.63 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 187.14 = | 1.560329 | + .78 = | 2.340329 x | 59.14 = | 138.41 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 372.95 | divided by dist | rict's Raw ADM | 221.92 | |

- 1.00 = District Cost Factor

0.68

5) (District's Square Miles <u>488.365560</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.56</u>

1.68

- 6) Multiply District Cost Factor (Line 4 above) 0.68 by lessor of the Area Factor (Line 5 above) 2.56 or 1.00 = Isolation Factor 0.68
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>221.92</u> = Isolation Weight <u>150.91</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight ___150.91_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 536 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 67.36 | = | 0.872665 | x .2 | 0.174533 | х | 67.36 | =_ | 11.76 |
|-------|-------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 76 - WOODS District: I006 - FREEDOM

- A. If school district's total area in square miles <u>498.953600</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>67.36</u> divided by district's total area in square mile <u>498.953600</u> = District's Areal Density <u>0.14</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 24.00 | + | 23 = | 47.00 | (Ca) |
|--------|------------|-------|---|-------|--------|------|
| Grades | 6th - 8th | 14.81 | + | 133 = | 147.81 | (Cb) |
| Grades | PK3,9 -OHP | 28.55 | + | 128 = | 156.55 | (Cc) |
| | | 67.36 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 47.00 = | 1.574468 | + .85 = | 2.424468 x | 24.00 = | 58.19 |
|----|--------------------------------|----------|-----------------|-----------------|-----------|-------------------|
| | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | е | | | | |
| | 147.81 = | 0.825384 | + .85 = | 1.675384 x | 14.81 = | 24.81 |
| | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | è | | | | |
| | 156.55 = | 1.865219 | + .78 = | 2.645219 x | 28.55 = | 75.52 |
| | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 158.52 | divided by dist | trict's Raw ADM | 67.36 | |

- 1.00 = District Cost Factor

1.35

5) (District's Square Miles <u>498.953600</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.64</u>

2.35

- 6) Multiply District Cost Factor (Line 4 above) 1.35 by lessor of the Area Factor (Line 5 above) 2.64 or 1.00 = Isolation Factor 1.35
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 67.36 = Isolation Weight 90.94
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 90.94

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 537 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

Raw ADM

| 529 - | 2,742.22 | = | 0.000000 | x .2 | 0.000000 | Х | 2,742.22 | = | 0.00 |
|-------|----------|---|----------|------|----------|---|-----------|---|-----------------|
| _ | 529 | _ | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 77 - WOODWARD District: I001 - WOODWARD

- A. If school district's total area in square miles <u>212.691400</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,742.22</u> divided by district's total area in square mile <u>212.691400</u> = District's Areal Density <u>12.89</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 0 | + | 23 = | 0.00 | (Ca) |
|--------|------------|------|---|-------|------|------|
| Grades | 6th - 8th | 0 | + | 133 = | 0.00 | (Cb) |
| Grades | PK3,9 -OHP | 0 | + | 128 = | 0.00 | (Cc) |
| | | 0.00 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 0.00 = | = | 0.000000 | + .85 | = | 0.850000 | Х | 0.00 = | 0.00 |
|----|---------------------------------------|-----|----------|---------|--------|------------------|---|-----------|-------------------|
| | | | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | | |
| | 0.00 | = | 0.000000 | + .85 | = | 0.850000 | х | 0.00 = | 0.00 |
| | _ | | _ | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | | |
| | 0.00 | = | 0.000000 | + .78 | = | 0.780000 | х | 0.00 = | 0.00 |
| | _ | | | | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | | 0.00 | divided | by dis | strict's Raw ADM | | 2,742.22 | |

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>212.691400</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{2,742.22}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 538 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | ٨ | | ١./ |
|-----|---|---|-----|
| Raw | А | ט | IV |

| 529 - | 527.42 | = | 0.002987 | x .2 | 0.000597 | Х | 527.42 | =_ | 0.32 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 77 - WOODWARD District: 1002 - MOORELAND

- A. If school district's total area in square miles <u>401.985840</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>527.42</u> divided by district's total area in square mile <u>401.985840</u> = District's Areal Density <u>1.31</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 272.91 | + | 23 = | 295.91 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 118.58 | + | 133 = | 251.58 | (Cb) |
| Grades | PK3,9 -OHP | 135.93 | + | 128 = | 263.93 | (Cc) |
| | | 527.42 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 295.91 = | = 0.2 | 250076 | + .85 = | 1.100076 | x 272 | 2.91 = | 300.22 |
|----|---------------------------------------|-------|----------|----------------|-----------------|---------|--------|-------------------|
| | | | | | | EC-5 A | DM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from abo | ove | | | | | | |
| | 251.58 = | =0. | 484935 | + .85 = | 1.334935 | x118 | 3.58 = | 158.30 |
| | | | <u> </u> | | | 6-8 A | DM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from abo | ove | | | | | | |
| | 263.93 = | = 1. | 106354 | + .78 = | 1.886354 | x 135 | 5.93 = | 256.41 |
| | | | | | | 9-OHP A | DM | 9-OHP Cost Factor |
| 4) | Sum $1 + 2 + 3$ from above | | 714.93 c | livided by dis | trict's Raw ADM | 527 | 7.42 | |

- 1.00 = District Cost Factor

0.36

5) (District's Square Miles <u>401.985840</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.93</u>

1.36

- 6) Multiply District Cost Factor (Line 4 above) 0.36 by lessor of the Area Factor (Line 5 above) 1.93 or 1.00 = Isolation Factor 0.36
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 527.42 = Isolation Weight 189.87
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __189.87_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 539 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| D 2147 | ٨ | | ١./ |
|--------|---|---|-----|
| Raw | А | U | IVI |

| 529 - | 263.92 | = | 0.501096 | x .2 | 0.100219 | х | 263.92 | _ = _ | 26.45 |
|-------|--------|---|----------|------|----------|---|-----------|-------|-----------------|
| | 529 | | | _ | | | Same Year | | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 77 - WOODWARD District: 1003 - SHARON-MUTUAL

- A. If school district's total area in square miles <u>277.201740</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>263.92</u> divided by district's total area in square mile <u>277.201740</u> = District's Areal Density <u>0.95</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 132.99 | + | 23 = | 155.99 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 48.74 | + | 133 = | 181.74 | (Cb) |
| Grades | PK3,9 -OHP | 82.19 | + | 128 = | 210.19 | (Cc) |
| | | 263.92 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 155.99 = | 0.474389 | + .85 = | 1.324389 | Χ | 132.99 = | 176.13 |
|----|--------------------------------|----------|---------------|------------------|---|-----------|-------------------|
| | | | | | | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | | |
| | 181.74 = | 0.671289 | + .85 = | 1.521289 | x | 48.74 = | 74.15 |
| | | _ | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by "Cc" from above | | | | | | |
| | 210.19 = | 1.389219 | + .78 = | 2.169219 | x | 82.19 = | 178.29 |
| | | _ | | | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 428.57 | divided by di | strict's Raw ADM | | 263.92 | |

- 1.00 = District Cost Factor

0.62

5) (District's Square Miles <u>277.201740</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.02</u>

1.62

- 6) Multiply District Cost Factor (Line 4 above) 0.62 by lessor of the Area Factor (Line 5 above) 1.02 or 1.00 = Isolation Factor 0.62
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>263.92</u> = Isolation Weight <u>163.63</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __163.63_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 540 of 541

Small School and Isolation Weight

2018 - 2019

Statewide Report

2019 1ST 9 WKS

| Daw | Λ | \Box | N/ | |
|-----|---|--------|----|--|
| Raw | А | ט | IV | |

| 529 - | 127.32 | = | 0.759319 | x .2 | 0.151864 | х | 127.32 | =_ | 19.34 |
|-------|--------|---|----------|------|----------|---|-----------|----|-----------------|
| | 529 | | | | | | Same Year | _ | Small School |
| | | | | | | | Raw ADM | | District Weight |

DISTRICT SPARSITY-ISOLATION FORMULA

County: 77 - WOODWARD District: 1005 - FORT SUPPLY

- A. If school district's total area in square miles <u>243.521950</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>127.32</u> divided by district's total area in square mile <u>243.521950</u> = District's Areal Density <u>0.52</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

| Grades | PK4 - 5th | 60.63 | + | 23 = | 83.63 | (Ca) |
|--------|------------|--------|---|-------|--------|------|
| Grades | 6th - 8th | 29.00 | + | 133 = | 162.00 | (Cb) |
| Grades | PK3,9 -OHP | 37.69 | + | 128 = | 165.69 | (Cc) |
| | | 127.32 | | | | |

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

| | 83.63 = | 0.884850 | + .85 = | 1.734850 x | 60.63 = | 105.18 |
|----|---|----------|--------------------|-------------|-----------|-------------------|
| | | _ | _ | _ | EC-5 ADM | EC-5 Cost Factor |
| 2) | 122 divided by "Cb" from above | | | | | |
| | 162.00 = | 0.753086 | + .85 = | 1.603086 x | 29.00 = | 46.49 |
| | | | | | 6-8 ADM | 6-8 Cost Factor |
| 3) | 292 divided by " <u>Cc</u> " from above | | | | | |
| | 165.69 = | 1.762327 | + .78 = | 2.542327 x | 37.69 = | 95.82 |
| | | | _ | | 9-OHP ADM | 9-OHP Cost Factor |
| 4) | Sum 1 + 2 + 3 from above | 247.49 | divided by distric | t's Raw ADM | 127.32 | |
| | = | 1.94 | - 1.00 = District | Cost Factor | 0.94 | |

- 5) (District's Square Miles <u>243.521950</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.78</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.94 by lessor of the Area Factor (Line 5 above) 0.78 or 1.00 = Isolation Factor 0.73
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{127.32}$ = Isolation Weight $\underline{93.35}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __93.35_

Report# FB107b Printed: 1/5/2022 1:11:54 PM Page 541 of 541